

Folding Suspension Recumbent Trike (M-E009F)



Motor	250 watt brushless rear hub motor
Battery	36v 10ah Li-ion with LG cells in a removable pack
Display	LCD display
Pedal assist	5 levels of pedal assist
Max speed	Up to 20 mph
Estimated charge time	6 hours
Estimated Min and Max range	25 to 40 miles
Frame	High carbon steel
Tires	CHENG SHIN front 20x1.5 inch, rear 26x1.5 inch
Rims	Double wall alloy
Spokes	Stainless steel
Brakes	Front BB5 disc brakes, rear v-brake
Crankset	Shimano Alloy 170mm 28/38/48T
Shifter	Shimano TX30-7 7 speed shifter
Cassette	Shimano MF-TZ21 7 speed cassette
Derailleur	Shimano ACERA M360 7 speed rear derailleur
Suspension	Rear suspension
Carrier	Aluminum
Seat	Nylon mesh with 3 positions
Pedal	Alloy
Weight	25 kg + battery 4 kg
Steering R	2.5 m
X-Seam	75-95 cm
Axles Sistance	127 cm
Sub Length	195-210 cm
Sub Width	85 cm
Sub Height	78 cm
Distance To Ground	12 cm
Folding Size	128x85x55 cm

Basic Style Recumbent Trike (M-E010)



Motor	250 watt brushless rear hub motor
Battery	36v 10ah Li-ion with LG cells in a removable pack
Display	LCD display
Pedal assist	5 levels of pedal assist
Max speed	Up to 20 mph
Estimated charge time	6 hours
Estimated Min and Max range	25 to 40 miles
Frame	High carbon steel
Tires	CHENG SHIN front 20x1.5 inch, rear 26x1.5 inch
Rims	Double wall alloy
Spokes	Stainless steel
Brakes	BB5 disc brakes
Crankset	Shimano Alloy 170mm 28/38/48T
Shifter	Shimano TX30-7 7 speed shifter
Cassette	Shimano MF-TZ21 7 speed cassette
Derailleur	Shimano ACERA M360 7 speed rear derailleur
Carrier	Aluminum
Seat	Fiber glass with cushion
Pedal	Alloy
Weight	25 kg + battery 4 kg
Steering R	2.5 m
X-Seam	75-95 cm
Axles Sistance	127 cm
Sub Length	195-210 cm
Sub Width	85 cm
Sub Height	78 cm
Distance To Ground	12 cm

Fat Tire Recumbent Trike (M-E010F)



Motor	DAPU 500 watt brushless rear hub motor
Battery	48v 16ah Li-ion with LG cells in a removable pack
Display	DAPU LCD display indicates current speed, trip distance, pedal assist level and battery power
Pedal assist	DAPU torque sensor pedal assist with 6 levels
Max speed	Up to 25 mph
Estimated charge time	8 hours
Estimated Min and Max range	30 to 50 miles
Frame	High carbon steel
Tires	Front 20x4.0 inch, rear 26x4.0 inch
Rims	Alloy
Spokes	Stainless steel
Brakes	BB5 disc brakes
Crankset	Alloy 170 mm 38T
Shifter	Shimano TX30-7 7 speed shifter
Cassette	Shimano MF-TZ21 7 speed cassette
Derailleur	Shimano ACERA M360 7 speed rear derailleur
Carrier	Aluminum
Seat	Fiber glass with cushion
Pedal	Alloy
Weight	34 kg + battery 6 kg
Steering R	2.5 m
X-Seam	75-95 cm
Axles Sistance	127 cm
Sub Length	195-210 cm
Sub Width	95 cm
Sub Height	92 cm
Distance To Ground	25 cm