

# Phase 1 Official Problem Statement: Next-Gen AI Platform Speed Run

FORMAT

Online

DATE

26 June 2026

START TIME

2:00 pm

END TIME

6:00 pm



Access Provided Assets Drive

## The Objective

You are tasked with building a premium, high-converting, responsive landing page for an advanced AI-driven data automation platform. This round is a direct test of your architectural integrity, engineering speed, motion choreography, and SEO hygiene under a strict countdown.

## Round Details & Constraints

- **Format:** Online
- **Allowed Frameworks:** React, Next.js, Vue, Nuxt, SolidJS, Angular, or Vanilla JS.
- **Styling Tools:** Utility CSS (Tailwind CSS, Bootstrap) or custom CSS.
- **Submission Requirement:**
  - Public GitHub repository

- Live deployment link
- Demo Video (drive link not exceeding 100MB)

## Provided Assets

- **SVGs:** It contains some basic UI elements which should be used while building. You cannot use any external resources.
- **Font list:** Strict typography parameters specifying two primary font families to configure via CSS/Head layers.
- **Color palette:** Pre-defined hex codes outlining the exact aesthetic constraints.
- **demo.mp4:** A compressed screen recording detailing the structural layout motion expected for this build.

## Layout Brief

Build a highly cohesive, premium SaaS landing page for an AI automation platform. The exact layout flow, copy, and visual storytelling are up to your creative discretion. However, the interface must naturally weave together a compelling Hero area, a technical Feature showcase, a structured Pricing tier matrix, and social proof—all while maintaining strict semantic HTML and responsive breakpoint fluidities.

## Core Feature Requirements

### | Feature 1: Matrix-Driven Pricing & Performance-Isolated Currency Switcher

- **The Blueprint:** A pricing tier component that toggles between Monthly and Annual billing cycles across three currencies: INR (₹), USD (\$), and EUR (€).
- **The Data Logic:** You must compute the final values dynamically using a multi-dimensional configuration object/matrix that factors in a base tier rate, a flat 20% annual discount multiplier, and regional tariff variables.

### | Feature 2: Bento-to-Accordion Wrapper with State Persistence

- **The Blueprint:** Present the core features via a modern Bento-Grid layout on desktop. On mobile viewports, this component must refactor into a fluid, touch-optimized Accordion list.

- **The Context Lock Constraint:** If a user is actively hovering over or interacting with a specific bento-node on desktop and abruptly resizes the browser window past the mobile breakpoint, your application must programmatically transfer that exact active index context over to the mobile Accordion state, ensuring the corresponding panel is open smoothly upon layout transition.

## You Can

- **Use 3D Frameworks:** Libraries like three.js are fully permitted to enhance visual components.
- **Deploy Anywhere:** Any cloud deployment platform can be used (Vercel, Netlify, GitHub Pages, etc.) as long as a working live link is provided.
- **Replicate Motion Progressively:** Implement the transitions, layout animations, and micro-interactions demonstrated in reference\_showcase.mp4 as closely as your architecture permits to score maximum points.
- **Incorporate Utility CSS:** Tailwind CSS, Bootstrap, or pure custom CSS variables are completely welcome.

## You Cannot

- **Do Not Use External UI or Animation Component Libraries:** You are strictly barred from installing or using pre-built components or runtime animation engines (e.g., Shadcn, Radix, HeadlessUI, Framer Motion) for Feature 2. All structures and transitions must be written from scratch.
- **Do Not Trigger Global Re-renders:** Changing the currency dropdown or billing toggle must not re-render the parent component or surrounding layout blocks. You cannot allow global state reflows; updates must be strictly isolated to the localized DOM text nodes containing the price strings.
- **Do Not Use Runtime CSS-in-JS Animation Engines:** All motion sequences must utilize hardware-accelerated, native CSS Transitions/Animations or the optimized native Web Animations API (WAAPi).
- **Do Not Exceed Performance Caps:** The initial loading sequence and entry animations must not block semantic HTML indexing, delay Time to Interactive (TTI), or exceed a total orchestration timeline of 500ms.

# Entrance & Motion Constraints

- **Micro-interactions (Hovers/Toggles):** 150ms – 200ms using an ease-out curve.
- **Structural Layout Reflows:** 300ms – 400ms using an ease-in-out curve.

## Phase 1 Scoring Matrix (100 Points Total)

### 1. Logic, Architecture & State Isolation (40 Points)

- **Feature 1 Completion (15 pts):** Dynamic multi-currency pricing calculation using a multi-dimensional matrix without hardcoded UI values.
- **The Re-render & State Isolation Guardrail (15 pts):** Strict evaluation via Chrome DevTools. Full points are awarded only if changing the billing cycle or currency isolates state updates to the targeted text nodes. Points will be docked instantly if global components reflow.
- **Feature 2 Completion & Zero-Dependency Rule (10 pts):** Responsive Bento-to-Accordion view transition with automatic index context tracking on window resize. The presence of banned external libraries results in an automatic 0/10 for this section.

### 2. SEO Optimization & Semantic HTML Structure (30 Points)

- **Semantic DOM Layout (15 pts):** Clean markup utilizing appropriate semantic tags (<main>, <header>, <section>, etc.) over deep, non-semantic <div> nesting.
- **SEO Hygiene & Metadata (10 pts):** Correct use of standard meta headers, Open Graph (OG) tags, accessible image attributes, and crawlable text nodes.
- **Loading Sequence Performance (5 pts):** Complete execution of the initial loader and entry orchestration within the strict 500ms threshold without delaying Time to Interactive (TTI).

### 3. UI/UX Usability & Motion Matching (30 Points)

- **Asset Compliance & Design Polish (15 pts):** Meaningful, complete integration of all asset categories from asset\_package.zip (SVG Pack, Fontlist, Color Palette). Missing or unused assets will incur heavy point deductions.
- **Breakpoint Fluidity (10 pts):** Clean, flawless layout adaptation across mobile, tablet, and desktop viewports without horizontal clipping or overlapping typography.
- **Motion Accuracy (5 pts):** Polish of hover states, easing configurations, and structural replication accuracy from the provided demo.mp4.

**Evaluation Warning:** Codebases that trigger excessive layout thrashing, component mount-flashing, or unnecessary global re-renders under Chrome DevTools performance tracking will be heavily penalized. Structure your state carefully.

## Disqualification Criteria

Your submission will be immediately disqualified and excluded from evaluation if it meets any of the following conditions:

- ! **Invalid or Broken Repository Link:** Providing a broken, non-existent, or private GitHub repository link that prevents the evaluation team from auditing your source code.
- ! **Deployment Failures (404 / 500 Errors):** Submitting a live hosted link that resolves to a 404 Not Found, 500 Internal Server Error, or fails to build/load entirely during the evaluation window.
- ! **Plagiarism & Code Duplication:** Submitting codebases that match another contestant's repository, utilizing identical forks, or lifting complete, unmodified boilerplates.
- ! **Empty or Mock Repositories:** Submitting a repository that only contains placeholder configuration templates without actual feature source code.
- ! **Banned Component Libraries:** The presence of pre-built UI or animation libraries (e.g., Radix, Shadcn, Tailwind UI, Framer Motion) in your dependency configuration for the core components.
- ! **Hardcoded Feature Metrics:** Hardcoding the structural values for the currency and billing engine instead of mapping a dynamic multi-dimensional configuration matrix.