Tutorial (2)

Student Name: **ID:** **Section:**

....

Class Copy

Question 1: Select the correct answer for each of the following:

1) If a student scores 80, 70, and 90 in three courses with 3, 2, and 5 credit hours, respectively, what is the weighted mean score?

a) 80.0 b) 83.0 c) 85.0 d) 78.0

2) The mean of five observations is 18. If an observation of 10 is replaced by 25, what is the new mean?

a) 19 b) 20 c) 21 d) 23

3) The mode of a set of data is defined as the value or observation that has the

a) Smallest value b) Middle position c) Highest frequency d) Average value

4) The mean salary of 20 employees is 6000 SR. After the manager's salary is included, the mean salary of all 21 employees becomes 6500 SR. What is the manager's salary?

a) 12000 SR b) 14500 SR c) 16500 SR d) 17000 SR

Question 2: Answer the following statements with True or False.		**Answer**
1	The mean is always one of the observed values in a set of data.	.....
2	Every set of data must have a unique mode.	.....
3	The mean of positive real values is always a positive real value.	.....
4	To calculate the median, the data must be arranged in either ascending or descending order first.	.....

Question 3: Consider the following data on the number of children ever born reported by 20 women in a sample: 4, 2, 1, 0, 2, 3, 2, 1, 1, 2, 3, 4, 3, 2, 1, 2, 2, 1, 3, 2. Then

1. Compute the mean.

.....
.....

2. Compute the mode.

.....
.....

3. Compute the median.

.....
.....

Question 4: **The ages (in years) of 60 patients in a study are summarized in the following table.**

Age in years	10-19	20-29	30-39	40-49	50-59
Frequency	8	12	14	16	10

Find the following:

1. The mean.

……
……
……

2. Compute the median.

……
……
……

3. Compute the mode.

……
……
……

The End– Good Luck

Student Copy

Question 1: Select the correct answer for each of the following:

1) The median is defined as the value that divides the ordered data into

a) Four equal parts b) Two halves c) Ten equal parts d) One hundred equal parts

2) A set of data has a mean of 40 and a median of 32. This data is

a) Left skewed b) Right skewed c) Symmetric d) Uniform

3) Which measure can be obtained graphically directly from a histogram?

a) Mean b) Mode c) Median d) Weighted Mean

4) The mean of 10 observations is 25. One value of the data was incorrectly recorded as 18 instead of 28. What is the correct mean?

a) 25 b) 25.5 c) 26 d) 26.5

Question 2: Answer the following statements with True or False.		**Answer**
1	The median always has one and only one value for a given set of data.	.....
2	Adding the same constant to every observation changes the median by the same constant.	
3	The mode can be determined for qualitative data as well as quantitative data.	.....
4	The weighted mean is appropriate when different observations have different weights.	.....

The End– Good Luck