Cucumber Report

Start : Jul 05, 5:01:05.544 PM	End : Jul 05, 5:01:09.525 PM	Duration : 3.981 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 4 FAILED - 0 SKIPPED - 0

1

1

4

Pass %

100 %

Pass %

100 %

Pass %

100 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
database_read_feature	3.981 s	1	1	0	0	4	4	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@db_customer_ssn	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	database_read_feature	1	1	0	0	3.981 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	database_read_feature	TC01_read_customer_ssn_information	4	4	0	0	3.972 s

database_read_feature

PASSED	DURATION - 3.981 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:01:05.544 PM // 5:01:09.525 PM /						

TC01_read_customer_ssn_information

PASSED	DURATION - 3.972 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:01:05.553 PM // 5:01:09.525 PM /				
database_read_feature				
@db_customer_ssn				

#	Step / Hook Details	Status	Duration
1	Given user connects to the database	PASSED	2.428 s
2	And user gets "*" from "tp_customer" table	PASSED	1.381 s
3	And user reads all the "ssn" column data	PASSED	0.120 s
4	Then close the database connection	PASSED	0.013 s