

RATE COMPARATIVE STATEMENT FOR HVAC PUMPS
SUMMARY

PROJECT: MCH BAHAWALNAGAR

MATRACON – CHP + CP (5 Sets Each) | 21st May 2026

Sr. No.	Description	Dominar (KSB)	Emaarat (Wilo)	BNB Grundfos 2-Pole (QT-252A)	BNB Grundfos 4-Pole (QT-252B)	HMA Pumps
1	Chiller-Hot Water Circuit (CHP)					
	CHP Pumps Sub-Total (Excl. GST)	9,805,950	9,400,000	19,808,710	32,414,845	13,728,814
	CHP VFDs Sub-Total (Excl. GST)	4,750,000	3,860,000	-	-	-
	CHP Spares Sub-Total (Excl. GST)	-	-	320,320	390,235	-
	CHP GST @ 18%	2,620,071	1,692,000	3,565,568	5,834,672	2,471,186
	CHP GRAND TOTAL (Incl. GST)	17,176,021	11,092,000	23,374,278	38,249,517	16,200,000
2	Condenser Water Circuit (CP)					
	CP Pumps Sub-Total (Excl. GST)	7,228,725	4,975,000	14,845,600	22,809,865	11,864,407
	CP VFDs Sub-Total (Excl. GST)	2,675,000	2,850,000	-	-	-
	CP Spares Sub-Total (Excl. GST)	-	-	256,870	390,235	-
	CP GST @ 18%	1,782,671	1,408,500	2,718,445	4,176,018	2,135,593
	CP GRAND TOTAL (Incl. GST)	11,686,396	9,233,500	17,820,915	27,376,118	14,000,000
	COMBINED Sub-Total (Excl. GST)	24,459,675	17,225,000	34,911,180	55,614,945	25,593,221
	COMBINED GST	4,402,742	3,100,500	6,284,012	10,010,690	4,606,780
	COMBINED GRAND TOTAL (Incl. GST)	28,862,417	20,325,500	41,195,192	65,625,635	30,200,000

★ LOWEST COMBINED TOTAL (incl. GST): PKR 20,325,500

Saving vs Most Expensive: PKR 45,300,135

GST Rate		18%		(18% — edit if rate changes)										
Brand Description				Dominar (KSB) (V1)		Emaarat (Wilo) (V2)		BNB Grundfos 2-Pole (QT-252A) (V3)		BNB Grundfos 4-Pole (QT-252B) (V4)		HMA Pumps		
Sr.	Description / Model		Qty	Rate (PKR)	Total Amount (PKR)	Rate (PKR)	Total Amount (PKR)	Rate (PKR)	Total Amount (PKR)	Rate (PKR)	Total Amount (PKR)	Rate (PKR)	Total Amount (PKR)	Remarks
▶ CHILLER / HOT WATER CIRCUIT (CHP 1–5) Flow: 792 USGPM, Head: 160 ft														
1	CHP Pump — KSB ETN 200-150-400 GB11 45kW 4-Pole 1475rpm CI/Bronze/SS		5	1,961,190	9,805,950	1,108,000	5,540,000	3,897,678	19,488,390	6,404,922	32,024,610	2,745,763	13,728,814	
2	CHP VFD ABB ACH580-01-088A-4 (V1) Schneider ATV212HD37N4 (V2)		5	950,000	4,750,000	772,000	3,860,000	-	-	-	-	-	-	
3	CHP Spare — Shaft Seal		5	-	-	-	-	64,064	320,320	78,047	390,235		-	
CHP SUB-TOTAL (Excl. GST)					14,555,950		9,400,000		19,808,710		32,414,845		13,728,814	
GST @ (ref. B4)					2,620,071		1,692,000		3,565,568		5,834,672		2,471,186	
CHP GRAND TOTAL (Incl. GST)					17,176,021		11,092,000		23,374,278		38,249,517		16,200,000	

► CONDENSER WATER CIRCUIT (CP 1-5) | Flow: 990 USGPM, Head: 80 ft

1	CP Pump — KSB ETN 150-125-315 GB11 22kW 4-Pole 1470rpm Cl/Bronze/SS	5	1,445,745	7,228,725	995,000	4,975,000	2,969,120	14,845,600	4,561,973	22,809,865	2,372,881	11,864,407	
2	CP VFD ABB ACH580-01-046A-4 (V1) Schneider ATV212HD22N4 (V2)	5	535,000	2,675,000	570,000	2,850,000	-	-	-	-	-	-	
3	CP Spare — Shaft Seal	5	-	-	-	-	51,374	256,870	78,047	390,235		-	
CP SUB-TOTAL (Excl. GST)				9,903,725		7,825,000		15,102,470		23,200,100		11,864,407	
GST @ (ref. B4)				1,782,671		1,408,500		2,718,445		4,176,018		2,135,593	
CP GRAND TOTAL (Incl. GST)				11,686,396		9,233,500		17,820,915		27,376,118		14,000,000	

► **COMBINED TOTAL (CHP + CP)**

COMBINED SUB-TOTAL (Excl. GST)		24,459,675		17,225,000		34,911,180		55,614,945		25,593,221	
COMBINED GST		4,402,742		3,100,500		6,284,012		10,010,690		4,606,780	
COMBINED GRAND TOTAL (Incl. GST)		28,862,417		20,325,500		41,195,192		65,625,635		30,200,000	

★ **LOWEST COMBINED TOTAL (incl. GST): PKR 20,325,500 | Saving vs highest: PKR 45,300,135**

Sr. No.	Item Description	Specifications	Qty	VENDOR 1: Dominar Engineers (KSB)			VENDOR 2: Emaarat (Wilo)			VENDOR 3: BNB – Grundfos (2-Pole / QT-252A)			VENDOR 4: BNB – Grundfos (4-Pole / QT-252B)			VENDOR 5: HMA Pumps		
				Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)	Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)	Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)	Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)	Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)
1	CHP 1,2,3,4 & 5 Chiller/Hot Water Circuit Pump	Flow: 792 USGPM Head: 160 ft CI Body Bronze Imp. SS Shaft Mech. Seal	5	KSB ETN 200-150-400 GB11 45kW 4-Pole (1475 rpm)	1,961,190	9,805,950	Wilo Atmos GIGA-N 80/200-37/2-L1-P5 37kW 2-Pole IE3	1,108,000	5,540,000	Grundfos NK 80-200/200 AA1F2BESBAQESW1 37kW 2-Pole IE3 (2955 rpm) PN: 98318084	3,897,678	19,488,390	Grundfos NK 100-400/395 BA1F2BESBAQETW3 45kW 4-Pole IE3 (1478 rpm) PN: 98744556	6,404,922	32,024,610	HMA End Suction Centrifugal Pump Type NM 80-200, 37kw 50 HP Motor (3 Phasex380V 420 V x50Hz 2900 RPM B-35 IE3 IP 55 Class F Premium Efficiency Motor VOLT/GAMAK/WEG rmy ENC Approved, VFD 45 KW 60HP	2,745,763	13,728,814
2	VFD for CHP (Variable Frequency Drive)	For 45kW Motor (37kW for Wilo/Grundfos 2P) IP20, 400V	5	ABB ACH580-01-088A-4	950,000	4,750,000	Schneider ATV212HD37N4 37kW IP20 400V	772,000	3,860,000	Not Quoted	0	0	Not Quoted	0	0	Included in Rates	0	0
3	Spare – Shaft Seal (CHP Pumps)	Shaft seal spare for CHP pumps (x5)	5	Not Quoted	0	0	Not Quoted	0	0	Grundfos Spare Shaft Seal PN: 96537605 HS: 8413.9190	64,064	320,320	Grundfos Spare Shaft Seal PN: 96306472 HS: 8413.9190	78,047	390,235	Not Quoted	0	0
SUB-TOTAL (Excl. GST)						14,555,950			9,400,000			19,808,710			32,414,845			13,728,814
GST @ 18%						2,620,071			1,692,000			3,565,568			5,834,672			2,471,186
GRAND TOTAL (Incl. GST)						17,176,021			11,092,000			23,374,278			38,249,517			16,200,000

★ LOWEST QUOTED PRICE (Incl. GST): PKR 11,092,000

Saving vs Most Expensive: PKR 27,157,517

TERMS & CONDITIONS COMPARISON					
Parameter	Dominar (KSB)	Emaarat (Wilo)	BNB Grundfos 2-Pole	BNB Grundfos 4-Pole	
Pump Brand	KSB (Germany)	Wilo (Germany)	Grundfos (Denmark)	Grundfos (Denmark)	
Delivery	Customer End (Ex-Works)	FOR – Delivered at Site	DDP Delivered Duty Paid	DDP Delivered Duty Paid	
Delivery Period	8–10 Weeks after PO	Ex-Stock (prior sales)	12–14 wks + 7–9 wks sea freight	12–14 wks + 7–9 wks sea freight	
Payment Terms	50% advance, balance before delivery	100% Advance	80% advance, 20% before delivery	80% advance, 20% before delivery	
Warranty	As per FT4 Doc	1 Year	12 months from invoice	12 months from invoice	
GST Treatment	18% charged extra	18% charged extra	Inclusive in quoted price	Inclusive in quoted price	
VFD Included?	Yes (ABB ACHS80)	Yes (Schneider ATV212)	Not quoted	Not quoted	
Spare Parts	Not quoted	Not quoted	Shaft seals included	Shaft seals included	
Quotation Ref.	DE-Q-AY-1485-2025	EM-MA-0336	QUO/GGD/2026/252A	QUO/GGD/2026/252B	
Quote Validity	15 Days	15 Days	15 Days	15 Days	

RATE COMPARATIVE STATEMENT																		
MATRACON - Condenser Water Circuit Pumps (CP 1-5)																		
Date: 21st May 2026 DE-Q-AY-1485-2025 / EM-MA-0336 / QUO/GGD/2026/252A / QUO/GGD/2026/252B																		
Sr. No.	Item Description	Specifications	Qty	VENDOR 1: Dominar Engineers (KSB)			VENDOR 2: Emaarat (Wilo)			VENDOR 3: BNB – Grundfos (2-Pole / QT-252A)			VENDOR 4: BNB – Grundfos (4-Pole / QT-252B)			VENDOR 5: HMA Pumps		
				Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)	Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)	Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)	Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)	Pump / VFD Model	Unit Price (PKR)	Total Price (PKR)
1	CP 1,2,3,4 & 5 Condenser Water Circuit Pump	Flow: 990 USGPM Head: 80 ft CI Body Bronze Imp. SS Shaft Mech. Seal	5	KSB ETN 150-125-315 GB11 22kW 4-Pole (1470 rpm)	1,445,745	7,228,725	Wilo Atmos GIGA-N 100/160-22/2-L1-P5 22kW 2-Pole IE3	995,000	4,975,000	Grundfos NK 100-160/167 BA1F2BESBAQEQW1 22kW 2-Pole IE3 (2950 rpm) PN: 98921248	2,969,120	14,845,600	Grundfos NK 125-315/290 AA1F2BESBAQEQW3 22kW 4-Pole IE3 (1470 rpm) PN: 98318208	4,561,973	22,809,865	HMA End Suction Centrifugal Pump Type NM 100-315, 22kw 30 HP Motor (3 Phasex380-420 V x50Hz 1450 RPM B-35 IE3 IP 55 Class F Premium Efficiency Motor VOLT/GAMAK/WEG rmy ENC Approved, VFD 30 KW 40HP	2,372,881	13,728,814
2	VFD for CP (Variable Frequency Drive)	For 22kW Motor IP20, 400V	5	ABB ACH580-01-046A-4	535,000	2,675,000	Schneider ATV212HD22N4 22kW IP20 400V	570,000	2,850,000	Not Quoted	0	0	Not Quoted	0	0	Included in Rates	0	0
3	Spare – Shaft Seal (CP Pumps)	Shaft seal spare for CP pumps (x5)	5	Not Quoted	0	0	Not Quoted	0	0	Grundfos Spare Shaft Seal PN: 96488302 HS: 8413.9190	51,374	256,870	Grundfos Spare Shaft Seal PN: 96306472 HS: 8413.9190	78,047	390,235	Not Quoted	0	0
SUB-TOTAL (Excl. GST)						9,903,725			7,825,000			15,102,470			23,200,100			11,864,407
GST @ 18%						1,782,671			1,408,500			2,718,445			4,176,018			2,135,593
GRAND TOTAL (Incl. GST)						11,686,396			9,233,500			17,820,915			27,376,118			14,000,000
★ LOWEST QUOTED PRICE (Incl. GST): PKR 9,233,500																		
Saving vs Most Expensive: PKR 18,142,618																		

TERMS & CONDITIONS COMPARISON					
Parameter	Dominar (KSB)	Emaarat (Wilo)	BNB Grundfos 2-Pole	BNB Grundfos 4-Pole	
Pump Brand	KSB (Germany)	Wilo (Germany)	Grundfos (Denmark)	Grundfos (Denmark)	
Delivery	Customer End (Ex-Works)	FOR – Delivered at Site	DDP Delivered Duty Paid	DDP Delivered Duty Paid	
Delivery Period	8–10 Weeks after PO	Ex-Stock (prior sales)	12–14 wks + 7–9 wks sea freight	12–14 wks + 7–9 wks sea freight	
Payment Terms	50% advance, balance before delivery	100% Advance	80% advance, 20% before delivery	80% advance, 20% before delivery	
Warranty	As per FT4 Doc	1 Year	12 months from invoice	12 months from invoice	
GST Treatment	18% charged extra	18% charged extra	Inclusive in quoted price	Inclusive in quoted price	
VFD Included?	Yes (ABB ACH580)	Yes (Schneider ATV212)	Not quoted	Not quoted	
Spare Parts	Not quoted	Not quoted	Shaft seals included	Shaft seals included	
Quotation Ref.	DE-Q-AY-1485-2025	EM-MA-0336	QUO/GGD/2026/252A	QUO/GGD/2026/252B	
Quote Validity	15 Days	15 Days	15 Days	15 Days	



DOMINAR ENGINEERS (PVT) LTD.



Costumer : IDAP
Project : Mother and child Hospital & Nursing College, Bahawalnagar
Our Ref : DE-Q-AY-1485-2025
Date : 11/12/2025

Commercial Offer

Sr#	TYPE	Description	QTY	UNIT PRICE (PKR)	TOTAL (PKR)
1	CHP 1,2,3,4,&5	Flow = 792USGPM , Head = 160 Feet	5	1,961,190	9,805,950
		KSB Pump model: ETN 200-150-400 GB11+ 45kW motor+ 4 Pole, (1475 rpm)			
		Body: Cast iron, Impeller: Bronze , Shaft: Stainless steel, Mechanical seal			
		Scope of Supply: Coupled Set including as per following items - KSB Pump, - 45 kW , (60 HP) 4 Pole, Insulation Class F, 50 Hz, ABB/KSB/WEG - Coupling - Base frame and coupling guard			
		VFD(ACH580-01-088A-4)	5	950,000	4,750,000
2	CP 1,2,3,4,&5	Flow = 990USGPM , Head = 80 Feet	5	1,445,745	7,228,725
		KSB Pump model: ETN 150-125-315 GB11+ 22kW motor+ 4 Pole, (1470 rpm)			
		Body: Cast iron, Impeller: Bronze , Shaft: Stainless steel, Mechanical seal			
		Scope of Supply: Coupled Set including as per following items - KSB Pump, - 22kW , (30 HP) 4 Pole, Insulation Class F, 50 Hz, ABB/KSB/WEG - Coupling - Base frame and coupling guard			
		VFD(ACH580-01-046A-4)	5	535,000	2,675,000
		Sub Total			24,459,675
		GST @ 18%			4,402,742
		Grand Total			28,862,417

Other Terms & Conditions:

Delivery : Costumer End
Delivery Period : 8-10 Weeks after Receiving the PO
Payment : 50% advance, balance before delivery
Warranty : As per FT4 Doc attached
Price Basis : The price is exclusive of Commissioning and Installation
Payment Mode : Cross cheque in favor of **M/S Dominar Engineers Pvt Ltd (NTN : 7162772-5 STRN: 3277876159008)**
Taxes : All taxes shall apply other than mentioned above as per Govt. policy at the time of delivery
Validity : 15 days

Regards,
Abdul Jabbar
Dominar Engineers (KSB partners)
65.A, ferozepur Road, Samnabad Link Road, Near LOS, Lahore-Pakistan
E-mail: abdul.jabbar@de.com.pk
Tel: +92 301 8481144



QUOTATION

MATRACON	Date:	Monday, 02 February 2026
	Quotation Reference:	EM-MA-0336
	Contact Person	Nauman Nadeem
	Email:	nauman.nadeem@emaarat.co
	Cell:	0310-333 9449
	Quotation Validity:	15 Days

Sr.	Application	Description	Qty	Unit Price (PKR)	Total Price (PKR)
1	CHP-1, 2, 3, 4 & 5 Horizontal Centrifugal Chilled /Hot Water Circuit Pump	Flow: 792 USGPM ; Head: 160 Ft.	5	1,108,000	5,540,000
		Wilo Pump Model: Atmos GIGA-N 80/200-37/2-L1-P5 Body Material: CI; Impeller: Bronze; Shaft: SS; Mechanical Seal Coupled Motor: 37KW/2P Electric IE3 Motor Scope of Supply: Coupled Pump & motor mounted on base frame			
	VFD	ATV212HD37N4 ATV212, VSD IP20 37kW, 400V	5	772,000	3,860,000
2	CP-1, 2, 3, 4 & 5 Horizontal Centrifugal Condenser Water Circuit Pump	Flow: 990 USGPM ; Head: 80 Ft.	5	995,000	4,975,000
		Wilo Pump Model: Atmos GIGA-N 100/160-22/2-L1-P5 Body Material: CI; Impeller: Bronze; Shaft: SS; Mechanical Seal Coupled Motor: 22KW/2P Electric IE3 Motor Scope of Supply: Coupled Pump & motor mounted on base frame			
	VFD	ATV212HD22N4 ATV212, VSD IP20 22kW, 400V	5	570,000	2,850,000
	TOTAL:				17,225,000

Terms & Conditions:

- Delivery time: Ex-Stock, Subject to Prior Sales
- Delivery terms: FOR, delivered at your designated site within Pakistan
- Payment terms: Advance
- Warranty Period: 1 Year
- Taxation: 18% sales tax will be charged per gov law. (Above quoted are exclusive of GST)

BNB CONSOLIDATE (PRIVATE) LIMITED

C-394/1 Block-6 F.B Area, Karachi
Sindh, Karachi, 754000
021-36339999-98

Date: 21st May, 2026
Quotation ID: QUO/GGD/2026/252A
Quote Valid Until: 3rd June, 2026
Prepared By: Ms. Nimra Usman
Approved By: Mr. Faheem Ahmed

Attn: Nasir Swati
M/S: MATRACON

QUOTATION OF PUMPS

S NO.	Description	Unit Price	Qty.	Total Price
CHILLER / HOT WATER CIRCUIT				
1.	Horizontal, End Suction, Centrifugal Pump Model: NK 80-200/200 AA1F2BESBAQESW1 Design Flow: 792 USGPM Design Head: 160 ft Electrical Data: Rated Power: 37 kW Frequency: 50 Hz Rated Voltage: 3 x 380-420D/660-725Y V Rated speed: 2955 rpm Efficiency Class: IE3 Connection: Type: DIN Size of Inlet: DN 100 Size of Outlet: DN 80 Materials: Pump Housing: Cast Iron Impeller: Bronze Pump Shaft: SS 304 Product No.: 98318084 HS Code: 8413.7090	3,897,678	5	19,488,390
1.1	Spare Product name: Spare, Shaft seal Product No: 96537605 HS CODE: 8413.9190	64,064	5	320,320
CONDENSER WATER CIRCUIT				

2.	Horizontal, End Suction, Centrifugal Pump Model: NK 100-160/167 BA1F2BESBAQE1W1 Design Flow: 990 USGPM Design Head: 80 ft Electrical Data: Rated Power: 22 kW Frequency: 50 Hz Rated Voltage: 3 x 380-420V/660-725V V Rated speed: 2950 rpm Efficiency Class: IE3 Connection: Type: DIN Size of Inlet: DN 125 Size of Outlet: DN 100 Materials: Pump Housing: Cast Iron Impeller: Bronze Pump Shaft: SS 304 Product No.: 98921248 HS Code: 8413.7090	2,969,120	5	14,845,600
2.1	Spare Product name: Spare, Shaft seal Product No: 96488302 HS CODE: 8413.9190	51,374	5	256,870
TOTAL AMOUNT				34,911,180
GST 18%				6,284,012
NET TOTAL AMOUNT				41,195,192

TERMS & CONDITIONS:

- The quoted amount is based on the open market exchange rate of 1 USD = 280 PKR; if the rate fluctuates, the price will be re-evaluated after the quote's validity period.
- The quoted cost is based on DDP (Delivered Duty Paid) terms.
- Purchase orders cannot be cancelled without BNB's written consent; if approved, the purchaser must fully indemnify BNB for all resulting losses, including profit, labor, material costs, and other expenses.
- Estimated product readiness is 12–14 weeks; sea shipment requires an additional 7–9 weeks after receipt of formal purchase order and advance payment confirmation.
- This quotation is subject to force majeure conditions.
- For spare parts, a 6-month service warranty is available, applicable only after inspection, root cause analysis, and installation by a Grundfos-authorized service provider (service charges apply).

- A 12-month warranty applies to Grundfos pumps and accessories, effective from invoice generation, subject to proper installation and commissioning verified by a Grundfos-authorized representative.
- Warranty becomes void in cases of dry running, electrical failures, surges, back current on neutral, poor earthing, or sand contamination; adherence to OEM guidelines is mandatory.
- The client is responsible for providing suitable pump fittings, correctly sized delivery/inlet lines, and all required electrical connections to the motor control unit.
- To maintain the Grundfos pump warranty, electrical cables must meet OEM-specified core and thickness requirements, be installed with 3M repair kits (or as advised by OEM), and include dry run protection; NPSHr values and IP ratings of pumps, motors, and panels must comply with OEM standards.
- The quotation is valid for 15 days from the date of submission.
- This Quote is inclusive of all applicable government taxes.

PAYMENT SCHEDULE:

- 80% in advance with P.O.
- 20% before delivery of goods.

Best Regards,

Sales For

BNB CONSOLIDATE (PRIVATE) LIMITED

BNB CONSOLIDATE (PRIVATE) LIMITED

C-394/1 Block-6 F.B Area, Karachi
Sindh, Karachi, 754000
021-36339999-98

Date: 21st May, 2026
Quotation ID: QUO/GGD/2026/252B
Quote Valid Until: 3rd June, 2026
Prepared By: Ms. Nimra Usman
Approved By: Mr. Faheem Ahmed

Attn: Mr. Nasir Swati
M/S: MATRACON

QUOTATION OF PUMPS

S NO.	Description	Unit Price	Qty.	Total Price
CHILLER / HOT WATER CIRCUIT				
1.	Horizontal, End Suction, Centrifugal Pump Model: NK 100-400/395 BA1F2BESBAQETW3 Design Flow: 792 USGPM Design Head: 160 ft Electrical Data: Rated Power: 45 kW Frequency: 50 Hz Rated Voltage: 3 x 380-420D/660-725Y V Rated speed: 1478 rpm Efficiency Class: IE3 Motor No.: 98957821 Connection: Type: DIN Size of Inlet: DN 125 Size of Outlet: DN 100 Materials: Pump Housing: Cast Iron Impeller: Bronze Pump Shaft: SS 304 Product No.: 98744556 HS Code: 8413.7090	6,404,922	5	32,024,610
1.1	Spare Product name: Spare, Shaft seal Product No: 96306472 HS CODE: 8413.9190	78,047	5	390,235
CONDENSER WATER CIRCUIT				

2.	Horizontal, End Suction, Centrifugal Pump Model: NK 125-315/290 AA1F2BESBAQE3W3 Design Flow: 990 USGPM Design Head: 80 ft Electrical Data: Rated Power: 22 kW Frequency: 50 Hz Rated Voltage: 3 x 380-420D/660-725Y V Rated speed: 1470 rpm Efficiency Class: IE3 Connection: Type: DIN Size of Inlet: DN 150 Size of Outlet: DN 125 Materials: Pump Housing: Cast Iron Impeller: Bronze Pump Shaft: SS 304 Product No.: 98318208 HS Code: 8413.7090	4,561,973	5	22,809,865
2.1	Spare Product name: Spare, Shaft seal Product No: 96306472 HS CODE: 8413.9190	78,047	5	390,235
TOTAL AMOUNT				55,614,945
GST 18%				10,010,690
NET TOTAL AMOUNT				65,625,635

TERMS & CONDITIONS:

- The quoted amount is based on the open market exchange rate of 1 USD = 280 PKR; if the rate fluctuates, the price will be re-evaluated after the quote's validity period.
- The quoted cost is based on DDP (Delivered Duty Paid) terms.
- Purchase orders cannot be cancelled without BNB's written consent; if approved, the purchaser must fully indemnify BNB for all resulting losses, including profit, labor, material costs, and other expenses.
- Estimated product readiness is 12–14 weeks; sea shipment requires an additional 7–9 weeks after receipt of formal purchase order and advance payment confirmation.
- This quotation is subject to force majeure conditions.
- For spare parts, a 6-month service warranty is available, applicable only after inspection, root cause analysis, and installation by a Grundfos-authorized service provider (service charges apply).

- A 12-month warranty applies to Grundfos pumps and accessories, effective from invoice generation, subject to proper installation and commissioning verified by a Grundfos-authorized representative.
- Warranty becomes void in cases of dry running, electrical failures, surges, back current on neutral, poor earthing, or sand contamination; adherence to OEM guidelines is mandatory.
- The client is responsible for providing suitable pump fittings, correctly sized delivery/inlet lines, and all required electrical connections to the motor control unit.
- To maintain the Grundfos pump warranty, electrical cables must meet OEM-specified core and thickness requirements, be installed with 3M repair kits (or as advised by OEM), and include dry run protection; NPSHr values and IP ratings of pumps, motors, and panels must comply with OEM standards.
- The quotation is valid for 15 days from the date of submission.
- This Quote is inclusive of all applicable government taxes.

PAYMENT SCHEDULE:

- 80% in advance with P.O.
- 20% before delivery of goods.

Best Regards,

Sales For

BNB CONSOLIDATE (PRIVATE) LIMITED

M/S MATRACON PAISTAN PVT LTD
G-6 ISLAMABAD

HMA Ref No 25260286-A SJ/QT-4/MES CT-
Data 20 MAY 2026

SUBJECT: QUOTATION OF HMA END SUCTION CENTRIFUGAL PUMPS

Dear Sir,
with reference to your enquiry we are pleased to quote you as follows: -

TECHNICAL DATA

Discharge (Q)	990 USGPM
Head (H)	80FT
Setting (FT)	10FT
Liquid Type	Clean Water

Material of Construction

Impeller	Cast Stainless Steel SS316
Casing	Cast iron
Shaft	Stainless Steel AISI 420
Shaft Seal	Water Seal

Scope of Supply

SR.	Description	Unit	Quantity
1	HMA END SUCTION CENTRIFUGAL PUMP TYPE NM 100-315	Nos	5
2	22kw 30 HP Motor (3 phase 380-420 V x50Hz 1450 RPM B-35 IE3 IP 55 Class F Premium Efficiency Motor VOLT/GAMAK / WEG Army ENC Approved	Nos	5
3	VFD 30 KW 40HP		5
Total Price QTY 5.Nos with 18% GST Karachi HMA Factory			Rs 14,000,000/=

TERMS AND CONDITIONS

Delivery: 8-10 weeks from the date of PO. with Advance

Warranty: 12 months from the date of commissioning .MES Site as per ENC Approval 2 year

Payment: 80% Advance 20% & the time of despatch from factory

Validity: 15 days from the date of this quote.

Force Majeure: Any delay in delivery due to act of goods, act of state, war, blockage of ships, floods, strikes, curfew, power failure, earthquakes, abnormal climate conditions, Revolutions, civil commotion, hostilities or invasions and such other conditions beyond our control shall, discharge us from any late delivery penalty.

We look forward to receive your valued order.

Yours
Sincerely
For HMA Pumps

Sajid Javed
Regional Sales Manager, Punjab+KPK,AJK,GB
Call 03005113283+03345148440
E.Mail sajid.javed@hmapumps.com sajidjavedtarakzai@gmail.com





Head Office & Factory Karachi:
Plot # 11, Sultan Centre Building, main West Wharf Road Karachi.
Ph : (92-21) 32313575,
Fax : (92-21) 32313575,
khi@hmapumps.com

Lahore:
1st Floor, Ali Complex,
23-Empress Road,
Ph: (92-42) 36369708, 36373941
Fax: (92-42) 36309708
lhr@hmapumps.com

Islamabad
14-Y (2nd floor),
F-8 Markaz , Johar Road Islamabad.
Tel : (92-51) 8315427
Fax: (92-51) 8315426
isb@hmapumps.com

Multan:
Suite No. 127, 1st Floor Metro Plaza,
Multan Cantt..
Ph: (92-61) 4504569
Fax: (92-61) 4504569
multan@hmapumps.com

Peshawar:
2nd Floor, Ajab Khan Tower, Warsak Road, Hakeem Abad, Peshawar.
Ph: 091-5200944
Fax: 091-5200943
peshawar@hmapumps.com





Mas Grup


HEAD OFFICE

Atasehir Bulvarı, Ata Carsi Kat:4 No:59
34758 Atasehir, Istanbul/TURKEY

Phone : +90-216-456 12 00

Fax : +90-216-456 25 00

E-Mail : masgrup@masgrup.com



Customer :

Email :

Contact :

Phone :

Project :

Quote No :

Date :

Pump Type : Single Stage, End Suction Pumps-EN 733

Pump Model : NM 100-315

RPM : 1455

Imp.Diameter : 296

Suction Port : DN125-PN16

Discharge Port : DN100-PN16

Number :


Impeller No :

Pump. Liquid : Water

Liquid Temp : 20C


Viscosity : 1.007cSt

Spec. Gravity : 0.9983 Kg/lit




HYDRAULIC DATA (DUTY POINT)

No of Stages	: 0
Rated Power	: 22 kw
Capacity (Q)	: 991.35 GPM
Head (Hm)	: 80.22 ft
Max Head (Q=0)	: 109.78 ft
Pump Efficiency	: 76.9 %
Power (P2)	: 19.47 kw
Max Power	: 20.84 kw
NPSH Req	: 13.25 ft




The Performance curves based of the kinematic viscosity = 1 mm²/sn and density =1gr/cm³. Tolerances according to ISO 9906 Annex A.



NM 100-315

Ma	Dump Type	Flanges (PN16)	Length (mm)	Height (mm)	Pump Feet	Fixing Details (mm)	Shaft End (*)	Weight
----	-----------	----------------	-------------	-------------	-----------	---------------------	---------------	--------





M/S MATRACON PAISTAN PVT LTD
G-6 ISLAMABAD

HMA Ref No 25260286-A SJ/QT-4/MES CT-
Data 20 MAY 2026

SUBJECT: QUOTATION OF HMA END SUCTION CENTRIFUGAL PUMPS

Dear Sir,
with reference to your enquiry we are pleased to quote you as follows: -
TECHNICAL DATA

Discharge (Q)	792 USGPM
Head (H)	160 FT
Setting (FT)	10FT
Liquid Type	Clean Water

Material of Construction

Impeller	Cast Stainless Steel SS316
Casing	Cast iron
Shaft	Stainless Steel AISI 420
Shaft Seal	Water Seal

Scope of Supply

SR.	Description	Unit	Quantity
1	HMA END SUCTION CENTRIFUGAL PUMP TYPE NM80-200	Nos	5
2	37kw 50 HP Motor (3 phase 380-420 V x50Hz 2900 RPM B-35 IE3 IP 55 Class F Premium Efficiency Motor VOLT/GAMAK / WEG Army ENC Approved)	Nos	5
3	VFD 45 KW 60HP		5
Total Price QTY 5.Nos with 18% GST Karachi HMA Factory			Rs 16200,000/=

TERMS AND CONDITIONS

Delivery: 8-10 weeks from the date of PO. with Advance

Warranty: 12 months from the date of commissioning .MES Site as per ENC Approval 2 year

Payment: 80% Advance 20% & the time of despatch from factory

Validity: 15 days from the date of this quote.

Force Majeure: Any delay in delivery due to act of goods, act of state, war, blockage of ships, floods, strikes, curfew, power failure, earthquakes, abnormal climate conditions, Revolutions, civil commotion, hostilities or invasions and such other conditions beyond our control shall, discharge us from any late delivery penalty.

We look forward to receive your valued order.

Yours
Sincerely
For HMA Pumps

Sajid Javed
Regional Sales Manager, Punjab+KPK,AJK,GB
Call 03005113283+03345148440

E.Mall sajid.javed@hmapumps.com sajidjavedtarakzai@gmail.com








Head Office & Factory Karachi:
Plot # 11, Sultan Centre Building, main West Wharf Road Karachi.
Ph : (92-21) 32313575,
Fax : (92-21) 32313575,
khi@hmapumps.com

Lahore:
1st Floor, Ali Complex,
23-Empress Road,
Ph: (92-42) 36369708, 36373941
Fax: (92-42) 36309708
lhr@hmapumps.com

Islamabad:
14-Y (2nd floor),
F-8 Markaz , Johar Road Islamabad.
Tel : (92-51) 8315427
Fax: (92-51) 8315426
isb@hmapumps.com

Multan:
Suite No. 127, 1st Floor
Metro Plaza,
Multan Cantt..
Ph: (92-61) 4504569
Fax: (92-61) 4504569
multan@hmapumps.com

Peshawar:
2nd Floor, Ajab Khan Tower,
Warsak Road, Hakeem Abad,
Peshawar.
Ph: 091-5200944
Fax: 091-5200943
peshawar@hmapumps.com





Mas Grup

HEAD OFFICE

Atasehir Bulvari, Ata Carsi Kat:4 No 59
34758 Atasehir, Istanbul/TURKEY

Phone : +90-216-456 12 00

Fax : +90-216-456 25 00

E-Mail : masgrup@masgrup.com



Project :

Quote No :

Customer :

Email :

Contact :

Phone :

Date :

Pump Type : Single Stage, End Suction Pumps-EN 733

Pump Model : NM 80-200

RPM : 2950

Imp.Diameter : 198

Suction Port : DN100-PN16

Discharge Port : DN80-PN16

Number :


Impeller No :

Pump. Liquid : Water

Liquid Temp : 20C


Viscosity : 1.007cSt

Spec. Gravity : 0.9983 Kg/lit




HYDRAULIC DATA (DUTY POINT)

No of Stages	: 0
Rated Power	: 37 kw
Capacity (Q)	: 793.79 GPM
Head (Hm)	: 160.72 ft
Max Head (Q=0)	: 185.65 ft
Pump Efficiency	: 74.1 %
Power (P2)	: 32.4 kw
Max Power	: 36.78 kw
NPSH Req	: 13.4 ft



The Performance curves based of the kinematic viscosity = 1 mm²/sn and density =1gr/cm³. Tolerances according to ISO 9906 Annex A.



NM 80-200

Mo	Dump Type	Flanges (PN16)	Length (mm)	Height (mm)	Pump Feet	Fixing Details (mm)	Shaft End (*)	Weight
----	-----------	----------------	-------------	-------------	-----------	---------------------	---------------	--------

