TP4-oracle-database

Partie 1:

1.
```
SQL> describe dict
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 TABLE_NAME                                         VARCHAR2(30)
 COMMENTS                                           VARCHAR2(4000)
```

   - table_name : indique le nom de chaque vue dans le dictionnaire de données
   - comments: Fournit une brève description expliquant le contenu ou l'utilisation de la vue correspondante

2.
```
2551 rows selected.

SQL> select * from dict;
```

3. - ALL_CATALOG: Cette vue contient la liste des objets accessibles par l'utilisateur courant, y compris les tables, vues, synonymes et séquences.
     -
     ```
     SQL> describ ALL_CATALOG;
      Name                                      Null?    Type
      ----------------------------------------- -------- ----------------------------
      OWNER                                     NOT NULL VARCHAR2(30)
      TABLE_NAME                                NOT NULL VARCHAR2(30)
      TABLE_TYPE                                         VARCHAR2(11)
     ```
   - ALL_USERS: Elle répertorie tous les utilisateurs présents dans la base de données.
     -
     ```
     SQL> describ ALL_USERS;
      Name                                      Null?    Type
      ----------------------------------------- -------- ----------------------------
      USERNAME                                  NOT NULL VARCHAR2(30)
      USER_ID                                   NOT NULL NUMBER
      CREATED                                   NOT NULL DATE
     ```
   - ALL_COL_COMMENTS: Elle stocke les commentaires associés aux colonnes des tables accessibles par l'utilisateur.
     -
     ```
     SQL> describ ALL_COL_COMMENTS;
      Name                                      Null?    Type
      ----------------------------------------- -------- ----------------------------
      OWNER                                     NOT NULL VARCHAR2(30)
      TABLE_NAME                                NOT NULL VARCHAR2(30)
      COLUMN_NAME                               NOT NULL VARCHAR2(30)
      COMMENTS                                           VARCHAR2(4000)
     ```
   - ALL_CONSTRAINTS: Cette vue contient des informations sur les contraintes définies sur les tables accessibles par l'utilisateur.

- ```
  SQL> describ  ALL_CONSTRAINTS;
   Name                                      Null?    Type
   ----------------------------------------- -------- ----------------------------
   OWNER                                              VARCHAR2(120)
   CONSTRAINT_NAME                           NOT NULL VARCHAR2(30)
   CONSTRAINT_TYPE                                    VARCHAR2(1)
   TABLE_NAME                                NOT NULL VARCHAR2(30)
   SEARCH_CONDITION                                   LONG
   R_OWNER                                            VARCHAR2(120)
   R_CONSTRAINT_NAME                                  VARCHAR2(30)
   DELETE_RULE                                        VARCHAR2(9)
   STATUS                                             VARCHAR2(8)
   DEFERRABLE                                         VARCHAR2(14)
   DEFERRED                                           VARCHAR2(9)
   VALIDATED                                          VARCHAR2(13)
   GENERATED                                          VARCHAR2(14)
   BAD                                                VARCHAR2(3)
   RELY                                               VARCHAR2(4)
   LAST_CHANGE                                        DATE
   INDEX_OWNER                                        VARCHAR2(30)
   INDEX_NAME                                         VARCHAR2(30)
   INVALID                                            VARCHAR2(7)
   VIEW_RELATED                                       VARCHAR2(14)
  ```
- ALL_TAB_PRIVS: Elle liste les privilèges accordés sur les tables et vues accessibles par l'utilisateur.
  - ```
    SQL> describ ALL_TAB_PRIVS;
     Name                                      Null?    Type
     ----------------------------------------- -------- ----------------------------
     GRANTOR                                   NOT NULL VARCHAR2(30)
     GRANTEE                                   NOT NULL VARCHAR2(30)
     TABLE_SCHEMA                              NOT NULL VARCHAR2(30)
     TABLE_NAME                                NOT NULL VARCHAR2(30)
     PRIVILEGE                                 NOT NULL VARCHAR2(40)
     GRANTABLE                                          VARCHAR2(3)
     HIERARCHY                                          VARCHAR2(3)
    ```

4. ```
   SQL> SELECT DISTINCT TABLE_TYPE
     2  FROM ALL_CATALOG
     3  ORDER BY TABLE_TYPE;

   TABLE_TYPE
   -----------
   SEQUENCE
   SYNONYM
   TABLE
   VIEW
   ```
   ```

5.

```
SQL> select count(1) from all_catalog;

  COUNT(1)
----------
      9978
```

```
SQL> select count(1) from all_tables;

  COUNT(1)
----------
      1663

SQL> select count(1) from ALL_VIEWs;

  COUNT(1)
----------
      4081

SQL> select count(1) from ALL_SYNONYMS;

  COUNT(1)
----------
      4051

SQL> select count(1) from ALL_SEQUENCES;

  COUNT(1)
----------
       153
```

all_catalog > all_tables+all_views+alll_synonyms+all_sequences

6.

```
SQL> describe USER_USERS;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 USERNAME                                  NOT NULL VARCHAR2(30)
 USER_ID                                   NOT NULL NUMBER
 ACCOUNT_STATUS                            NOT NULL VARCHAR2(32)
 LOCK_DATE                                          DATE
 EXPIRY_DATE                                        DATE
 DEFAULT_TABLESPACE                        NOT NULL VARCHAR2(30)
 TEMPORARY_TABLESPACE                      NOT NULL VARCHAR2(30)
 CREATED                                   NOT NULL DATE
 INITIAL_RSRC_CONSUMER_GROUP                        VARCHAR2(30)
 EXTERNAL_NAME                                      VARCHAR2(4000)
```

- nom utilisateur : SYS

7. en conclue que la table user_catalog et une petite portion de la table all_catalog

```
SQL> select Count(1) from user_catalog;

  COUNT(1)
----------
      4794

SQL> select count(1) from all_catalog;

  COUNT(1)
----------
      9978
```

8.

```
SQL> select table_name from all_tables where owner='HR';

TABLE_NAME
------------------------------
REGIONS
LOCATIONS
DEPARTMENTS
JOBS
EMPLOYEES
JOB_HISTORY
COUNTRIES

7 rows selected.
```