Practical no . : 4

find

Find the files

```
vboxuser@bilal:~$ find
.
./.bash_logout
./Desktop
./Downloads
./snap
./snap/snapd-desktop-integration
./snap/snapd-desktop-integration/253
./snap/snapd-desktop-integration/253/.themes
./snap/snapd-desktop-integration/253/Desktop
./snap/snapd-desktop-integration/253/Downloads
./snap/snapd-desktop-integration/253/.last_revision
./snap/snapd-desktop-integration/253/Public
```

cal

. Aim : to run every format of dates with various commands a) date “+%D %T”

Displays current date in the format of

```
ubuntu@ubuntu:~$ date "+%D"
07/25/24
ubuntu@ubuntu:~$
```

```
ubuntu@ubuntu:~$ date "+%D %T"
07/25/24 05:47:39
ubuntu@ubuntu:~$ date "+%D %d"
07/25/24 25
ubuntu@ubuntu:~$ date "+%D %A"
07/25/24 Thursday
ubuntu@ubuntu:~$ date "+%D %B"
07/25/24 July
ubuntu@ubuntu:~$ date "+%D %m"
07/25/24 07
ubuntu@ubuntu:~$ date "+%D %y"
07/25/24 24
ubuntu@ubuntu:~$ date "+%D %Y"
07/25/24 2024
ubuntu@ubuntu:~$ date "+%D %T"
07/25/24 05:50:17
ubuntu@ubuntu:~$ date "+%D %M"
07/25/24 50
ubuntu@ubuntu:~$ date "+%D %S"
07/25/24 49
ubuntu@ubuntu:~$ date "+%Y/%m/%d"
2024/07/25
ubuntu@ubuntu:~$
```

. Aim : to use the echo and its various commands

echo : it prints the given data

Echo * : it is similar to the ls command

```
ubuntu@ubuntu:~$ echo "this is linux"
this is linux
ubuntu@ubuntu:~$ echo *
Desktop Documents Downloads Music Pictures Public snap Templates Videos
ubuntu@ubuntu:~$
```

. Aim : to execute a command to change password

passwd

```
ubuntu@ubuntu:~$ passwd
New password:
```

. Aim : to run a command to save a file a)

script abc

```
ubuntu@ubuntu:~$ script abc.txt
Script started, output log file is 'abc.txt'.
ubuntu@ubuntu:~$ exit
exit
Script done.
ubuntu@ubuntu:~$
```

12 . to verify the source and software name

a) uname : Displays the name of the open source
b) uname -r : Displays the name of the software being used .

```
ubuntu@ubuntu:~$ uname
Linux
ubuntu@ubuntu:~$ uname -n
ubuntu
ubuntu@ubuntu:~$ uname -r
6.5.0-18-generic
ubuntu@ubuntu:~$
```

13 .

a)head *filename* : Display the first half of the file
b) head -n5 *filename* : displays the first 5 elements of the file
c) tail : displays the last half of the file
d) head -v *filename* : similar to head command

```
ubuntu@ubuntu:~$ cat >numbers
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
ubuntu@ubuntu:~$ head numbers
1
2
3
4
5
6
7
8
9
10
ubuntu@ubuntu:~$ tail numbers
11
12
13
14
15
16
```

```
7
8
9
10
ubuntu@ubuntu:~$ tail numbers
11
12
13
14
15
16
17
18
19
20
ubuntu@ubuntu:~$ head -n5 numbers
1
2
3
4
5
ubuntu@ubuntu:~$ head -v numbers
==> numbers <==
1
2
3
4
5
6
7
8
9
10
ubuntu@ubuntu:~$ cat >fruits
mango
apple
watermelon
grapes
cherries
strawberry
```

You can paste the image from the clipboard.

17 .

a) cut -b 1,2 *filename* : display the first 1st and 2nd characters of of every element saved in the file

b) cut -b 1,2,3,4, *filename* : displays the 1st to 4th character of every element saved in the file

```
ubuntu@ubuntu:~$ cat >fruits
mango
apple
watermelon
grapes
strawberry
ubuntu@ubuntu:~$ cut -b 1,2 fruits.txt
cut: fruits.txt: No such file or directory
ubuntu@ubuntu:~$ cut -b 1,2 fruits
ma
ap
wa
gr
st
ubuntu@ubuntu:~$ cut -b 1,2,4,5 fruits
mago
aple
waer
grpe
staw
ubuntu@ubuntu:~$
```

18 .

- paste : this commands combines two files and the print it .

```
ubuntu@ubuntu:~$ cat > fruits

grapes
strawberry
mango
apples
cherries
ubuntu@ubuntu:~$ cat > colours
green
red
yellow
red
crimson red
ubuntu@ubuntu:~$ paste fruits colours
        green
grapes  red
strawberry      yellow
mango   red
apples  crimson red
cherries
ubuntu@ubuntu:~$
```

19 . sort

```
sachin@sachin-virtual-machine:~$ sort fruits
apples
cherries
grapes
mango
strawberry
```

20 . a) grep -c "*the element that we are searching for in the file " filename* : this commands displays that how many no. of times the desired element is used .

b) grep -n "*the element that we are searching for in the file "filename* : this command displays the lines containing the desired element

c) grep -v " *the element that we don't want to be displayed" filename :* this command would display all the lines which don't have the selected element in them

d) egrep " *the element that we want to search " filename* : would display the file that has the element that we searched for .

e) egrep -l *"any element of the file " * :* would display the filename that has the element

f) fgrep -c " element of the file " filename : displays the number of times that element has been used in that particular file .

g) fgrep -h" element of the file " filename : would display the line that gas that has the desired element .

h) echo "any line that we need to add to the preexisting file"|tee -a filename : adds the given line of data to the pre-existing file

Activities Terminal

```
ubuntu@ubuntu:~$ cat > grepfile.txt
linux is OS . Linux is open source . linux is free OS .
Learn operating system
UNIX Linux which one to choose
linux is easy to learn
linux is useful
ubuntu@ubuntu:~$ grep -c "linux " grepfile.txt
3
ubuntu@ubuntu:~$ grep -n "linux" grepfile.txt
1:linux is OS . Linux is open source . linux is free OS .
4:linux is easy to learn
5:linux is useful
ubuntu@ubuntu:~$ grep -v "linux" grepfile.txt
Learn operating system
UNIX Linux which one to choose
ubuntu@ubuntu:~$ egrep UNIX grepfile.txt
UNIX Linux which one to choose
ubuntu@ubuntu:~$ egrep -l "orange" *.txt
ubuntu@ubuntu:~$ egrep -l "orange" *
grep: Desktop: Is a directory
grep: Documents: Is a directory
grep: Downloads: Is a directory
grep: Music: Is a directory
grep: Pictures: Is a directory
grep: Public: Is a directory
grep: snap: Is a directory
grep: Templates: Is a directory
grep: Videos: Is a directory
ubuntu@ubuntu:~$ egrep -l "green"*
ubuntu@ubuntu:~$ egrep -l "green" *
colours
grep: Desktop: Is a directory
grep: Documents: Is a directory
grep: Downloads: Is a directory
grep: Music: Is a directory
grep: Pictures: Is a directory
grep: Public: Is a directory
grep: snap: Is a directory
grep: Templates: Is a directory
grep: Videos: Is a directory
ubuntu@ubuntu:~$ fgrep -c UNIX grepfile.txt
1
ubuntu@ubuntu:~$ fgrep -h UNIX grepfile.txt
UNIX Linux which one to choose
ubuntu@ubuntu:~$ echo "this is linux class"|tee -a grepfile.txt
this is linux class
ubuntu@ubuntu:~$ cat grepfile.txt
linux is OS . Linux is open source . linux is free OS .
Learn operating system
UNIX Linux which one to choose
```