PRACTICAL NO. 1

Aim : To write an HTML program using formatting tags.

Input:

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>FORMATING TAGS</title>
</head>
<body>
  <h2>FORMATING TAGS </h2>
  <b>BOLD TAG</b><br>
  <i>ITALIC TAG</i><br>
  <em>EMPHESIZED TAG</em><br>
  <strong>STRONG TAG</strong><br>
  H<sub>2</sub>O <br>
  X<sup>2</sup><br>
  <u>UNDERLINE TAG</u><br>
  <mark>HIGHLIGHTED MARK TAG</mark>
</body>
</html>
```

Output:

FORMATING TAGS

BOLD TAG
ITALIC TAG
EMPHESIZED TAG
STRONG TAG
H_2O
X^2
UNDERLINE TAG
HIGHLIGHTED MARK TAG

PRACTICAL 2

AIM: To create an HTML page using List, Anchor, Table and Form tags.

INPUT:

```html
<!DOCTYPE html>
<html>
<head>
  <title>SIMPLE HTML PAGE</title>
</head>
<body>
 <h1>List of fruits:</h1>
 <ul>
   <li>orange</li>
   <li>pineapple</li>
   <li>banana</li>
   <li>apple</li>
   <li>mango</li>
 </ul>
 <hr>
 <h1>ANCHOR TAG:</h1>
 <a href="AIM1.html">Formating tags</a>
 <hr>
 <h1>TABLE DATA</h1>
 <table border="1px">
  <tr><th>ID</th><th>STUDENTS</th></tr>
   <tr><td>1</td><td>BILAL</td></tr>
   <tr><td>2</td><td>FAIZ</td></tr>
   <tr><td>3</td><td>ADNAN</td></tr>
 </table>
 <hr>
 <h1> SIMPLE FORM </h1>
 <form>
   NAME: <input type="text" placeholder="ENTER YOUR NAME" ><br>
   PASSWORD: <input type="password" placeholder="ENTER YOUR PASSWORD"><br>
   <input type="submit">
 </form>
</body>
</html>
```

OUTPUT:

List of fruits:

- orange
- pineapple
- banana
- apple
- mango

ANCHOR TAG:

Formating tags

TABLE DATA

ID	STUDENTS
1	BILAL
2	FAIZ
3	ADNAN

SIMPLE FORM

NAME: ENTER YOUR NAME
PASSWORD: ENTER YOUR PASSWORD
Submit

PRCATICAL 3

AIM: To describe and implement the Table tag in HTML using different attributes and tags.

INPUT:

```html
<!DOCTYPE html>
<html>
<head>
  <title></title>
</head>
<body>
  <table border="1" cellpadding="5"cellspacing
    ="5">
   <tr>
     <th>ID</th>
     <th>STUDENTS</th>
   </tr>
   <tr>
     <td>1</td>
     <td>BILAL</td>
   </tr>
   <tr>
     <td>2</td>
     <td>FAIZ</td>
   </tr>
   <tr>
     <td>3</td>
     <td>ADNAN</td>
   </tr>
 </table>
</body>
</html>
```

OUTPUT:

ID	STUDENTS
1	BILAL
2	FAIZ
3	ADNAN

Practical 4

AIM: To create a form in HTML using Form tag, Textarea, Password, Radio button, Email, Checkbox, Combobox and Date.

INPUT:

```html
<!DOCTYPE html>
<html>
<body>
  <h1>SIMPLE FORM</h1>
<form>
Name: <input type="text"><br><br>
Password: <input type="password"><br><br>
Email: <input type="email"><br><br>

Gender:
<input type="radio" name="g">Male
<input type="radio" name="g">Female<br><br>

Skills:
<input type="checkbox">HTML
<input type="checkbox">CSS<br><br>

Course:
<select>
<option>BCA</option>
<option>BSc</option>
</select><br><br>

Date: <input type="date"><br><br>

Address:<br>
<textarea></textarea><br><br>

<input type="submit">
</form>
</body>
</html>
```

OUTPUT:

PRACTICAL 5A

Aim: To write an HTML page using Internal and Inline CSS.

INPUT:

```html
<!DOCTYPE html>
<html>
<head>
<style>
p { color: Blue; }
</style>
</head>
<body>
<h2 style="color:red;">Inline CSS</h2>
<p>Internal CSS Example</p>
</body>
</html>
```

OUTPUT:



PRACTICAL 5B

AIM: To create an HTML page using CSS.

INPUT:

```html
<!DOCTYPE html>
<html>
<head>
<style>
body { background-color: #432323; }
form {
  background-color: #E8D9D9;
}
.outer{
  margin-top: 300px;
  display: flex;
  justify-content: center;
  align-items: center;
  flex-direction: column;
}
form{
  padding-top: 50px;
  border-radius: 30px;
  padding-bottom: 50px;
  padding-right: 100px;
  padding-left: 100px;
}
.submit{
  padding-left: 100px;
}
.btn{
  background-color: #432323;
  width=""
}

</style>
</head>
<body>
  <div class="outer">
    <h1>FEEDBACK FORM</h1>
  <form>
  Name: <input type="text"><br><br>
  Password: <input type="password"><br><br>
  Email: <input type="email"><br><br>

  Gender:
  <input type="radio" name="g">Male
  <input type="radio" name="g">Female<br><br>

  Skills:
  <input type="checkbox">HTML
  <input type="checkbox">CSS<br><br>

  Course:
  <select>
    <option>BCA</option>
    <option>BSc</option>
  </select><br><br>

  Date: <input type="date"><br><br>

  Address:<br>
  <textarea></textarea><br><br>
  <div class="submit">
  <button id="SUBMIT" class="btn">SUBMIT</button>
  </div>
  </form>
</div>
</body>
</html>
```

OUTPUT:

PRACTICAL 6

AIM: To create a JavaScript code for declaring and assigning variables.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>JAVASCRIPT</title>
</head>
<body>
  <script>
    let a = 10;
    let b = 20;
    let c = a + b;
    document.write("Sum = " + c);
 </script>
</body>
</html>
```

OUPUT:

Sum = 30

PRACTICAL 7

AIM: To create a JavaScript code using Iterative Control Statements.

INPUT:

```
<!DOCTYPE html>
<html>
<head>
  <title>iterative statements</title>
</head>
<body>

 <script>
   for(let i=1; i<=5; i++){
    document.write(i + "<br>");
   }
</script>
</body>
</html>
```

OUTPUT:

1
2
3
4
5

PRACTICAL 8

AIM: To write a JavaScript code using Conditional Control Statements.

INPUT:

```
<html>
<head>
  <title>conditional statement</title>
</head>
<body>
  <script>
    let num = 10;
    if (num % 2 == 0)
      document.write("Even Number");
    else
      document.write("Odd Number");
  </script>
</body>
</html>
```

OUTPUT:

Even Number

PRACTICAL 9A

AIM: To write a JavaScript code to calculate Factorial of a number.

INPUT:

```html
<!DOCTYPE html>
<html>
<head>
  <title>FACTORIAL NO.</title>
</head>
<body>
  <script>
    let n = 5,
      fact = 1;
    for (let i = 1; i <= n; i++) {
      fact *= i;
    }
    document.write("Factorial = " + fact);
  </script>
</body>
</html>
```

OUTPUT:

Factorial = 120

PRACTICAL 9B

AIM: To write a JavaScript code to generate Fibonacci series.

INPUT:

```html
<!DOCTYPE html>
<html>
<head>
  <title>FIBONACCI SERIES</title>
</head>
<body>
  <script>
    let a = 0,
      b = 1;
    document.write(a + " " + b + " ");
    for (let i = 1; i <= 5; i++) {
      let c = a + b;
      document.write(c + " ");
      a = b;
      b = c;
    }
  </script>
</body>
</html>
```

OUPUT:

0 1 1 2 3 5 8

PRACTICAL 10

AIM: To write a JavaScript code to check whether a number is Prime or not.

INPUT:

```html
<!DOCTYPE html>
<html>
<head>
  <title>prime no.</title>
</head>
<body>
  <script>
    let n = 7,
      flag = true;
    for (let i = 2; i < n; i++) {
      if (n % i == 0) {
        flag = false;
        break;
      }
    }
    if (flag)
      document.write("Prime Number");
    else
      document.write("Not Prime");
  </script>
</body>
</html>
```

OUTPUT:

Prime Number

PRACTICAL 11A

AIM: To write a JavaScript code to reverse a number.

INPUT:

```
<!DOCTYPE html>
<html>
<head>
  <title>Reverse no.</title>
</head>
<body>
  <script>
    let n = 123,
      rev = 0;
    while (n > 0) {
      rev = rev * 10 + (n % 10);
      n = Math.floor(n / 10);
    }
    document.write("Reverse = " + rev);
  </script>
</body>
</html>
```

OUTPUT:

Reverse = 321

PRACTICAL 11B

AIM: To write a JavaScript code to evaluate a number.

INPUT:

```
<!DOCTYPE html>
<html>
<head>
  <title>Evaluate no.</title>
</head>

<body>
  <script>
    let a = 10,
      b = 5;
    document.write("Addition = " + (a + b));
  </script>
</body>
</html>
```

OUTPUT:

Addition = 15