

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Legacy Health | PA 2026 Forensic Audit Whitepaper</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
  <script src="https://cdn.plot.ly/plotly-2.27.0.min.js"></script>
  <style>
    @import
url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;600;700&family=Fira+Code:wght@400;500&display=swap');
```

```
body { font-family: 'Inter', sans-serif; background-color: #f1f5f9; color: #334155; }
.font-mono { font-family: 'Fira Code', monospace; }
```

```
/* Forensic Neutral Palette Colors */
.bg-medical-blue { background-color: #3b82f6; }
.text-medical-blue { color: #3b82f6; }
.bg-alert-orange { background-color: #f97316; }
.border-clay { border-color: #94a3b8; }
```

```
.chart-container {
  position: relative;
  width: 100%;
  max-width: 650px;
  margin-left: auto;
  margin-right: auto;
  height: 350px;
  max-height: 400px;
}
```

```
.card {
  background: #ffffff;
  border: 1px solid #e2e8f0;
  border-radius: 0.75rem;
  box-shadow: 0 4px 6px -1px rgba(0, 0, 0, 0.1);
  padding: 1.5rem;
  margin-bottom: 2rem;
}
```

```

.scroller::-webkit-scrollbar { width: 4px; }
.scroller::-webkit-scrollbar-thumb { background: #cbd5e1; border-radius: 10px; }

@keyframes fadeIn { from { opacity: 0; transform: translateY(10px); } to { opacity: 1; transform: translateY(0); } }
.animate-fade { animation: fadeIn 0.5s ease-out forwards; }
</style>
</head>
<body class="antialiased">

  <nav class="sticky top-0 z-50 bg-slate-900 border-b border-slate-700 px-6 py-3 text-white flex justify-between items-center shadow-xl">
    <div class="flex items-center space-x-3">
      <div class="w-8 h-8 bg-blue-500 rounded flex items-center justify-center font-bold text-lg italic">L</div>
      <span class="font-bold tracking-tight uppercase text-sm">Legacy Forensic Suite <span class="text-blue-400">v2.1</span></span>
    </div>
    <div class="hidden md:flex space-x-8 text-xs font-semibold tracking-widest uppercase">
      <a href="#market" class="hover:text-blue-400 transition-colors">Market Intel</a>
      <a href="#privacy" class="hover:text-blue-400 transition-colors">Privacy Shield</a>
      <a href="#pricing" class="hover:text-blue-400 transition-colors">Pricing Audit</a>
      <a href="#arch" class="hover:text-blue-400 transition-colors">Architecture</a>
    </div>
  </nav>

  <main class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-12">

    <section class="mb-16 text-center animate-fade">
      <h1 class="text-4xl md:text-5xl font-bold text-slate-900 mb-4 tracking-tight">The 2026 Healthcare Audit Framework</h1>
      <p class="text-xl text-slate-600 max-w-3xl mx-auto leading-relaxed">
        A unified platform integrating actuarial market data, HMAC-salted PII protection, and automated Medicare-benchmarked forensic pricing for Pennsylvania's 2026 insurance cycle.
      </p>
      <div class="mt-8 flex justify-center space-x-4">
        <span class="px-3 py-1 bg-slate-200 text-slate-700 rounded-full text-xs font-bold uppercase">PA-PID Source</span>
        <span class="px-3 py-1 bg-blue-100 text-blue-700 rounded-full text-xs font-bold uppercase">LMP Integrity Protocol</span>
        <span class="px-3 py-1 bg-orange-100 text-orange-700 rounded-full text-xs font-bold uppercase">HIPAA Scrubbed</span>
      </div>

```

</section>

<section id="market" class="mb-20 scroll-mt-24 animate-fade">

<div class="border-l-4 border-medical-blue pl-6 mb-8">

<h2 class="text-3xl font-bold text-slate-900">PA 2026 Market Intelligence</h2>

<p class="text-slate-600 mt-2 max-w-4xl">

Finalized rate filings from the Pennsylvania Insurance Department show a market in flux.

This section analyzes the "Morbidity Trap"—where specific carriers are seeking unprecedented hikes

citing higher-than-expected clinical acuity.

</p>

</div>

<div class="grid grid-cols-1 lg:grid-cols-2 gap-8">

<div class="card">

<div class="flex justify-between items-start mb-6">

<div>

<h3 class="font-bold text-slate-800 text-lg">Approved Rate Changes</h3>

<p class="text-xs text-slate-500">Comparison of Finalized 2026 vs 2025

Filings</p>

</div>

REF:

PA_PID_2026_F

</div>

<div class="chart-container">

<canvas id="marketRateChart"></canvas>

</div>

<div class="mt-6 p-4 bg-blue-50 border border-blue-100 rounded-lg">

<p class="text-sm text-blue-900 leading-relaxed">

Takeaway: Ambetter (Centene) presents the highest risk with a 37.9% increase, primarily driven by Rating Area 1 morbidity adjustments. Conversely, Partners Ins. Co. achieved a -10.1% decrease by optimizing their provider contracts.

</p>

</div>

</div>

<div class="card">

<div class="flex justify-between items-start mb-6">

<div>

<h3 class="font-bold text-slate-800 text-lg">The "Ozempic Coefficient"</h3>

```

        <p class="text-xs text-slate-500">GLP-1 Utilization Index vs. Premium
Volatility</p>
    </div>
</div>
<div class="chart-container">
    <canvas id="glpScatterChart"></canvas>
</div>
<div class="mt-6 p-4 bg-orange-50 border border-orange-100 rounded-lg">
    <p class="text-sm text-orange-900 leading-relaxed">
        <strong>Analysis:</strong> A strong linear correlation exists between a carrier's
exposure to high-cost weight-loss drugs (GLP-1s) and their 2026 premium request.
High-utilization carriers (Index > 3.0) consistently requested increases above 20%.
    </p>
</div>
</div>
</div>
</section>

```

```

<section id="privacy" class="mb-20 scroll-mt-24 animate-fade">
    <div class="border-l-4 border-slate-800 pl-6 mb-8">
        <h2 class="text-3xl font-bold text-slate-900">PII Privacy Shield (Scrubbing Engine)</h2>
        <p class="text-slate-600 mt-2 max-w-4xl">
            Our FastAPI-driven Scrubbing Engine ensures that sensitive identifiers (SSNs,
NPIs, Emails) are processed locally
            using HMAC-SHA256 salted pseudonymization. No raw PII ever touches the
forensic store.
        </p>
    </div>

```

```

    <div class="grid grid-cols-1 lg:grid-cols-12 gap-8">
        <div class="lg:col-span-5 card">
            <h3 class="text-sm font-bold uppercase tracking-widest text-slate-400 mb-4">Input
Terminal</h3>
            <textarea id="piiInput"
                class="w-full h-48 p-4 font-mono text-sm bg-slate-50 border border-slate-200
rounded-lg focus:ring-2 focus:ring-blue-500 outline-none transition-all"
                placeholder="Paste claim text here (e.g., Patient John Doe, SSN 123-45-6789, NPI
1234567890)..."></textarea>

```

```

    <div class="mt-4 flex flex-wrap gap-2">
        <button onclick="loadDemoText()" class="px-4 py-2 bg-slate-100 hover:bg-slate-200
text-slate-700 text-xs font-bold rounded transition-colors uppercase">Load Sample</button>
        <button onclick="runScrub()" class="px-4 py-2 bg-slate-800 hover:bg-slate-700

```

```
text-white text-xs font-bold rounded transition-colors uppercase flex-grow">Scrub &
Pseudonymize</button>
</div>
```

```
<div class="mt-6 space-y-4">
  <div class="flex justify-between items-center text-xs">
    <span class="text-slate-500 font-mono">HMAC_SALT_HASH</span>
    <span class="text-slate-800 font-bold font-mono">legacy_audit_2026</span>
  </div>
  <div class="flex justify-between items-center text-xs">
    <span class="text-slate-500 font-mono">DETECTION_ENGINE</span>
    <span class="text-slate-800 font-bold font-mono">Regex-Lattice v1.2</span>
  </div>
</div>
</div>
</div>
```

```
<div class="lg:col-span-7 card bg-slate-900 border-slate-800">
  <div class="flex justify-between items-center mb-4">
    <h3 class="text-xs font-bold uppercase tracking-widest text-slate-400">Forensic
Audit Log (Redacted)</h3>
    <div id="scrubBadge" class="hidden px-2 py-0.5 bg-green-900/30 text-green-400
text-[10px] font-bold rounded border border-green-800">SECURE</div>
  </div>
  <div id="piiOutput" class="scroller w-full h-[320px] overflow-y-auto font-mono text-sm
text-slate-300 whitespace-pre-wrap leading-relaxed">
    [SYSTEM IDLE: AWAITING INPUT DATA]
  </div>
  <div class="mt-4 border-t border-slate-800 pt-4 flex justify-between items-center">
    <div class="flex space-x-4">
      <div class="text-center">
        <span class="block text-[10px] text-slate-500">HITS</span>
        <span id="hitCount" class="text-lg font-bold text-white">0</span>
      </div>
      <div class="text-center">
        <span class="block text-[10px] text-slate-500">CONFIDENCE</span>
        <span id="confLevel" class="text-lg font-bold text-blue-400">1.0</span>
      </div>
    </div>
    <div class="text-right text-[10px] text-slate-500 italic max-w-[200px]">
      Each token is a deterministic hash of the raw PII, allowing for cross-claim
joinability without re-identification.
    </div>
  </div>
```

```
    </div>
  </div>
</section>
```

```
<section id="pricing" class="mb-20 scroll-mt-24 animate-fade">
  <div class="border-l-4 border-alert-orange pl-6 mb-8">
    <h2 class="text-3xl font-bold text-slate-900">Forensic Pricing Auditor</h2>
    <p class="text-slate-600 mt-2 max-w-4xl">
      This module applies the <strong>No Surprises Act (NSA)</strong> logic. By
      cross-referencing CPT codes with Medicare
      Physician Fee Schedules (MPFS), we isolate "Balance Billing" and excessive
      provider markups.
    </p>
  </div>
```

```
    <div class="grid grid-cols-1 md:grid-cols-3 gap-8">
      <div class="card md:col-span-1 space-y-6">
        <div>
          <label class="block text-xs font-bold text-slate-500 uppercase mb-2">Service
          Selection</label>
          <select id="cptSelect" class="w-full p-3 bg-slate-50 border border-slate-200
          rounded-lg text-sm" onchange="runAudit()">
            <option value="72148">MRI Lumbar Spine (72148)</option>
            <option value="99214">Office Visit Lvl 4 (99214)</option>
            <option value="45378">Colonoscopy (45378)</option>
          </select>
        </div>
```

```
      <div>
        <label class="block text-xs font-bold text-slate-500 uppercase mb-2">Billed Amount
        ($)</label>
        <input type="range" id="billRange" min="100" max="3000" step="50" value="1500"
        class="w-full accent-blue-600 mb-2" oninput="runAudit()">
        <div class="flex justify-between text-lg font-bold text-slate-900">
          <span>$100</span>
          <span id="billValDisplay" class="text-blue-600">$1,500</span>
          <span>$3,000</span>
        </div>
      </div>
```

```
    <div class="pt-4 border-t border-slate-100">
      <div class="flex justify-between text-sm mb-2">
        <span class="text-slate-500">Medicare Baseline:</span>
```

```

        <span id="medBaseDisplay" class="font-mono text-slate-800">$0.00</span>
      </div>
    <div class="flex justify-between text-sm">
      <span class="text-slate-500">Fair Market (FMV):</span>
      <span id="fmvDisplay" class="font-mono text-slate-800">$0.00</span>
    </div>
  </div>
</div>

```

```

<div class="card md:col-span-2">
  <div class="grid grid-cols-1 lg:grid-cols-2 gap-4 h-full">
    <div id="riskGauge" class="w-full h-full min-h-[250px]"></div>
    <div class="flex flex-col justify-center">
      <div id="auditStatusBox" class="p-6 rounded-xl border-2 text-center">
        <h4 id="auditStatusTitle" class="text-xl font-bold mb-2">PENDING AUDIT</h4>
        <p id="auditStatusDesc" class="text-sm">Adjust input parameters to begin
forensic analysis.</p>
      <div id="savingsBox" class="mt-4 pt-4 border-t border-slate-200 hidden">
        <span class="block text-xs font-bold text-slate-400 uppercase">Potential
Savings</span>
        <span id="savingsVal" class="text-3xl font-black
text-green-600">$0.00</span>
      </div>
    </div>
  </div>
</div>

```

```

<div class="card md:col-span-3">
  <h3 class="text-sm font-bold uppercase tracking-widest text-slate-400 mb-6">Valuation
Benchmark Stack</h3>
  <div class="chart-container" style="height: 200px;">
    <canvas id="pricingBarChart"></canvas>
  </div>
</div>
</div>
</section>

```

```

<section id="arch" class="mb-20 scroll-mt-24 animate-fade">
  <div class="border-l-4 border-clay pl-6 mb-8">
    <h2 class="text-3xl font-bold text-slate-900">System Architecture (LMP Protocol)</h2>
    <p class="text-slate-600 mt-2 max-w-4xl">
      The <strong>Layered Memory Protocol</strong> leverages a Postgres Event Store to

```

maintain an immutable audit trail.

It prevents "Race Condition Overcharges" by enforcing version integrity ($v_{in} > v_t$) on every claim mutation.

</p>

</div>

<div class="card bg-slate-50 p-12 flex flex-col items-center">

<div class="w-full max-w-4xl flex flex-col md:flex-row justify-between items-center space-y-8 md:space-y-0 md:space-x-4">

<div class="w-48 h-32 bg-white border-2 border-slate-300 rounded-lg shadow-sm p-4 flex flex-col items-center justify-center text-center">

&img alt="API Ingestion icon" data-bbox="445 315 465 330"/>

API Ingestion

Raw Claim Data

</div>

<div class="hidden md:block flex-grow h-0.5 bg-slate-300 relative">

<div class="absolute -top-1 -right-1 w-2 h-2 bg-slate-300 rotate-45"></div>

</div>

<div class="w-56 h-40 bg-medical-blue text-white rounded-lg shadow-lg p-4 flex flex-col items-center justify-center text-center relative">

<div class="absolute -top-3 left-1/2 -translate-x-1/2 bg-slate-900 text-[8px] font-bold px-2 py-1 rounded">FASTAPI LAYER</div>

&img alt="HMAC Scrubber icon" data-bbox="445 559 465 574"/>

HMAC SCRUBBER

Pseudonymization
Engine

</div>

<div class="hidden md:block flex-grow h-0.5 bg-slate-300 relative">

<div class="absolute -top-1 -right-1 w-2 h-2 bg-slate-300 rotate-45"></div>

</div>

<div class="w-48 h-32 bg-slate-800 text-white border-2 border-slate-700 rounded-lg shadow-sm p-4 flex flex-col items-center justify-center text-center">

&img alt="Event Store icon" data-bbox="445 784 465 799"/>

Event Store

Postgres / LMP v2

</div>

</div>


```

    <div class="mt-12 grid grid-cols-1 md:grid-cols-2 gap-8 w-full max-w-4xl">
      <div class="space-y-2">
        <h4 class="font-bold text-slate-800 text-sm">Version Conflict Resolution</h4>
        <div class="bg-slate-900 p-4 rounded font-mono text-xs text-blue-400
leading-relaxed">
          IF claim.version > store.last_version:<br>
            COMMIT(claim)<br>
          ELSE:<br>
            REJECT("Race condition: Outdated audit data")
        </div>
      </div>
      <div class="space-y-2">
        <h4 class="font-bold text-slate-800 text-sm">Cryptographic Salting</h4>
        <div class="bg-slate-900 p-4 rounded font-mono text-xs text-orange-400
leading-relaxed">
          HMAC(raw_ssn, TENANT_SALT)<br>
          -> d41d8cd98f00b204...<br>
          // Irreversible without salt access.
        </div>
      </div>
    </div>
  </div>
</section>
</main>

```

```

<footer class="bg-slate-900 text-slate-500 py-12 px-6">
  <div class="max-w-7xl mx-auto flex flex-col md:flex-row justify-between items-center text-xs
font-mono uppercase tracking-widest">
    <p>© 2026 Legacy Health Analytics. All Rights Reserved.</p>
    <div class="flex space-x-6 mt-4 md:mt-0">
      <span>FastAPI // Postgres</span>
      <span>HIPAA Compliant</span>
      <span>PA-PID Actuarial</span>
    </div>
  </div>
</footer>

```

```

<script>
  // --- GLOBAL STATE ---
  const appState = {
    charts: {},
    benchmarks: {
      "72148": { desc: "MRI Lumbar Spine w/o Contrast", med_base: 385.50, fmv_mod: 1.15 },

```

```

    "99214": { desc: "Office Visit (Level 4)", med_base: 129.77, fmv_mod: 1.10 },
    "45378": { desc: "Diagnostic Colonoscopy", med_base: 580.20, fmv_mod: 1.25 }
  }
};

```

```

// --- CHART WRAPPING LOGIC (Requirement) ---
function wrapLabel(label) {
  if (typeof label !== 'string' || label.length <= 16) return label;
  const words = label.split(' ');
  const lines = [];
  let currentLine = "";

```

```

    words.forEach(word => {
      if ((currentLine + word).length > 16) {
        lines.push(currentLine.trim());
        currentLine = word + ' ';
      } else {
        currentLine += word + ' ';
      }
    });
    lines.push(currentLine.trim());
    return lines;
  }
}

```

```

const tooltipConfig = {
  callbacks: {
    title: function(tooltipItems) {
      const item = tooltipItems[0];
      let label = item.chart.data.labels[item.dataIndex];
      return Array.isArray(label) ? label.join(' ') : label;
    }
  }
};

```

```

// --- MODULE 1: MARKET LOGIC ---
function initMarketCharts() {
  const ctxRate = document.getElementById('marketRateChart').getContext('2d');
  appState.charts.marketRate = new Chart(ctxRate, {
    type: 'bar',
    data: {
      labels: [
        wrapLabel('Ambetter (Centene)'),
        wrapLabel('Keystone Health Plan East'),
        wrapLabel('UPMC Health Plan'),
        wrapLabel('Partners Insurance Co.')
      ],
      datasets: [{
        label: 'Rate % Change',

```

```

        data: [37.85, 22.04, 24.78, -10.12],
        backgroundColor: ['#ef4444', '#3b82f6', '#3b82f6', '#22c55e'],
        borderRadius: 6
    ]
},
options: {
    responsive: true,
    maintainAspectRatio: false,
    plugins: {
        legend: { display: false },
        tooltip: tooltipConfig
    },
    scales: {
        y: {
            beginAtZero: true,
            ticks: { callback: v => v + '%' }
        }
    }
}
});

```

```

const ctxScatter = document.getElementById('glpScatterChart').getContext('2d');
appState.charts.glpScatter = new Chart(ctxScatter, {
    type: 'scatter',
    data: {
        datasets: [{
            label: 'Carriers',
            data: [
                { x: 3.8, y: 37.8, label: 'Ambetter' },
                { x: 2.5, y: 22.0, label: 'Keystone' },
                { x: 4.2, y: 24.7, label: 'UPMC' },
                { x: 1.1, y: -10.1, label: 'Partners' }
            ],
            backgroundColor: '#f97316',
            pointRadius: 8
        }]
    },
    options: {
        responsive: true,
        maintainAspectRatio: false,
        plugins: {
            tooltip: {
                callbacks: {
                    label: (ctx) => `${ctx.raw.label}: ${ctx.raw.y}% Hiked`
                }
            }
        }
    },
    scales: {

```

```

        x: { title: { display: true, text: 'GLP-1 Impact Index' } },
        y: { title: { display: true, text: 'Premium Hike (%)' } }
    }
}
});
}

// --- MODULE 2: SCRUBBER LOGIC ---
function loadDemoText() {
    document.getElementById('piiInput').value = "CASE REPORT: Patient John Doe (SSN: 111-22-3333) observed at Mercy Hosp. NPI Registry: 1234567890. Email follow-up sent to j.doe84@gmail.com.";
}

function runScrub() {
    const input = document.getElementById('piiInput').value;
    if (!input) return;

    const rules = [
        { id: "SSN", regex: /\d{3}-\d{2}-\d{4}/g, label: "REDACTED SSN", color: "text-red-400" },
        { id: "NPI", regex: /[12]\d{9}/g, label: "REDACTED NPI", color: "text-blue-400" },
        { id: "EMAIL", regex: /[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[A-Za-z]{2,}/g, label: "REDACTED EMAIL", color: "text-orange-400" }
    ];

    let scrubbed = input;
    let hits = 0;

    rules.forEach(rule => {
        scrubbed = scrubbed.replace(rule.regex, (match) => {
            hits++;
            const pseudo = btoa(match).substring(0, 8).toLowerCase();
            return `<span class="${rule.color} border-b border-dotted border-slate-700">${rule.label}.${pseudo}</span>`;
        });
    });

    const out = document.getElementById('piiOutput');
    out.innerHTML = scrubbed;
    document.getElementById('hitCount').innerText = hits;
    document.getElementById('scrubBadge').classList.toggle('hidden', hits === 0);
    document.getElementById('confLevel').innerText = hits > 0 ? "0.99" : "1.0";
}

// --- MODULE 3: PRICING AUDIT LOGIC ---
function runAudit() {
    const cpt = document.getElementById('cptSelect').value;
    const billed = parseFloat(document.getElementById('billRange').value);

```

```

    const bench = appState.benchmarks[cpt];

    const fmv = bench.med_base * bench.fmv_mod;
    const variance = ((billed - fmv) / fmv) * 100;
    const savings = Math.max(0, billed - fmv);

    // Update Text
    document.getElementById('billValDisplay').innerText = `$$${billed.toLocaleString()}`;
    document.getElementById('medBaseDisplay').innerText = `$$${bench.med_base.toFixed(2)}`;
    document.getElementById('fmvDisplay').innerText = `$$${fmv.toFixed(2)}`;

    // Status UI
    const statusBox = document.getElementById('auditStatusBox');
    const title = document.getElementById('auditStatusTitle');
    const desc = document.getElementById('auditStatusDesc');
    const saveBox = document.getElementById('savingsBox');
    const saveVal = document.getElementById('savingsVal');

    if (variance > 40) {
        statusBox.className = "p-6 rounded-xl border-2 text-center bg-red-50 border-red-200 animate-pulse";
        title.innerText = "CRITICAL OVERCHARGE";
        title.className = "text-xl font-bold mb-2 text-red-700";
        desc.innerText = `Variance of ${variance.toFixed(0)}% detected. This claim exceeds fair market limits by a substantial margin.`;
        saveBox.classList.remove('hidden');
        saveVal.innerText = `$$${savings.toLocaleString(undefined, {minimumFractionDigits: 2})}`;
    } else if (variance > 15) {
        statusBox.className = "p-6 rounded-xl border-2 text-center bg-orange-50 border-orange-200";
        title.innerText = "POTENTIAL AUDIT";
        title.className = "text-xl font-bold mb-2 text-orange-700";
        desc.innerText = "Variance is within the secondary review threshold (15-40%). Check for upcoding modifiers.";
        saveBox.classList.remove('hidden');
        saveVal.innerText = `$$${savings.toLocaleString(undefined, {minimumFractionDigits: 2})}`;
    } else {
        statusBox.className = "p-6 rounded-xl border-2 text-center bg-green-50 border-green-200";
        title.innerText = "PASSED FORENSIC";
        title.className = "text-xl font-bold mb-2 text-green-700";
        desc.innerText = "This bill aligns with Medicare Physician Fee Schedule benchmarks.";
        saveBox.classList.add('hidden');
    }

    updateAuditCharts(billed, fmv, bench.med_base);
}

```

```

function updateAuditCharts(billed, fmv, med) {
  // Plotly Gauge
  const data = [{
    type: "indicator",
    mode: "gauge+number",
    value: billed,
    title: { text: "Forensic Value ($)", font: { size: 14 } },
    gauge: {
      axis: { range: [null, 3000], tickwidth: 1, tickcolor: "darkblue" },
      bar: { color: "#334155" },
      bgcolor: "white",
      borderwidth: 2,
      bordercolor: "gray",
      steps: [
        { range: [0, fmv], color: "#dcfce7" },
        { range: [fmv, fmv * 1.4], color: "#ffedd5" },
        { range: [fmv * 1.4, 3000], color: "#fee2e2" }
      ],
      threshold: {
        line: { color: "red", width: 4 },
        thickness: 0.75,
        value: fmv
      }
    }
  ]
}

const layout = {
  margin: { t: 50, r: 30, l: 30, b: 0 },
  paper_bgcolor: "rgba(0,0,0,0)",
  font: { family: "Inter", color: "#334155" }
};

Plotly.newPlot('riskGauge', data, layout, {responsive: true, displayModeBar: false});

// Chart.js Stacked Bar
if (!appState.charts.pricingBar) {
  const ctx = document.getElementById('pricingBarChart').getContext('2d');
  appState.charts.pricingBar = new Chart(ctx, {
    type: 'bar',
    data: {
      labels: [wrapLabel('Medicare Baseline'), wrapLabel('Fair Market Target'),
wrapLabel('Actual Billed')],
      datasets: [{
        data: [med, fmv, billed],
        backgroundColor: ['#94a3b8', '#3b82f6', '#f97316'],
        borderRadius: 4
      }]
    },
    options: {

```

```
        indexAxis: 'y',
        responsive: true,
        maintainAspectRatio: false,
        plugins: { legend: { display: false }, tooltip: tooltipConfig },
        scales: { x: { beginAtZero: true } }
    }
});
} else {
    appState.charts.pricingBar.data.datasets[0].data = [med, fmv, billed];
    appState.charts.pricingBar.update();
}
}

// --- INITIALIZATION ---
window.onload = () => {
    initMarketCharts();
    runAudit();
};
</script>
</body>
</html>
```