

TestGPT Sample Input

Use Case

Use Case: Apply Discount Coupon at Checkout

Actor: Registered Customer

Goal: Reduce order total using a valid promotional coupon

Preconditions:

- Customer is logged in
- Shopping cart contains at least one item
- Customer is on the checkout page

Main Flow:

1. Customer enters a coupon code in the "Promo code" field.
2. Customer clicks "Apply coupon".
3. System validates the coupon (active date range, usage limit, minimum order value).
4. System recalculates cart total, tax, and displays the discount amount.
5. Customer confirms the updated total and proceeds to payment.

Alternative Flows:

- AF-1 Invalid coupon: If the code does not exist or is expired, the system shows "This coupon is not valid" and keeps previous totals unchanged.
- AF-2 Minimum not met: If cart subtotal is below the coupon minimum, the system shows the required minimum amount.
- AF-3 Coupon already applied: If a coupon is already active, the system prompts the user to remove it before applying another.

Exceptions:

- EX-1 Payment service unavailable: Checkout is blocked; customer sees "Payment temporarily unavailable, try again later."
- EX-2 Session timeout: Cart is preserved for 30 minutes; after timeout the customer must log in again.

Business Rules:

- Only one coupon per order
- Discount cannot exceed 50% of cart subtotal
- Free-shipping coupons apply only to standard delivery