

300works RV Decoupling Deployment Guide for InnoScience Project


Applied Materials

Agenda

- ❑ Server Side(C++ library) to support Tibco RV adapter to de-coupling Tibco RV library.
- ❑ IUI and IMI (C# library) to support Tibco RV adapter to de-coupling Tibco RV library.
- ❑ New OCAP flow builder user guide.

Server Side(C++ library) to support TibcoRV adapter to de-coupling Tibco RV library

300works MES in Server Side – RoadMap



Server – Tibco RV adapter

■ Deliver server Package:

- » 3W_LIN_S_3.61.5100.502.tar.gz
- » TibrvAdapter_LIN6.7_3.61.5100.502.tar.gz(it will not be provided after 2026-06-01)
- » LIN_3w361_S_SRC_build5100.502.tar.Z(fix ocap flow builder connection issue)

■ The package File structure as following:

3W_LIN_S_3.61.5100.502.tar.gz:

```
FASTech
├── version.txt
├── 300works
│   └── bin
│       ├── BBD_RCVsrv
│       ├── BBD_SNDsrv
│       ├── COMM_RCVsrv
│       ├── COMM_SNDsrv
│       ├── XMLCOMM_RCVsrv
│       └── XMLCOMM_SNDsrv
├── src
│   ├── librvcpp
│   │   └── Makefile
│   └── TibrvAdapter
│       ├── include
│       │   └── msgbus.hpp
│       ├── Makefile
│       ├── obj
│       ├── README.txt
│       └── src
│           └── msgbus_tibco.cpp
```

lib

- libmsgbusinf-tibrv.abstract.so (dummy version)
- libmsgbusinf-tibrv.so (dummy version)

The checksum value of the dummy version of the RV Adapter is

2136050264

```
[inno@CNXA-INNO-QA lib]$ cksum libmsgbus*
2136050264 33169 libmsgbusinf-tibrv.abstract.so
2136050264 33169 libmsgbusinf-tibrv.so
```

TibrvAdapter_LIN6.7_3.61.5100.502.tar.gz :

FASTech

└─ **300works**

└─ **lib**

└─ **libmsgbusinf-tibrv.so**

The checksum value of the real version of the RV Adapter is

4223957077

```
[inno@CNXA-INNO-QA lib]$ cksum libmsgbusinf-tibrv.so
4223957077 168528 libmsgbusinf-tibrv.so
```

LIN_3w361_S_SRC_build5100.502.tar.Z :

```
300works
├── source
│   ├── server
│   │   └── ocp
│   │       └── TXNLIB
│   │           ├── Makefile
│   │           ├── ocpdefs.h
│   │           ├── ocpfetchallusergroupstxn.cpp
│   │           └── ocpfetchallusergroupstxn.h
```

Server – Tibco RV adapter

■ Customer Action:

- Applied provides the 300Works server-side partial runtime package(3W_LIN_S_3.61.5100.502.tar.gz) which includes the RV Adapter source code (located in the src directory of the server partial runtime package), as well as a precompiled RV Adapter (libmsgbusinf-tibrv.so included in TibrvAdapter_LIN6.7_3.61.5100.502.tar.gz) and server source code package(LIN_3w361_S_SRC_build5100.502.tar.Z).
- Customers can test and use the RV decoupling functionality by merging the server partial runtime package together with the precompiled RV Adapter into their existing runtime package, customers can use the RV decoupling functionality. Alternatively, customers can use their own Tibco RV applications together with the RV Adapter source code to compile their own libmsgbusinf-tibrv.so. After deploying the partial runtime package and the self-compiled RV Adapter file, customers also can use the RV decoupling functionality. In addition, whether you choose precompiled RV Adapter or self-compiled RV Adapter, you need merge server source code to own code repository, build and deploy.

■ Common:

- 1) Merge the server source code(LIN_3w361_S_SRC_build5100.502.tar.Z) to own code repository.
- 2) Build ocp\TXNLIB module same as before, the build output file is libfwocp.so which will be copied to installation directory later.

■ Option 1 : Customers deploy the RV decoupling solution using the runtime and RV Adapter packages provided by Applied.

- Install the partial runtime package to the existing runtime package.
 - 1) `cd <300works_Installation_DIR>` # Go to runtime package.
 - 2) `tar -zxvf 3W_LIN_S_3.61.5100.502.tar.gz` # After extracting the runtime archive, it can be used to replace the relevant files, such as some utilities under the 300works/bin directory. If you do not want to keep the src directory in the runtime package, you may delete it.

Server – Tibco RV adapter

- Install Applied-provided precompiled RV adapter.
 - 1) `tar -zxvf TibrvAdapter_LIN6.7_3.61.5100.502.tar.gz` # When the Applied-provided precompiled TibrvAdapter_LIN6.7_3.61.5100.502.tar.gz is extracted, it contains only one Applied-built libmsgbusinf-tibrv.so, which replaces the dummy-version libmsgbusinf-tibrv.so included in the partial runtime package.
- Install libfwocp.so to installation directory.
 - 1) `cp -rpf libfwocp.so <300works_Installation_DIR>/FASTech/300works/lib` # Please copy the libfwocp.so file which is built at common part to the specified path in the customer's current runtime package.

■ Option 2: Compile your own server-side RV Adapter.

- Software requirements:
 - 1) `Redhat 6.* OS with required RPM packages` # It requires the same build environment as the 300Works server.
 - 2) `gcc version 4.4.7` # please install GCC with this command : `yum install -y gcc`
 - 3) `Tibco 8.4.x Linux installation package` # Please install the Tibco 8.4.x Linux installation package. The default installation path is `/opt/tibco/tibrv/8.4`.

Server – Tibco RV adapter

■ Option 2: Compile your own server-side RV Adapter.

- Build Tibco RV library: **libtibrvcpp.a**, only need to build once, may need to be run by root (Bash shell).
 - 1) `export ARCH_BITS=32` # Set it to indicate that the subsequent build process should use 32-bit compilation, see snapshot1
 - 2) `export RV_HOME=<TIBCO_RV_HOME>` # Set the TIBCO Rendezvous (RV) installation root directory path.
example: `export RV_HOME=/opt/tibco/tibrv/8.4`
 - 3) `tar -zxvf 3W_LIN_S_3.61.5100.502.tar.gz` (csh account) # Extract the runtime archive which includes the RV Adapter source code, run at another session, see snapshot2
 - 4) `cd $RV_HOME/src/librvcpp` # Switch to the C++ interface source directory (librvcpp) provided by RV.
 - 5) `cp <Runtime_Package_DIR>/FASTech/300works/src/librvcpp/* .` # Copy the source code under librvcpp into the current directory.
 - 6) `make clean` # Clean up the intermediate files and target files generated by the previous build (such as .o files, libraries, etc.).
 - 7) `make all` # Execute the default 'all' build target, which typically compiles and links to produce the required libraries or executables.Please refer to the next page for the detailed build (compilation) procedures:

Server – Tibco RV adapter

- Option 2: Compile your own server-side RV Adapter.

Session 1:

```
[root@CNXA-INNO-QA librvcpp]# export ARCH BITS=32
[root@CNXA-INNO-QA librvcpp]# export RV_HOME=/opt/tibco/tibrv/8.4
[root@CNXA-INNO-QA librvcpp]# cd $RV_HOME/src/librvcpp
[root@CNXA-INNO-QA librvcpp]# cp /home/inno/test/FASTech/300works/src/librvcpp/* .
cp: overwrite './Makefile'? yes
[root@CNXA-INNO-QA librvcpp]# make clean
rm -f *.o
rm -f *.a
[root@CNXA-INNO-QA librvcpp]# make all
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC tibrv.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC disp.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC event.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC tport.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC queue.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC qgroup.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC msg.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC ft.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC cm.cpp -c
c++ -I/opt/tibco/tibrv/8.4/include/tibrv -g -m32 -fPIC cmq.cpp -c
ar cruv libtibrvcpp.a tibrv.o disp.o event.o tport.o queue.o qgroup.o msg.o ft.o cm.o cmq.o
a - tibrv.o
a - disp.o
a - event.o
a - tport.o
a - queue.o
a - qgroup.o
a - msg.o
a - ft.o
a - cm.o
a - cmq.o
cp -rf libtibrvcpp.a /opt/tibco/tibrv/8.4/lib
Library libtibrvcpp.a installed to /opt/tibco/tibrv/8.4/lib
Installing headers to /opt/tibco/tibrv/8.4/include/tibrv
=====
librvcpp build complete!
  Architecture: 32-bit
  Library: libtibrvcpp.a
=====
[root@CNXA-INNO-QA librvcpp]#
```

Session 2:

```
[inno@CNXA-INNO-QA ~/test]$ tar -zxvf 3W_LIN_S_3.61.5100.502.tar.gz
FASTech/
FASTech/300works/
FASTech/300works/bin/
FASTech/300works/bin/BBD_SNDsrv
FASTech/300works/bin/COMM_SNDsrv
FASTech/300works/bin/XMLCOMM_SNDsrv
FASTech/300works/bin/XMLCOMM_RCVsrv
FASTech/300works/bin/COMM_RCVsrv
FASTech/300works/bin/BBD_RCVsrv
FASTech/300works/src/
FASTech/300works/src/TibrvAdapter/
FASTech/300works/src/TibrvAdapter/include/
FASTech/300works/src/TibrvAdapter/include/msgbus.hpp
FASTech/300works/src/TibrvAdapter/obj/
FASTech/300works/src/TibrvAdapter/src/
FASTech/300works/src/TibrvAdapter/src/msgbus_tibco.cpp
FASTech/300works/src/TibrvAdapter/README.txt
FASTech/300works/src/TibrvAdapter/Makefile
FASTech/300works/src/librvcpp/
FASTech/300works/src/librvcpp/Makefile
FASTech/300works/lib/
FASTech/300works/lib/libmsgbusinf-tibrv.so
FASTech/300works/lib/libmsgbusinf-tibrv.abstract.so
FASTech/version.txt
```

Server – Tibco RV adapter

■ Option 2: Compile your own server-side RV Adapter.

- Build TibrvAdapter: Enter the directory: FASTech/300works/src/TibrvAdapter, may need to be run by 300works user(csh shell).
 - 1) `setenv ARCH_BITS 32` # Set it to indicate that the subsequent build process should use 32-bit compilation.
 - 2) `setenv RV_HOME <TIBCO_RV_HOME>` # Set the TIBCO Rendezvous (RV) installation root directory path.
 - 3) `cd <Runtime_Package_DIR>/FASTech/300works/src/TibrvAdapter` # Enter the TibrvAdapter source directory.
 - 4) `make clean` # Clean up the intermediate files and target files generated by the previous build (such as .o files, libraries, etc.).
 - 5) `make` # Invoke the Makefile in the current directory and based on the configured compilation options, ultimately build TibrvAdapter.

Please refer to the snapshot for the detailed build (compilation) procedures, the output is under lib directory.

```
[inno@CNXA-INNO-QA TibrvAdapter]$ setenv ARCH_BITS 32
[inno@CNXA-INNO-QA TibrvAdapter]$ setenv RV_HOME /opt/tibco/tibrv/8.4
[inno@CNXA-INNO-QA TibrvAdapter]$ cd /home/inno/test/FASTech/300works/src/TibrvAdapter
[inno@CNXA-INNO-QA TibrvAdapter]$ make clean
rm -f obj/msgbus_tibco.o lib/libmsgbusinf-tibrv.so
Clean complete
[inno@CNXA-INNO-QA TibrvAdapter]$ make
Using TIBCO RV from: /opt/tibco/tibrv/8.4
g++ -Wall -O2 -fPIC -Iinclude -I/opt/tibco/tibrv/8.4/include -m32 -std=c++11 -D__LINUX__ -c src/msgbus_tibco.
cpp -o obj/msgbus_tibco.o
g++ -shared -m32 -L/opt/tibco/tibrv/8.4/lib -Wl,--no-undefined -o lib/libmsgbusinf-tibrv.so obj/msgbus_tibco.
o -ltibrvcpp -ltibrv -ltibrvft -ltibrvcmq -ltibrvcm -lpthread
Shared library lib/libmsgbusinf-tibrv.so created successfully
=====
TIBCO library build complete!
Library: lib/libmsgbusinf-tibrv.so
=====
[inno@CNXA-INNO-QA TibrvAdapter]$
```

Server – Tibco RV adapter

■ Option 2: Compile your own server-side RV Adapter.

- Install the partial runtime package to current runtime package.

1) `cd <300works_Installation_DIR>` # Go to runtime package.

2) `tar -zxvf 3W_LIN_S_3.61.5100.502.tar.gz` # After extracting the runtime archive, it can be used to replace the relevant files, such as some utilities under the 300works/bin directory. If you do not want to keep the src directory in the runtime package, you may delete it.

- Install customer-compiled RV adapter.

1) `cp libmsgbusinf-tibrv.so <300works_Installation_DIR>/FASTech/300works/lib` # Please copy the customer-compiled RV Adapter file to the specified path in the customer's current runtime package, which replaces the dummy-version libmsgbusinf-tibrv.so included in the partial runtime package.

- Install libfwocp.so to installation directory.

1) `cp -rpf libfwocp.so <300works_Installation_DIR>/FASTech/300works/lib` # Please copy the libfwocp.so file which is built at common part to the specified path in the customer's current runtime package.

Server – Tibco RV adapter

■ Rollback Plan

- When you deploy server-side RV decoupling using Option 1 or Option 2, if an unknown bug or defect occurs and you need to rollback the server-side RV decoupling, please follow below steps :

1) After stopping 300works, package the following files from the previous version of the 300works server and place the package into the current runtime package directory that includes RV decoupling, then extract it ,as a result, the utilities under the 300works/bin and library under 300works/lib directory with RV decoupling will be replaced by those from the old version, the old version does not include the RV decoupling functionality.

```
[inno@CNXA-INNO-QA ~/test]$ tar -xvf old_without_RVdecoufiles.tar
FASTech/300works/bin/BBD_RCVsrv
FASTech/300works/bin/COMM_RCVsrv
FASTech/300works/bin/XMLCOMM_RCVsrv
FASTech/300works/bin/XMLCOMM_SNDsrv
FASTech/300works/bin/COMM_SNDsrv
FASTech/300works/bin/BBD_SNDsrv
FASTech/300works/lib/libfwocp.so
```


2) Delete the files libmsgbusinf-tibrv.so and libmsgbusinf-tibrv.abstract.so under the 300works/lib directory, the 300works/src directory only contains the source code for the Tibco RV adapter, so it can be kept and does not need to be deleted, then start 300works.

```
[inno@CNXA-INNO-QA lib]$ rm -rf libmsgbusinf-tibrv.so libmsgbusinf-tibrv.abstract.so
[inno@CNXA-INNO-QA lib]$
```

3) If it is necessary to rollback the 3.61.5100.502 server code changes, you can reverse the source code change of 3.61.5100.502 on the server side and build.

IUI and IMI (C# library) to support TibcoRV adapter to de-coupling Tibco RV library

300works Common in IUI and IMI Side – RoadMap



IUI & IMI – Tibco RV adapter

- Deliver Independent Common Technology Client Package:

- » 3w361_IUI_SRC_build_RVDecoupling.zip
- » 3w361_IMI_SRC_build_RVDecoupling.zip

- The package File structure as following

3w361_IUI_SRC_build_RVDecoupling.zip

```
.300works
\---source
\---IUI
\---SOURCE
|   3w361_IUI.bat
+---Framework
|   +---IUI.Infrastructure
|   |   +---Interfaces
|   |   |   IErrorHandler.cs
|   |   \---Services
|   |       ErrorHandler.cs
|   +---IUI.Library
|   |   Framework.Library.csproj
|   +---Helpers
|   |   PrismContext.cs
|   \---Settings
|       AppSettings.cs
\---IUI.MAgNet
|   Framework.MAgNet.csproj
|   MAgCOM.cs
|   MAgMsg.cs
+---Interfaces
|   IMAgServiceFactory.cs
|   IMessageManager.cs
|   IMessageService.cs
|   IServiceMetadata.cs
|   IUnit.cs
+---Module
|   Constant.cs
\---Services
|   MAgMockService.cs
|   MAgServiceBase.cs
|   MAgServiceFactory.cs
+---Shell
|   Shell.xaml.cs
+---SolutionItems
|   GlobalAssemblyInfo.cs
+---Test
|   \---Framework
|   |   \---Components
|   |       TestErrorHandler.cs
\---TibrvAdapter
|   AMAT.F300works.IUI.MAgTibcoImpl.sln
+---Lib
|   AMAT.MAS.Framework.Caching.dll
|   AMAT.MAS.Framework.Common.dll
|   AMAT.MAS.Framework.ExceptionHandling.dll
|   AMAT.MAS.Framework.ExceptionHandling.Logging.dll
|   AMAT.MAS.Framework.Logging.dll
\---SOURCE
|   \---Framework
|   |   \---IUI.MAgTibco
|   |   |   Framework.MAgTibco.csproj
|   |   +---Properties
|   |   |   AssemblyInfo.cs
|   |   \---Services
|   |       MAgTibcoService.cs
```

3w361_IMI_SRC_build_RVDecoupling.zip

```
.300works
\---source
\---IMI
+---3Party
|   \---ServerRule
|       Microsoft.Practices.ServiceLocation.dll
|       Microsoft.Practices.ServiceLocation.xml
|       TIBCO.Rendezvous.dll
|       TIBCO.Rendezvous.netmodule
|       tibrv.dll
+---Communicator
|   Communicator.csproj
|   LogInByServerRule.cs
+---FABLoader
|   |   300works.IMI.csproj
|   |   App.config
|   |   App.xaml.cs
|   \---Properties
|       AssemblyInfo.cs
\---View
|   View.csproj
\---UserControls
|   UserCheck.xaml.cs
```

IUI & IMI – Tibco RV adapter

■ Customer Action:

- If the customer needs to use the RV decoupling functionality on the IUI and IMI sides, then it is required to merge these source codes into their own code repository, then compile all IUI code as before and afterward compile the AMAT.F300works.IUI.Framework.MAgTibco.dll file, finally, place AMAT.F300works.IUI.Framework.MAgTibco.dll into the root directories of both IUI.
- Copy some specific Framework, Common DLLs generated from the IUI build and the Tibco DLLs into the IMI source code directory and then perform a full build.

■ Software requirements:

- Windows 10, 11 or Windows Server 2018, 2022 , Microsoft Visual Studio 2017 or 2019, Microsoft .NET Framework v4.6.1, TIBCO RV 8.4 (Windows).
- Install VS link : <https://visualstudio.microsoft.com/vs/older-downloads/>
- Install Microsoft .NET Framework v4.6.1 : <https://dotnet.microsoft.com/en-us/download/dotnet-framework/net461>
- Install Tibco RV 8.*.* windows package which are owned by customer: please refer to Tibco RV help documents: <https://docs.tibco.com/products/tibco-rendezvous/archive>

Notes: In most cases, you should already have VS, .NET these software packages installed in IUI compilation environment.

IUI & IMI – Tibco RV adapter

■ Compile TibcoRV Adapter SOP


- Compile all IUI source codes:

1) After merging the IUI source codes(3w361_IUI_SRC_build_RVDecoupling.zip) into the code repository.


2) Next, copy the three DLL files from the bin directory of the installed TIBCO package: TIBCO.Rendezvous.dll

TIBCO.Rendezvous.netmodule and tibrv.dll (version 8.*.*) into the lib directory of the IUI source codes, replacing the three files provided by Applied. In addition, after June 1, Applied will no longer provide these three files, however, customers may continue to use them.

Please see below snapshot:



Name	Date modified	Type	Size
rvsd.exe	3/30/2026 6:01 PM	Application	1,279 KB
rvsd.exe	3/30/2026 6:01 PM	Application	1,091 KB
rvsd.exe	3/30/2026 6:01 PM	Application	1,355 KB
rvtrace.exe	2/14/2014 12:11 PM	Application	659 KB
ssleay32.dll	2/14/2014 12:14 PM	Application extension	224 KB
TIBCO.Rendezvous.dll	2/11/2014 6:35 PM	Application extension	95 KB
TIBCO.Rendezvous.dll.config	2/11/2014 6:35 PM	XML Configuration File	1 KB
TIBCO.Rendezvous.netmodule	2/11/2014 6:35 PM	NETMODULE File	12 KB
tibrv.dll	2/14/2014 12:14 PM	Application extension	427 KB
tibrvcfg.bat	2/14/2014 12:11 PM	Windows Batch File	3 KB
tibrvcn.dll	2/14/2014 12:14 PM	Application extension	119 KB
tibrvrnn.dll	2/14/2014 12:14 PM	Application extension	64 KB




Name	Date modified	Type	Size
Northwoods.Go.dll	3/24/2026 2:19 PM	Application extens...	748 KB
nunit.framework.dll	3/24/2026 2:19 PM	Application extens...	148 KB
nunit.framework.xml	3/24/2026 2:19 PM	XML File	571 KB
RibbonControlsLibrary.dll	3/24/2026 2:19 PM	Application extens...	721 KB
System.Windows.Interactivity.dll	3/24/2026 2:19 PM	Application extens...	39 KB
System.Windows.Interactivity.xml	3/24/2026 2:19 PM	XML File	61 KB
TIBCO.Rendezvous.dll	3/24/2026 2:19 PM	Application extens...	95 KB
TIBCO.Rendezvous.netmodule	3/24/2026 2:19 PM	NETMODULE File	12 KB
tibrv.dll	3/24/2026 2:19 PM	Application extens...	427 KB
Xceed.Wpf.DataGrid.dll	3/24/2026 2:19 PM	Application extens...	1,908 KB
Xceed.Wpf.Toolkit.dll	3/24/2026 2:19 PM	Application extens...	654 KB

IUI & IMI – Tibco RV adapter

■ Compile TibcoRV Adapter SOP

3) Perform a full build on all IUI code:

Open solution: AMAT.F300works.IUI - All.sln, build with release mode and Mixed Platforms, generate output assembly and find it : AMAT.F300works.IUI.Framework.MAgNet.dll at IUI_DEPLOYMENT\BuildVersion directory.



The screenshot shows a file explorer window displaying the contents of the 'IUI_DEPLOYMENT\BuildVersion' directory. The table lists various DLL files and their properties.


Name	Date modified	Type	Size
AMAT.F300works.IUI.EqpManagement.dll	4/20/2026 2:27 PM	Application extens...	270 KB
AMAT.F300works.IUI.Framework.Controls.dll	4/20/2026 2:27 PM	Application extens...	263 KB
AMAT.F300works.IUI.Framework.Infrastructure.dll	4/20/2026 2:27 PM	Application extens...	57 KB
AMAT.F300works.IUI.Framework.Library.dll	4/20/2026 2:26 PM	Application extens...	126 KB
AMAT.F300works.IUI.Framework.MAgNet.dll	4/20/2026 2:26 PM	Application extens...	76 KB
AMAT.F300works.IUI.LotCustomization.dll	4/20/2026 2:27 PM	Application extens...	587 KB
AMAT.F300works.IUI.LotInventory.dll	4/20/2026 2:27 PM	Application extens...	388 KB
AMAT.F300works.IUI.LotManagement.dll	4/20/2026 2:27 PM	Application extens...	1,857 KB
AMAT.F300works.IUI.OCAP.dll	4/20/2026 2:27 PM	Application extens...	359 KB
AMAT.F300works.IUI.PRMS.dll	4/20/2026 2:27 PM	Application extens...	371 KB
AMAT.F300works.IUI.PTMS.dll	4/20/2026 2:27 PM	Application extens...	542 KB

Notes: This step is the same as the build procedure used in previous versions of IUI.

IUI & IMI – Tibco RV adapter

■ Compile TibcoRV Adapter SOP

- Build a customized AMAT.F300works.IUI.Framework.MAgTibco.dll:
 - 1) Copy the AMAT.F300works.IUI.Framework.MAgNet.dll to TibrvAdapter/lib directory, by default, it has already been copied.
 - 2) Copy the TIBCO.Rendezvous.dll, TIBCO.Rendezvous.netmodule and tibrv.dll files (version 8.*.*) which are owned by customer, move them into the TibrvAdapter/lib directory, by default, these three DLL files have also already been copied into this directory.
 - 3) Open solution: AMAT.F300works.IUI.MAgTibcoImpl.sln, build with release mode and Any CPU, generate output assembly: AMAT.F300works.IUI.Framework.MAgTibco.dll at IUI_DEPLOYMENT\BuildVersion directory.



The screenshot shows the Visual Studio IDE with the build output window open. The top toolbar shows the 'Release' configuration and 'Any CPU' architecture. The 'Start' button is visible. The output window shows the following text:


```
Build started...
1>----- Build started: Project: Framework.MAgTibco, Configuration: Release Any CPU -----
1> Framework.MAgTibco -> C:\Build_Training\test\IUI\bin\Release\AMAT.F300works.IUI.Framework.MAgTibco.dll
1> C:\Build_Training\test\IUI\bin\Release\AMAT.F300works.IUI.Framework.MAgTibco.dll
1> 1 File(s) copied
===== Build: 1 succeeded, 0 failed, 0 up-to-date, 0 skipped =====
```

IUI & IMI – Tibco RV adapter

■ Compile TibcoRV Adapter SOP

- Package the IUI:

- 1) Copy AMAT.F300works.IUI.Framework.MAgTibco.dll to output directory of all files generated in the previous IUI full build, by default, it has already been copied.
- 2) If needed, you can package the IUI into an MSI format and then perform installation and QA verification.



Name	Date modified	Type	Size
AMAT.F300works.IUI.Framework.MAgTibco.dll	4/20/2026 2:33 PM	Application extens...	12 KB
300worksIUI.exe	4/20/2026 2:27 PM	Application	789 KB
AMAT.F300works.IUI.OCAP.dll	4/20/2026 2:27 PM	Application extens...	359 KB
AMAT.F300works.IUI.BGBM.dll	4/20/2026 2:27 PM	Application extens...	127 KB
AMAT.F300works.IUI.LotManagement.dll	4/20/2026 2:27 PM	Application extens...	1,857 KB
AMAT.F300works.IUI.CSN.dll	4/20/2026 2:27 PM	Application extens...	113 KB
AMAT.F300works.IUI.WIPTracking.dll	4/20/2026 2:27 PM	Application extens...	2,417 KB
AMAT.F300works.IUI.PTMS.dll	4/20/2026 2:27 PM	Application extens...	542 KB
AMAT.F300works.IUI.WAT.dll	4/20/2026 2:27 PM	Application extens...	159 KB
AMAT.F300works.IUI.PRMS.dll	4/20/2026 2:27 PM	Application extens...	371 KB

IUI & IMI – Tibco RV adapter

■ Compile IMI SOP


- Compile all IMI source codes :

1) After merging the IMI source codes(3w361_IMI_SRC_build_RVDecoupling.zip) into the code repository.


2) Copy the TIBCO.Rendezvous.dll, TIBCO.Rendezvous.netmodule and tibrv.dll files (version 8.*.*) which are owned by customer and move them into the IMI source codes directory: 3Party/ServerRule directory, see snapshot1.

3) Copy these Framework and Common type files generated from the earlier at IUI IUI_DEPLOYMENT\BuildVersion folder:

AMAT.F300works.IUI.Framework.MAgNet.dll, AMAT.F300works.IUI.Framework.Library.dll,AMAT.F300works.IUI.Framework.Infrastructure.dll, AMAT.F300works.IUI.Framework.MAgTibco.dll and AMAT.F300works.IUI.Common.dll to the IMI source codes directory: 3Party/ServerRule directory, see snapshot 2.



Name	Date modified	Type	Size
AMAT.MAS.Framework.ExceptionHandling.Logging.dll	4/3/2026 3:34 PM	Application extens...	32 KB
AMAT.MAS.Framework.Logging.dll	4/3/2026 3:34 PM	Application extens...	304 KB
cache.config	4/3/2026 3:34 PM	XML Configuratio...	1 KB
exception.config	4/3/2026 3:34 PM	XML Configuratio...	4 KB
logging.config	4/3/2026 3:34 PM	XML Configuratio...	5 KB
Microsoft.Practices.ObjectBuilder2.dll	4/3/2026 3:34 PM	Application extens...	70 KB
Microsoft.Practices.ServiceLocation.dll	4/15/2026 2:40 PM	Application extens...	30 KB
Microsoft.Practices.ServiceLocation.xml	4/15/2026 2:40 PM	XML File	17 KB
TIBCO.Rendezvous.dll	2/11/2014 5:35 PM	Application extens...	95 KB
TIBCO.Rendezvous.netmodule	2/11/2014 5:35 PM	NETMODULE File	12 KB
tibrv.dll	2/14/2014 11:14 AM	Application extens...	427 KB



Name	Date modified	Type	Size
AMAT.F300works.IUI.Framework.MAgTibco.dll	4/20/2026 2:33 PM	Application extens...	12 KB
AMAT.F300works.IUI.Common.dll	4/20/2026 2:27 PM	Application extens...	1,611 KB
AMAT.F300works.IUI.Framework.Infrastructure.dll	4/20/2026 2:27 PM	Application extens...	57 KB
AMAT.F300works.IUI.Framework.MAgNet.dll	4/20/2026 2:26 PM	Application extens...	76 KB
AMAT.F300works.IUI.Framework.Library.dll	4/20/2026 2:26 PM	Application extens...	126 KB
Microsoft.Practices.ServiceLocation.dll	4/15/2026 2:40 PM	Application extens...	30 KB
Microsoft.Practices.ServiceLocation.xml	4/15/2026 2:40 PM	XML File	17 KB
AMAT.MAS.Framework.Caching.dll	4/3/2026 3:34 PM	Application extens...	112 KB
AMAT.MAS.Framework.Common.dll	4/3/2026 3:34 PM	Application extens...	188 KB
AMAT.MAS.Framework.ExceptionHandling.dll	4/3/2026 3:34 PM	Application extens...	96 KB
AMAT.MAS.Framework.ExceptionHandling.Logging.dll	4/3/2026 3:34 PM	Application extens...	32 KB

IUI & IMI – Tibco RV adapter

- Compile IMI SOP

- Compile all IMI source codes :

4) Perform a full build on all IMI code :

Open solution: AMAT.F300works.IMI.sln, build with release mode and Any CPU, generate output assembly.




```
14> C:\Build_Training\test\IMI\3Party\ServerRule\cache.config
14> C:\Build_Training\test\IMI\3Party\ServerRule\exception.config
14> C:\Build_Training\test\IMI\3Party\ServerRule\logging.config
14> C:\Build_Training\test\IMI\3Party\ServerRule\Microsoft.Practices.ObjectBuilder2.dll
14> C:\Build_Training\test\IMI\3Party\ServerRule\Microsoft.Practices.ServiceLocation.dll
14> C:\Build_Training\test\IMI\3Party\ServerRule\Microsoft.Practices.ServiceLocation.xml
14> C:\Build_Training\test\IMI\3Party\ServerRule\TIBCO.Rendezvous.dll
14> C:\Build_Training\test\IMI\3Party\ServerRule\TIBCO.Rendezvous.netmodule
14> C:\Build_Training\test\IMI\3Party\ServerRule\tibrv.dll
14> 23 File(s) copied
===== Rebuild All: 14 succeeded, 0 failed, 0 skipped =====
```

IUI & IMI – Tibco RV adapter

■ Compile IMI SOP

- Package the IMI :

1) If needed, you can package the IMI into an MSI format and then perform installation and QA verification.




Name	Date modified	Type
300worksIMI.exe	4/20/2026 2:50 PM	Application
300worksIMI.exe.config	4/15/2026 2:40 PM	XML Configuratio...
300worksIMI.exe.manifest	4/20/2026 2:50 PM	MANIFEST File
300worksIMI.pdb	4/20/2026 2:50 PM	Intermediate file
AMAT.F300works.FwObject.BusinessLayer.dll	4/3/2026 3:34 PM	Application extens...
AMAT.F300works.IMI.BusinessLayer.dll	4/20/2026 2:50 PM	Application extens...
AMAT.F300works.IMI.BusinessLayer.dll.config	4/3/2026 3:34 PM	XML Configuratio...
AMAT.F300works.IMI.BusinessLayer.pdb	4/20/2026 2:50 PM	Intermediate file
AMAT.F300works.IMI.Common.dll	4/20/2026 2:50 PM	Application extens...
AMAT.F300works.IMI.Common.dll.config	4/3/2026 3:34 PM	XML Configuratio...

IUI & IMI – Tibco RV adapter

■ Rollback Plan:

- If it is necessary to rollback the RV decoupling changes for IUI and IMI, you can first check out the latest source code of IUI and IMI before merging the RV decoupling source code on the IUI and IMI sides. Then compile IUI and IMI, then resulting IUI and IMI full build at this point will not include the RV decoupling functionality.



New OCAP flow builder user guide

New OCAP flow builder user guide

■ Delivered new OCAP flow builder Package:

- 300worksOCAPFlowBuilder.zip

■ Changed files in this new OCAP flow builder Package :

 Fw.Framework.LibCwMbx.dll		7/7/2021 2:05 AM	Application extens...	66 KB
 Fw.Ocp.LibFwCore.dll.config		4/2/2026 4:47 PM	XML Configuratio...	1 KB
 FwMbxMessagingProvider.dll		7/7/2021 2:05 AM	Application extens...	6 KB

Notes: In the new OCAP flow builder, the major change is the transition from the original Tibco RV–based connection to an MBX-based connection to 300works, completely removing all Tibco RV components. As a result, Tibco RV connections are no longer supported; only MBX connections are used. Since these new OCAP flow builders are part of the AIO components delivered by FW, Applied provides only the precompiled DLLs and integrates them into the original OCAP flow builder.

New OCAP flow builder user guide

■ How to log on new OCAP flow builder:

- Unzip the flow builder tool 300worksOCAPFlowBuilder.zip, then go to the flow builder tool folder and then edit the “Fw.Ocp.LibFwCore.dll.config” configuration file. For example:

```
<?xml version="1.0" encoding="utf-8"?>
<configuration>
  <appSettings>
    <add key="FWOCAPConnectionType" value="mbx"/>
    <add key="MAGCOMDAEMON" value=""/>
    <add key="MAGCOMSERVICE" value=""/>
    <add key="Domain" value=""/>
    <add key="PulsarAddress" value=""/>
    <add key="PulsarPort" value=""/>
    <add key="PulsarAdminAddress" value=""/>
    <add key="PulsarAdminPort" value=""/>
    <add key="PulsarTopicTenant" value=""/>
    <add key="PulsarTopicNamespace" value=""/>
    <add key="PulsarTopicType" value=""/>
    <add key="HostName" value="152.135.85.248"/>
    <add key="Mbx" value="RVQA"/>
    <add key="PCMBXsrvName" value="PCMBXsrv"/>
  </appSettings>
  <startup>
    <supportedRuntime version="v4.0" sku=".NETFramework,Version=v4.6.1"/>
  </startup>
</configuration>
```

OCAP connection type

300works AP hostname or IP address



300works MBX name

300works PCMBXsrv name

New OCAP flow builder user guide

■ How to log on new OCAP flow builder:

- Launch FwFlowBuilder.exe and then login with existing account. After that, you can use it just like the previous version of the OCAP Flow Builder — for example, updating flows, adding new flows, and so on, there is no difference in functionality.





Applied
SmartFactory®