

tpscli MCP server 0.1.0 — Test Cases

Eight tools over stdio wrapping tpscli.exe · tick steps, record verdicts, print a PDF report.



tpscli MCP server 0.1.0 — eight tools over stdio — Test Completion Report

Test results — a dated, signed completion report.

Feature	tpscli MCP server 0.1.0 — eight tools over stdio
Tester	automated (tests\run-instrument.ps1)
Reviewer / Lead	—
Date	2026-09-19
Build / version under test	b531532
Environment	WINVMB40B / Microsoft Windows NT 10.0.26200.0 / PowerShell 5.1.26100.9457 / node v20.18.1
Component / area	mcp\dist\server.js + tools\call.js
Ticket / branch	feature/tpscli-mcp
Report generated	2026-09-19 22:06

PASS — cleared to merge

All CORE and HIGH priority cases passed.

16 PASS	0 FAIL	0 BLOCKED	0 N/A	0 NOT RUN
------------	-----------	--------------	----------	--------------

Results detail

Case	Priority	Result	Title	Notes
TC-01	CORE	PASS	Install dependencies and build the server	Automated run 2026-09-19 22:04: every check passed. · Ev: npm install (exit 0) npm run build (exit 0) Test-Path dist\server.js -> True npm ls --depth=0 (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-02	CORE	PASS	Automated suite passes, including end to end against the real exe	Automated run 2026-09-19 22:04: every check passed. · Ev: npm test (exit 0) counted tests=39 pass=39 fail=0 skipped=0 Full output: TpscliMcp-Unit-Test-Results.json
TC-03	CORE	PASS	Startup refuses a bad flag, a missing root and a missing exe; a good start prints the ready line	Automated run 2026-09-19 22:04: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force node dist\server.js --bogus (exit 2) node dist\server.js --root C:\no\such\folder (exit 2) node dist\server.js --exe C:\no\tpscli.exe (exit 2) node dist\server.js --timeout 0 (exit 2) node dist\server.js --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json

TC-04	CORE	PASS	tps_version pairs the server and exe versions	Automated run 2026-09-19 22:04: every check passed. · Ev: node tools\call.js tps_version --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-05	CORE	PASS	tps_list_files lists the root folder, filters by pattern, and needs a root	Automated run 2026-09-19 22:04: every check passed. · Ev: node tools\call.js tps_list_files --root work (exit 0) 'pattern': 'k*' node tools\call.js tps_list_files --root work (exit 0) node tools\call.js tps_list_files (exit 1) Full output: TpscliMcp-Unit-Test-Results.json
TC-06	CORE	PASS	tps_describe shows the layout of a file by bare name or absolute path	Automated run 2026-09-19 22:04: every check passed. · Ev: 'file': 'KEYS.TPS' node tools\call.js tps_describe --root work (exit 0) 'file': 'C:\Projects\GitHub\tpsclicli\mcp\work\KEYS.TPS' node tools\call.js tps_describe (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-07	CORE	PASS	tps_select builds where, order_by and limit, and reports truncation	Automated run 2026-09-19 22:04: every check passed. · Ev: 'file': 'KEYS.TPS', 'columns': ['ID', 'NAME'], 'where': 'NAME LIKE 'b%' 'order_by': 'ID', 'limit': 2' node too... (exit 0) 'file': 'KEYS.TPS', 'limit': 2' node tools\call.js tps_select --root work (exit 0) 'file': 'KEYS.TPS', 'where': 'ID > 999' node tools\call.js tps_select --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-08	HIGH	PASS	format table returns the exe's text grid, and its one-line failure	Automated run 2026-09-19 22:04: every check passed. · Ev: 'file': 'KEYS.TPS', 'limit': 2, 'format': 'table' node tools\call.js tps_select --root work (exit 0) 'file': 'KEYS.TPS', 'where': 'ZZ = 1', 'format': 'table' node tools\call.js tps_select --root work (exit 1) Full output: TpscliMcp-Unit-Test-Results.json
TC-09	CORE	PASS	Encrypted file: owner required, accepted per call, per server and from the environment, and never echoed	Automated run 2026-09-19 22:04: every check passed. · Ev: 'file': 'SECRET.TPS' node tools\call.js tps_describe --root work (exit 1) 'file': 'SECRET.TPS', 'owner': 's3cret' node tools\call.js tps_describe --root work (exit 0) 'file': 'SECRET.TPS' node tools\call.js tps_describe --root work --owner s3cret (exit 0) (CP-4) \$env:TPSCCLI_OWNER = 's3cret' (applied to the next call's environment) 'file': 'SECRET.TPS' node tools\call.js tps_describe --root work (exit 0) (CP-4) Remove-Item Env:TPSCCLI_OWNER 'file': 'SECRET.TPS' node tools\call.js tps_describe --root work --owner wrong (exit 1) \$out -cmatch 'wrong' -> False s3cret searched for in the outputs of steps 2, 3 and 5: absent Full output: TpscliMcp-Unit-Test-Results.json
TC-10	HIGH	PASS	Bare names stay inside the roots; without roots only absolute paths work	Automated run 2026-09-19 22:04: every check passed. · Ev: 'file': 'NOPE.TPS' node tools\call.js tps_describe --root work (exit 1) 'file': '..\package.json' node tools\call.js tps_describe --root work (exit 1) 'file': 'KEYS.TPS' node tools\call.js tps_describe (exit 1) 'file': '\\data\KEYS.TPS' node tools\call.js tps_describe (exit 1) Full output: TpscliMcp-Unit-Test-Results.json
TC-11	CORE	PASS	A read-only server refuses every structured write and changes nothing	Automated run 2026-09-19 22:04: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force 'file': 'KEYS.TPS', 'values': {'ID': 9, 'NAME': 'nine'} node tools\call.js tps_insert --root work (exit 1) 'file': 'KEYS.TPS', 'set': {'NAME': 'x'}, 'where': 'ID = 1' node tools\call.js tps_update --root work (exit 1) 'file': 'KEYS.TPS', 'where': 'ID = 1' node tools\call.js tps_delete --root work (exit 1) 'file': 'KEYS.TPS' node tools\call.js tps_describe --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-12	CORE	PASS	tps_query classifies raw statements: writes refused, parse-only allowed, no table for a write	Automated run 2026-09-19 22:04: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force 'sql': 'DELETE FROM [C:\Projects\GitHub\tpsclicli\mcp\work\KEYS.TPS] WHERE ID = 1' node tools\call.... (exit 1) 'sql': 'DELETE FROM [C:\Projects\GitHub\tpsclicli\mcp\work\KEYS.TPS] WHERE ID = 1', 'parse_only': true' ... (exit 0) 'sql': 'UPDATE [C:\Projects\GitHub\tpsclicli\mcp\work\KEYS.TPS] SET NAME = 'x' WHERE ID = 1', 'format': '...' (exit 1) 'sql': 'SELECT ID FROM [C:\Projects\GitHub\tpsclicli\mcp\work\KEYS.TPS]', 'limit_default': 2' node too... (exit 0) 'file': 'KEYS.TPS' node tools\call.js tps_describe --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-13	CORE	PASS	Insert, update, select and delete one row, including a value with a double quote and a backslash	Automated run 2026-09-19 22:04: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force 'file': 'KEYS.TPS', 'values': {'ID': 9, 'NAME': 'O'Nine', 'CODE': 'N'} node tools\call.js tps_insert --root w... (exit 0) 'file': 'KEYS.TPS', 'set': {'NAME': '12\' pizza\'}, 'where': 'ID = 9' node tools\call.js tps_update --root... (exit 0) 'file': 'KEYS.TPS', 'columns': ['NAME'], 'where': 'ID = 9' node tools\call.js tps_select --root work --all... (exit 0) 'file': 'KEYS.TPS', 'where': 'ID = 9' node tools\call.js tps_delete --root work --allow-writes (exit 0) 'file': 'KEYS.TPS', 'where': 'ID = 9' node tools\call.js tps_select --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-14	HIGH	PASS	Bad arguments are refused before the exe runs, each with a message that says what to do	Automated run 2026-09-19 22:04: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force 'file': 'KEYS.TPS', 'set': {}, 'where': 'ID = 1' node tools\call.js tps_update --root work --allow-writes (exit 1) 'file': 'KEYS.TPS', 'values': {'ID': 9, 'NAME': null} node tools\call.js tps_insert --root work --allow-writes (exit 1) 'file': 'KEYS.TPS', 'set': {'NAME': 'x'} node tools\call.js tps_update --root work --allow-writes (exit 1) 'file': 'KEYS.TPS', 'offset': 1' node tools\call.js tps_select --root work --allow-writes (exit 1) 'file': 'KEYS.TPS', 'columns': ['ID; DROP'] node tools\call.js tps_select --root work --allow-writes (exit 1) 'file': 'KEYS.TPS' node tools\call.js tps_describe --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json

TC-15	HIGH	PASS	The exe's own errors pass through unchanged with an error exit	Automated run 2026-09-19 22:04: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force '{file:"KEYS.TPS",values:[{ID:1,NAME:"dup"}]} node tools\call.js tps_insert --root work --allow-wr... (exit 1) '{"sql":"UPDATE [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\KEYS.TPS] SET NAME = 'x'" node tools\call.js ... (exit 1) '{"file":"KEYS.TPS",where:"ZZ = 1"}' node tools\call.js tps_select --root work (exit 1) '{"file":"KEYS.TPS"}' node tools\call.js tps_describe --root work (exit 0) '{"file":"KEYS.TPS",columns:["NAME"],where:"ID = 1"}' node tools\call.js tps_select --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-16	HIGH	PASS	tps_query runs the statement verbatim: no root resolution, any statement type	Automated run 2026-09-19 22:04: every check passed. · Ev: '{"sql":"SELECT ID FROM [KEYS.TPS]}" node tools\call.js tps_query --root work (exit 1) '{"sql":"SELECT ID, NAME FROM [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\KEYS.TPS] WHERE ID < 3 ORDER BY ID"... (exit 0) '{"sql":"DESCRIBE [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\NOKEY.TPS]",format:"table"}' node tools\cal... (exit 0) Full output: TpscliMcp-Unit-Test-Results.json

Sign-off

Tester	___ . __ . __
Reviewer / Lead	___ . __ . __
Owner	___ . __ . __