

tpscli MCP server 0.2.0 — Test Cases

Eight tools over stdio wrapping tpscli.exe · tick steps, record verdicts, print a PDF report.



tpscli MCP server 0.2.0 — nine tools over stdio — Test Completion Report

Test results — a dated, signed completion report.

Feature	tpscli MCP server 0.2.0 — nine tools over stdio
Tester	automated (tests\run-instrument.ps1)
Reviewer / Lead	—
Date	2026-09-20
Build / version under test	46061b2
Environment	WINVMB40B / Microsoft Windows NT 10.0.26200.0 / PowerShell 5.1.26100.9457 / node v20.18.1
Component / area	mcp\dist\server.js + tools\call.js
Ticket / branch	feature/tpscli-mcp
Report generated	2026-09-20 16:31

PASS — cleared to merge

All CORE and HIGH priority cases passed.

16 PASS	0 FAIL	0 BLOCKED	0 N/A	0 NOT RUN
------------	-----------	--------------	----------	--------------

Results detail

Case	Priority	Result	Title	Notes
TC-01	CORE	PASS	Install dependencies and build the server	Automated run 2026-09-20 16:30: every check passed. · Ev: npm install (exit 0) npm run build (exit 0) Test-Path dist\server.js -> True npm ls --depth=0 (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-02	CORE	PASS	Automated suite passes, including end to end against the real exe	Automated run 2026-09-20 16:30: every check passed. · Ev: npm test (exit 0) counted tests=40 pass=40 fail=0 skipped=0 Full output: TpscliMcp-Unit-Test-Results.json
TC-03	CORE	PASS	Startup refuses a bad flag, a missing root and a missing exe; a good start prints the ready line	Automated run 2026-09-20 16:30: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force node dist\server.js --bogus (exit 2) node dist\server.js --root C:\no\such\folder (exit 2) node dist\server.js --exe C:\no\tpscli.exe (exit 2) node dist\server.js --timeout 0 (exit 2) node dist\server.js --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json

TC-04	CORE	PASS	tps_version pairs the server and exe versions	Automated run 2026-09-20 16:30: every check passed. · Ev: node tools\call.js tps_version --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-05	CORE	PASS	tps_list_files lists the roots or a directory and filters by pattern; tps_set_roots changes the roots at runtime	Automated run 2026-09-20 16:30: every check passed. · Ev: node tools\call.js tps_list_files --root work (exit 0) '{'pattern':"k*"}' node tools\call.js tps_list_files --root work (exit 0) '{'directory':"C:\\Projects\\GitHub\\tpsclic\\mcp\\work"}' node tools\call.js tps_list_files (exit 0) node tools\call.js tps_list_files (exit 1) '{'roots':"['C:\\Projects\\GitHub\\tpsclic\\mcp\\work'],{}}' node tools\call.js tps_set_roots, tps_list_files (exit 0) '{'roots':"['work']}" node tools\call.js tps_set_roots (exit 1) Full output: TpscliMcp-Unit-Test-Results.json
TC-06	CORE	PASS	tps_describe shows the layout of a file by bare name or absolute path	Automated run 2026-09-20 16:30: every check passed. · Ev: '{'file':"KEYS.TPS"}' node tools\call.js tps_describe --root work (exit 0) '{'file':"C:\\Projects\\GitHub\\tpsclic\\mcp\\work\\KEYS.TPS"}' node tools\call.js tps_describe (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-07	CORE	PASS	tps_select builds where, order_by and limit, and reports truncation	Automated run 2026-09-20 16:30: every check passed. · Ev: '{'file':"KEYS.TPS","columns":["ID","NAME"],"where":"NAME LIKE 'b%',"order_by":"ID","limit":2}' node too... (exit 0) '{'file':"KEYS.TPS","limit":2}' node tools\call.js tps_select --root work (exit 0) '{'file':"KEYS.TPS","where":"ID > 999"}' node tools\call.js tps_select --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-08	HIGH	PASS	format table returns the exe's text grid, and its one-line failure	Automated run 2026-09-20 16:30: every check passed. · Ev: '{'file':"KEYS.TPS","limit":2,"format":"table"}' node tools\call.js tps_select --root work (exit 0) '{'file':"KEYS.TPS","where":"ZZ = 1","format":"table"}' node tools\call.js tps_select --root work (exit 1) Full output: TpscliMcp-Unit-Test-Results.json
TC-09	CORE	PASS	Encrypted file; owner required, accepted per call, per server and from the environment, and never echoed	Automated run 2026-09-20 16:30: every check passed. · Ev: '{'file':"SECRET.TPS"}' node tools\call.js tps_describe --root work (exit 1) '{'file':"SECRET.TPS","owner":"s3cret"}' node tools\call.js tps_describe --root work (exit 0) '{'file':"SECRET.TPS"}' node tools\call.js tps_describe --root work --owner s3cret (exit 0) (CP-4) \$env:TPSCLI_OWNER = 's3cret' (applied to the next call's environment) '{'file':"SECRET.TPS"}' node tools\call.js tps_describe --root work (exit 0) (CP-4) Remove-Item Env:TPSCLI_OWNER '{'file':"SECRET.TPS"}' node tools\call.js tps_describe --root work --owner wrong (exit 1) \$out -cmatch 'wrong' -> False s3cret searched for in the outputs of steps 2, 3 and 5: absent Full output: TpscliMcp-Unit-Test-Results.json
TC-10	HIGH	PASS	Bare names stay inside the roots; without roots only absolute paths work	Automated run 2026-09-20 16:30: every check passed. · Ev: '{'file':"NOPE.TPS"}' node tools\call.js tps_describe --root work (exit 1) '{'file':"..\package.json"}' node tools\call.js tps_describe --root work (exit 1) '{'file':"KEYS.TPS"}' node tools\call.js tps_describe (exit 1) '{'file':"\\data\\KEYS.TPS"}' node tools\call.js tps_describe (exit 1) Full output: TpscliMcp-Unit-Test-Results.json
TC-11	CORE	PASS	A read-only server refuses every structured write and changes nothing	Automated run 2026-09-20 16:30: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force '{'file':"KEYS.TPS","values":{"ID":9,"NAME":"nine"}}' node tools\call.js tps_insert --root work (exit 1) '{'file':"KEYS.TPS","set":{"NAME":"x"},"where":"ID = 1"}' node tools\call.js tps_update --root work (exit 1) '{'file':"KEYS.TPS","where":"ID = 1"}' node tools\call.js tps_delete --root work (exit 1) '{'file':"KEYS.TPS"}' node tools\call.js tps_describe --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-12	CORE	PASS	tps_query classifies raw statements: writes refused, parse-only allowed, no table for a write	Automated run 2026-09-20 16:30: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force '{'sql':"DELETE FROM [C:\\Projects\\GitHub\\tpsclic\\mcp\\work\\KEYS.TPS] WHERE ID = 1"}' node tools\call... (exit 1) '{'sql':"DELETE FROM [C:\\Projects\\GitHub\\tpsclic\\mcp\\work\\KEYS.TPS] WHERE ID = 1","parse_only":true}' ... (exit 0) '{'sql':"UPDATE [C:\\Projects\\GitHub\\tpsclic\\mcp\\work\\KEYS.TPS] SET NAME = 'x' WHERE ID = 1","format":"... (exit 1) '{'sql':"SELECT ID FROM [C:\\Projects\\GitHub\\tpsclic\\mcp\\work\\KEYS.TPS]","limit_default":2}' node too... (exit 0) '{'file':"KEYS.TPS"}' node tools\call.js tps_describe --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-13	CORE	PASS	Insert, update, select and delete one row, including a value with a double quote and a backslash	Automated run 2026-09-20 16:30: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force '{'file':"KEYS.TPS","values":{"ID":9,"NAME":"O'Nine","CODE":"N"}}' node tools\call.js tps_insert --root w... (exit 0) '{'file':"KEYS.TPS","set":{"NAME":"12\"pizza\\\""},"where":"ID = 9"}' node tools\call.js tps_update --root... (exit 0) '{'file':"KEYS.TPS","columns":["NAME"],"where":"ID = 9"}' node tools\call.js tps_select --root work --all... (exit 0) '{'file':"KEYS.TPS","where":"ID = 9"}' node tools\call.js tps_delete --root work --allow-writes (exit 0) '{'file':"KEYS.TPS","where":"ID = 9"}' node tools\call.js tps_select --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-14	HIGH	PASS	Bad arguments are refused before the exe runs, each with a message that says what to do	Automated run 2026-09-20 16:30: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force '{'file':"KEYS.TPS","set":{"where":"ID = 1"}' node tools\call.js tps_update --root work --allow-writes (exit 1) '{'file':"KEYS.TPS","values":{"ID":9,"NAME":null}}' node tools\call.js tps_insert --root work --allow-writes (exit 1) '{'file':"KEYS.TPS","set":{"NAME":"x"}}' node tools\call.js tps_update --root work --allow-writes (exit 1) '{'file':"KEYS.TPS","offset":1}' node tools\call.js tps_select --root work --allow-writes (exit 1) '{'file':"KEYS.TPS","columns":["ID; DROP"]}' node tools\call.js tps_select --root work --allow-writes (exit 1) '{'file':"KEYS.TPS"}' node tools\call.js tps_describe --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json

TC-15	HIGH	PASS	The exe's own errors pass through unchanged with an error exit	Automated run 2026-09-20 16:30: every check passed. · Ev: (CP-3) Copy-Item ..\cli\testdata*.TPS work\ -Force '{file":"KEYS.TPS","values":{"ID":1,"NAME":"dup"}}' node tools\call.js tps_insert --root work --allow-wr... (exit 1) '{sql':"UPDATE [C:\\Projects\\GitHub\\tpsccli\\mcp\\work\\KEYS.TPS] SET NAME = 'x'" } node tools\call.js ... (exit 1) '{file":"KEYS.TPS","where":"ZZ = 1"}' node tools\call.js tps_select --root work (exit 1) '{file":"KEYS.TPS"}' node tools\call.js tps_describe --root work (exit 0) '{file":"KEYS.TPS","columns":["NAME"],"where":"ID = 1"}' node tools\call.js tps_select --root work (exit 0) Full output: TpscliMcp-Unit-Test-Results.json
TC-16	HIGH	PASS	tps_query runs the statement verbatim: no root resolution, any statement type	Automated run 2026-09-20 16:30: every check passed. · Ev: '{sql':"SELECT ID FROM [KEYS.TPS]}"' node tools\call.js tps_query --root work (exit 1) '{sql':"SELECT ID, NAME FROM [C:\\Projects\\GitHub\\tpsccli\\mcp\\work\\KEYS.TPS] WHERE ID < 3 ORDER BY ID"... (exit 0) '{sql':"DESCRIBE [C:\\Projects\\GitHub\\tpsccli\\mcp\\work\\NOKEY.TPS]","format":"table"}' node tools\cal... (exit 0) Full output: TpscliMcp-Unit-Test-Results.json

Sign-off

Tester	___ · ___ · ___
Reviewer / Lead	___ · ___ · ___
Owner	___ · ___ · ___

Dollar Tree · tpscli MCP server 0.2.0 — nine tools over stdio. Test cases mirror the QA Testing Guide (single source of truth). Self-contained; results stored only in this browser until you print or export.