

tpscli 0.1.0 — Test Cases

SQL over TopSpeed files · tick steps, record verdicts, print a PDF report.



tpscli 0.1.0 — SQL over TopSpeed files — Test Completion Report

Test results — a dated, signed completion report.

Feature	tpscli 0.1.0 — SQL over TopSpeed files
Tester	automated (tests\run-instrument.ps1)
Reviewer / Lead	—
Date	2026-09-19
Build / version under test	3401366
Environment	WINVMB40B / Microsoft Windows NT 10.0.26200.0 / PowerShell 5.1.26100.9457
Component / area	tpscli.exe
Ticket / branch	feature/tpscli-impl
Report generated	2026-09-19 00:37

NOT CLEARED — 1 CORE/HIGH case(s) outstanding
Resolve before merge: TC-28 (BLOCKED).

31
PASS

0
FAIL

1
BLOCKED

0
N/A

0
NOT RUN

Results detail

Case	Priority	Result	Title	Notes
TC-01	CORE	PASS	Build tpscli.exe as a console executable	Automated run 2026-09-19 00:26: every check passed. · Ev: powershell -File tools\build.ps1 (exit 0) (Get-Item tpscli.exe).LastWriteTime = 09/19/2026 00:26:41 (1 s ago) Full output: Tpscli-Unit-Test-Results.json
TC-02	CORE	PASS	Generate the test corpus with the oracle dumps	Automated run 2026-09-19 00:26: every check passed. · Ev: powershell -File tools\build.ps1 -Proj testdata\gen\mkcorpus.cwproj (exit 0) testdata\gen\mkcorpus.exe (exit 0) Get-ChildItem testdata*.TPS, testdata\expected*.json -> ALLTYPES.TPS, GROUPS.TPS, KEYS.TPS, MEMOS.TPS, NO... Full output: Tpscli-Unit-Test-Results.json
TC-03	HIGH	PASS	--version prints the version object and exits 0	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe --version (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-04	HIGH	PASS	No statement given is a SYNTAX error with exit 1	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe (exit 1) Full output: Tpscli-Unit-Test-Results.json
TC-05	HIGH	PASS	A missing file is FILE_NOT_FOUND with exit 2	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT * FROM [testdata\NOPE.TPS] (exit 2) Full output: Tpscli-Unit-Test-Results.json

TC-06	MED	PASS	--parse-only validates without touching data	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe --parse-only INSERT INTO [testdata\ALLTYPES.TPS] (ID, B) VALUES (12, 300) (exit 3) tpscli.exe DESCRIBE [testdata\ALLTYPES.TPS] (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-07	CORE	PASS	DESCRIBE reports fields, keys and the record count	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe DESCRIBE [testdata\KEYS.TPS] (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-08	CORE	PASS	Encrypted file requires --owner and never echoes it	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe DESCRIBE [testdata\SECRET.TPS] (exit 2) tpscli.exe --owner s3cret DESCRIBE [testdata\SECRET.TPS] (exit 0) both outputs searched for s3cret Full output: Tpscli-Unit-Test-Results.json
TC-09	HIGH	PASS	DESCRIBE output matches the DynFile oracle dump	Automated run 2026-09-19 00:26: every check passed. · Ev: powershell -File tests\describe.ps1 (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-10	CORE	PASS	SELECT a column list with WHERE on the primary key	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT ID, STR, D, DT, TM, ARR[2] FROM [testdata\ALLTYPES.TPS] WHERE ID = 1 (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-11	CORE	PASS	Nested GROUP paths and DIM'd group leaves are readable	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT ADDR.CITY FROM [testdata\GROUPS.TPS] WHERE ID = 1 (exit 0) tpscli.exe SELECT PHONES[2].EXT[2] FROM [testdata\GROUPS.TPS] WHERE ID = 1 (exit 0) tpscli.exe SELECT * FROM [testdata\GROUPS.TPS] ORDER BY ID LIMIT 1 (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-12	HIGH	PASS	WHERE and ORDER BY on a leaf inside a DIM'd GROUP are refused	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT ID FROM [testdata\GROUPS.TPS] WHERE PHONES[2].KIND = 'M' ORDER BY ID (exit 1) tpscli.exe SELECT ID FROM [testdata\GROUPS.TPS] ORDER BY PHONES[2].KIND (exit 1) Full output: Tpscli-Unit-Test-Results.json
TC-13	CORE	PASS	ORDER BY, LIMIT and OFFSET with the truncated flag	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT ID FROM [testdata\KEYS.TPS] ORDER BY ID LIMIT 2 OFFSET 1 (exit 0) tpscli.exe SELECT ID FROM [testdata\KEYS.TPS] LIMIT 5 (exit 0) tpscli.exe SELECT ID FROM [testdata\KEYS.TPS] WHERE ID > 999 (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-14	HIGH	PASS	LIKE, IN and a DESC sort served by a matching key	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT ID FROM [testdata\KEYS.TPS] WHERE NAME LIKE '%a%' ORDER BY AMOUNT DESC, ID (exit 0) tpscli.exe SELECT ID, NAME FROM [testdata\KEYS.TPS] WHERE CODE IN ('A','E') ORDER BY NAME (exit 0) tpscli.exe SELECT ID, CODE FROM [testdata\KEYS.TPS] ORDER BY CODE (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-15	HIGH	PASS	MEMO, BINARY MEMO and BLOB columns are returned as valid JSON	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT ID, NOTES, BIN, PIC FROM [testdata\MEMOS.TPS] WHERE ID = 1 (exit 0) ConvertFrom-Json OK: NOTES=line one\r\nline two BIN length 4 PIC=UE5HPw== Full output: Tpscli-Unit-Test-Results.json
TC-16	MED	PASS	--table renders an aligned grid with a summary line	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT ID, NAME, CODE, AMOUNT FROM [testdata\KEYS.TPS] ORDER BY ID --table (exit 0) tpscli.exe SELECT ID FROM [testdata\NOPE.TPS] --table (exit 2) Full output: Tpscli-Unit-Test-Results.json
TC-17	CORE	PASS	INSERT typed literals and read the row back	Automated run 2026-09-19 00:26: every check passed. · Ev: (CP-3) Copy-Item testdata\ALLTYPES.TPS testdata\work\ALLTYPES.TPS -Force tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, STR, D, DT, TM, ARR[3]) VALUES (9, 'nine', 9.995, ... (exit 0) tpscli.exe SELECT ID, STR, D, DT, TM, ARR[3] FROM [testdata\work\ALLTYPES.TPS] WHERE ID = 9 (exit 0) tpscli.exe DESCRIBE [testdata\work\ALLTYPES.TPS] (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-18	CORE	PASS	Duplicate primary key is DUPLICATE_KEY with outcome none	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID) VALUES (9) (exit 3) tpscli.exe DESCRIBE [testdata\work\ALLTYPES.TPS] (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-19	HIGH	PASS	String overflow truncates with a warning; bad values are VALUE_OUT_OF_RANGE	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, STR) VALUES (10, 'this string is far longer than t...' (exit 0) tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, DT) VALUES (11, '2026-02-30') (exit 3) tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, B) VALUES (12, 300) (exit 3) tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, S) VALUES (13, 1.5) (exit 3) tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, D) VALUES (14, 123456.78) (exit 3) tpscli.exe DESCRIBE [testdata\work\ALLTYPES.TPS] (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-20	HIGH	PASS	A STRING with a picture refuses a literal the picture cannot read	Automated run 2026-09-19 00:26: every check passed. · Ev: (CP-3) Copy-Item testdata\ALLTYPES.TPS testdata\work\ALLTYPES.TPS -Force tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, PIC) VALUES (20, 'rr') (exit 3) tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, PIC) VALUES (21, '7') (exit 0) tpscli.exe SELECT ID, PIC FROM [testdata\work\ALLTYPES.TPS] WHERE ID > 19 (exit 0) Full output: Tpscli-Unit-Test-Results.json

TC-21	HIGH	PASS	BLOB round trip, including a value over 4 KB of base64	Automated run 2026-09-19 00:26: every check passed. · Ev: (CP-3) Copy-Item testdata\MEMOS.TPS testdata\work\MEMOS.TPS -Force tpscli.exe INSERT INTO [testdata\work\MEMOS.TPS] (ID, TITLE, PIC) VALUES (3, 'blobtest', 'UE5HPw==') (exit 0) tpscli.exe SELECT ID, TITLE, PIC FROM [testdata\work\MEMOS.TPS] WHERE ID = 3 (exit 0) \$b = base64 of 3150 bytes (4200 chars) tpscli.exe INSERT INTO [testdata\work\MEMOS.TPS] (ID, TITLE, PIC) VALUES (4, 'bigblob', 'AQIDBAUGBwgJCgsMDQ...' (exit 0) tpscli.exe SELECT PIC FROM [testdata\work\MEMOS.TPS] WHERE ID = 4 (exit 0) (\$out ConvertFrom-Json).rows[0][0] -eq \$b -> True Full output: Tpscli-Unit-Test-Results.json
TC-22	CORE	PASS	UPDATE that creates a duplicate on a unique key rolls back every row	Automated run 2026-09-19 00:26: every check passed. · Ev: (CP-3) Copy-Item testdata\KEYS.TPS testdata\work\KEYS.TPS -Force tpscli.exe UPDATE [testdata\work\KEYS.TPS] SET CODE = 'Z' WHERE CODE = " (exit 3) tpscli.exe SELECT ID, CODE FROM [testdata\work\KEYS.TPS] WHERE ID IN (2,4) ORDER BY ID (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-23	CORE	PASS	Multi-row UPDATE, key-component UPDATE and DELETE report matched and affected	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe UPDATE [testdata\work\KEYS.TPS] SET NAME = 'zulu' WHERE CODE = " (exit 0) tpscli.exe SELECT ID FROM [testdata\work\KEYS.TPS] WHERE NAME = 'zulu' ORDER BY ID (exit 0) tpscli.exe UPDATE [testdata\work\KEYS.TPS] SET AMOUNT = 100 WHERE ID = 1 (exit 0) tpscli.exe UPDATE [testdata\work\KEYS.TPS] SET ID = 2 WHERE ID = 3 (exit 3) tpscli.exe DELETE FROM [testdata\work\KEYS.TPS] WHERE AMOUNT < 3 (exit 0) tpscli.exe DESCRIBE [testdata\work\KEYS.TPS] (exit 0) tpscli.exe DELETE FROM [testdata\work\KEYS.TPS] WHERE 1 = 1 (exit 0) tpscli.exe DESCRIBE [testdata\work\KEYS.TPS] (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-24	HIGH	PASS	UPDATE and DELETE refuse a missing WHERE, LIMIT and non-literal values	Automated run 2026-09-19 00:26: every check passed. · Ev: (CP-3) Copy-Item testdata\KEYS.TPS testdata\work\KEYS.TPS -Force tpscli.exe DELETE FROM [testdata\work\KEYS.TPS] (exit 1) tpscli.exe UPDATE [testdata\work\KEYS.TPS] SET NAME = 'x' WHERE ID > 0 LIMIT 1 (exit 1) tpscli.exe UPDATE [testdata\work\KEYS.TPS] SET NAME = NAME WHERE ID = 1 (exit 1) tpscli.exe DESCRIBE [testdata\work\KEYS.TPS] (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-25	CORE	PASS	A record held by another process makes DELETE roll back with RECORD_HELD	Automated run 2026-09-19 00:26: every check passed. · Ev: (CP-3) Copy-Item testdata\KEYS.TPS testdata\work\KEYS.TPS -Force (CP-4) Start-Process tests\hold.exe (attempt 1, pid 16164) waited for testdata\work\held.flag -> True tpscli.exe DELETE FROM [testdata\work\KEYS.TPS] WHERE ID > 0 (exit 3) tpscli.exe DESCRIBE [testdata\work\KEYS.TPS] (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-26	CORE	PASS	The five test suites pass	Automated run 2026-09-19 00:26: every check passed. · Ev: powershell -File tests\describe.ps1 (exit 0) powershell -File tests\parser.ps1 (exit 0) powershell -File tests\select.ps1 (exit 0) powershell -File tests\insert.ps1 (exit 0) powershell -File tests\update.ps1 (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-27	CORE	PASS	verify.ps1 passes on the corpus and declares the skipped steps	Automated run 2026-09-19 00:26: every check passed. · Ev: powershell -File verify.ps1 (exit 0) counted PASS=20 SKIP=2 FAIL=0 Full output: Tpscli-Unit-Test-Results.json
TC-28	HIGH	BLOCKED	Release qualification against real dtpos files (dev-supplied input)	Dev-supplied -Extra/-Expected/-TpsFixLog inputs are not available in this repository. · Ev: BLOCKED: -Extra, -Expected and -TpsFixLog inputs (copied dtpos files, oracle JSON, TPSFix log) are dev-supp... Full output: Tpscli-Unit-Test-Results.json
TC-29	HIGH	PASS	A two-column ORDER BY served by a key walked in reverse	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe SELECT ID FROM [testdata\KEYS.TPS] ORDER BY AMOUNT ASC, ID DESC (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-30	HIGH	PASS	A DECIMAL literal that needs the field's full declared width is accepted	Automated run 2026-09-19 00:26: every check passed. · Ev: (CP-3) Copy-Item testdata\ALLTYPES.TPS testdata\work\ALLTYPES.TPS -Force tpscli.exe INSERT INTO [testdata\work\ALLTYPES.TPS] (ID, D) VALUES (50, 54321.99) (exit 0) tpscli.exe SELECT ID, D FROM [testdata\work\ALLTYPES.TPS] WHERE ID = 50 (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-31	MED	PASS	UPDATE with no matching row reports matched 0 and opens no transaction	Automated run 2026-09-19 00:26: every check passed. · Ev: (CP-3) Copy-Item testdata\KEYS.TPS testdata\work\KEYS.TPS -Force tpscli.exe UPDATE [testdata\work\KEYS.TPS] SET NAME = 'nobody' WHERE ID = 999 (exit 0) Full output: Tpscli-Unit-Test-Results.json
TC-32	HIGH	PASS	Unsupported SQL constructs are refused with UNSUPPORTED	Automated run 2026-09-19 00:26: every check passed. · Ev: tpscli.exe --parse-only SELECT COUNT(*) FROM [testdata\KEYS.TPS] (exit 1) tpscli.exe --parse-only SELECT ID FROM [testdata\KEYS.TPS] WHERE CODE IS NULL (exit 1) tpscli.exe --parse-only SELECT ID FROM [testdata\KEYS.TPS] GROUP BY CODE (exit 1) tpscli.exe --parse-only SELECT ID FROM [testdata\KEYS.TPS] WHERE AMOUNT + 1 = 5 (exit 1) Full output: Tpscli-Unit-Test-Results.json

Sign-off

Tester	— · — · —
--------	-----------

Reviewer / Lead	— . — . —
Owner	— . — . —

Dollar Tree · tpscii 0.1.0 — SQL over TopSpeed files. Test cases mirror the QA Testing Guide (single source of truth). Self-contained; results stored only in this browser until you print or export.