

tpscli MCP server 0.1.0 — dtpos CONFIG files — Test Cases

The eight tools against the real dtpos 4.04 CONFIG folder, OPTIONS.TPS first; every write read back with a select · tick steps, record verdicts, print a PDF report.



tpscli MCP server 0.1.0 — dtpos CONFIG files (OPTIONS.TPS) — Test Completion Report

Test results — a dated, signed completion report.

Feature	tpscli MCP server 0.1.0 — dtpos CONFIG files (OPTIONS.TPS)
Tester	automated (tests\run-config-instrument.ps1)
Reviewer / Lead	—
Date	2026-09-20
Build / version under test	9aab623
Environment	WINVMB40B / Microsoft Windows NT 10.0.26200.0 / PowerShell 5.1.26100.9457 / node v20.18.1
Component / area	mcp\dist\server.js + tools\call.js
Ticket / branch	feature/tpscli-mcp
Report generated	2026-09-20 00:45

PASS — cleared to merge

All CORE and HIGH priority cases passed.

17
PASS

0
FAIL

1
BLOCKED

0
N/A

0
NOT RUN

Results detail

Case	Priority	Result	Title	Notes
TC-01	CORE	PASS	Server is built and the exe is the one with the compressed-page fix	Automated run 2026-09-20 00:43: every check passed. · Ev: npm run build (exit 0) node tools\call.js tps_version (exit 0) '{"file":"OPTIONS.TPS"}' node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-02	CORE	PASS	Fresh work copy of the CONFIG folder	Automated run 2026-09-20 00:43: every check passed. · Ev: (CP-3) Copy-Item \$cfg*.TPS work\config\ -Force (Get-ChildItem work\config*.TPS).Count node tools\call.js tps_list_files -root work\config (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json

TC-03	CORE	PASS	List the real CONFIG folder	Automated run 2026-09-20 00:43: every check passed. · Ev: node tools\call.js tps_list_files --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) {'pattern':"OPT*"} node tools\call.js tps_list_files --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-04	CORE	PASS	Describe OPTIONS.TPS	Automated run 2026-09-20 00:43: every check passed. · Ev: {'file':"OPTIONS.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-05	CORE	PASS	Select option rows by module and by full key	Automated run 2026-09-20 00:43: every check passed. · Ev: {'file':"OPTIONS.TPS","columns":["CUSTOMER","VARIABLE","VALUE"],"where":"MODULE = 'Tenders'" } node tool... (exit 0) {'file':"OPTIONS.TPS","columns":["VARIABLE","VALUE"],"where":"CUSTOMER = 'DLT' AND MODULE = 'BOPIS'" } node tool... (exit 0) {'file':"OPTIONS.TPS","columns":["VARIABLE","VALUE"],"where":"CUSTOMER = 'DLT' AND MODULE = 'Tenders' AND VARIABLE = ... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-06	HIGH	PASS	Order, page and cap the 407 option rows, and read them as a table	Automated run 2026-09-20 00:43: every check passed. · Ev: {'file':"OPTIONS.TPS","columns":["CUSTOMER","MODULE","VARIABLE","VALUE"],"order_by":"CUSTOMER, MODULE, VAR... (exit 0) {'file':"OPTIONS.TPS","columns":["CUSTOMER","MODULE","VARIABLE","VALUE"],"order_by":"CUSTOMER, MODULE, VAR... (exit 0) {'file':"OPTIONS.TPS","columns":["CUSTOMER"],"limit":0} node tools\call.js tps_select --root C:\Project... (exit 0) {'file':"OPTIONS.TPS","columns":["CUSTOMER","MODULE","VARIABLE"],"order_by":"CUSTOMER, MODULE, VARIABLE","... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-07	CORE	PASS	Every CONFIG file with compressed pages describes (regression for the DeRle fix)	Automated run 2026-09-20 00:43: every check passed. · Ev: {'file':"CACODE.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) {'file':"COMNDMST.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CO... (exit 0) {'file':"CRPCMCFG.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CO... (exit 0) {'file':"EODMNT.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) {'file':"ERRORMSG.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CO... (exit 0) {'file':"INCOMMCC.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CO... (exit 0) {'file':"keybrdrv.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CO... (exit 0) {'file':"OPTIONS.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) {'file':"PMINTHDR.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CO... (exit 0) {'file':"RPTDEF.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) {'file':"SCRFIELD.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CO... (exit 1) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-08	MED	BLOCKED	Encrypted CONFIG files need the owner string from the environment	Automated run 2026-09-20 00:43: owner string not available in TPSCLI_OWNER; steps 2 and 3 not run · Ev: {'file':"ACCESS.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 1) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-09	HIGH	PASS	Reading the real OPTIONS.TPS leaves its content unchanged	Automated run 2026-09-20 00:43: every check passed. · Ev: \$h1 = (Get-FileHash \$cfg\OPTIONS.TPS).Hash {'file':"OPTIONS.TPS"} node tools\call.js tps_describe --root C:\Projects\GitLab\POS\dtpos_404_data\CONFIG (exit 0) {'file':"OPTIONS.TPS","limit":0} node tools\call.js tps_select --root C:\Projects\GitLab\POS\dtpos_404_data\... (exit 0) \$h2 = (Get-FileHash \$cfg\OPTIONS.TPS).Hash ; \$h1 -eq \$h2 Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-10	CORE	PASS	Read-only server refuses a write on the real OPTIONS.TPS and the row is untouched	Automated run 2026-09-20 00:43: every check passed. · Ev: {'file':"OPTIONS.TPS","set":{"VALUE":"C"},"where":"CUSTOMER = 'DLT' AND MODULE = 'Tenders' AND VARIABLE = ... (exit 1) {'file':"OPTIONS.TPS","where":"CUSTOMER = 'UTS'" } node tools\call.js tps_delete --root C:\Projects\GitL... (exit 1) {'file':"OPTIONS.TPS","columns":["VARIABLE"],"where":"CUSTOMER = 'DLT' AND MODULE = 'Tenders' AND VARIABLE = ... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-11	CORE	PASS	Insert an option row into the copy and read it back	Automated run 2026-09-20 00:43: every check passed. · Ev: {'file':"OPTIONS.TPS","values":{"CUSTOMER":"UTS","MODULE":"Test","VARIABLE":"InsertedByMcp","VALUE":"yes",... (exit 0) {'file':"OPTIONS.TPS","where":"CUSTOMER = 'UTS'" } node tools\call.js tps_select --root work\config (exit 0) {'file':"OPTIONS.TPS"} node tools\call.js tps_describe --root work\config (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-12	CORE	PASS	Duplicate key is refused, in any letter case, and the select still shows one row	Automated run 2026-09-20 00:43: every check passed. · Ev: {'file':"OPTIONS.TPS","values":{"CUSTOMER":"UTS","MODULE":"Test","VARIABLE":"InsertedByMcp","VALUE":"again... (exit 1) {'file':"OPTIONS.TPS","values":{"CUSTOMER":"uts","MODULE":"test","VARIABLE":"insertedbymcp","VALUE":"again... (exit 1) {'file':"OPTIONS.TPS","columns":["VARIABLE"],"where":"CUSTOMER = 'UTS'" } node tools\call.js tps_select --r... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-13	CORE	PASS	Update the inserted row and read it back	Automated run 2026-09-20 00:43: every check passed. · Ev: {'file':"OPTIONS.TPS","set":{"VALUE":"no","COMMENTS":"TC-13 updated"},"where":"CUSTOMER = 'UTS' AND VARIAB... (exit 0) {'file':"OPTIONS.TPS","columns":["VARIABLE","COMMENTS","DESCRIPTION"],"where":"CUSTOMER = 'UTS'" } node too... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json

TC-14	CORE	PASS	Change a real option value on the copy, verify it, restore it, verify again	Automated run 2026-09-20 00:43: every check passed. · Ev: '{"file":"OPTIONS.TPS","set":{"VALUE":"C"},"where":"CUSTOMER = 'DLT' AND MODULE = 'Tenders' AND VARIABLE = ... (exit 0) '{"file":"OPTIONS.TPS","columns":["VALUE"],"where":"CUSTOMER = 'DLT' AND MODULE = 'Tenders' AND VARIABLE = ... (exit 0) '{"file":"OPTIONS.TPS","columns":["CUSTOMER","VARIABLE","VALUE"],"where":"MODULE = 'Tenders'"} node tool... (exit 0) '{"file":"OPTIONS.TPS","set":{"VALUE":"I"},"where":"CUSTOMER = 'DLT' AND MODULE = 'Tenders' AND VARIABLE = ... (exit 0) '{"file":"OPTIONS.TPS","columns":["VALUE"],"where":"CUSTOMER = 'DLT' AND MODULE = 'Tenders' AND VARIABLE = ... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-15	HIGH	PASS	An over-length value is stored truncated with a warning, and the select shows the stored text	Automated run 2026-09-20 00:43: every check passed. · Ev: \$long = '0123456789' * 7 '{"file":"OPTIONS.TPS","set":{"VALUE":"01234567890123456789012345678901234567890123456789012345678901234567... (exit 0) '{"file":"OPTIONS.TPS","columns":["VALUE"],"where":"CUSTOMER = 'UTS'"} node tools\call.js tps_select --r... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-16	CORE	PASS	Delete the inserted row, verified by select and record count	Automated run 2026-09-20 00:43: every check passed. · Ev: '{"file":"OPTIONS.TPS","where":"CUSTOMER = 'UTS'"} node tools\call.js tps_delete --root work\config --al... (exit 0) '{"file":"OPTIONS.TPS","where":"CUSTOMER = 'UTS'"} node tools\call.js tps_select --root work\config (exit 0) '{"file":"OPTIONS.TPS'"} node tools\call.js tps_describe --root work\config (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-17	HIGH	PASS	Raw statement on the copy: dry run, then update, verify and restore	Automated run 2026-09-20 00:43: every check passed. · Ev: '{"sql":"UPDATE [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\config\\OPTIONS.TPS] SET VALUE = '15' WHERE CUSTO... (exit 0) '{"sql":"SELECT VALUE FROM [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\config\\OPTIONS.TPS] WHERE CUSTOMER = ... (exit 0) '{"sql":"UPDATE [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\config\\OPTIONS.TPS] SET VALUE = '15' WHERE CUSTO... (exit 0) '{"sql":"SELECT VALUE FROM [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\config\\OPTIONS.TPS] WHERE CUSTOMER = ... (exit 0) '{"sql":"UPDATE [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\config\\OPTIONS.TPS] SET VALUE = '10' WHERE CUSTO... (exit 0) '{"sql":"SELECT VALUE FROM [C:\\Projects\\GitHub\\tpsc\\mcp\\work\\config\\OPTIONS.TPS] WHERE CUSTOMER = ... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json
TC-18	MED	PASS	Larger and wider CONFIG files read completely	Automated run 2026-09-20 00:43: every check passed. · Ev: '{"file":"PMINTDTL.TPS'"} node tools\call.js tps_describe --root C:\\Projects\\GitLab\\POS\\dtpos_404_data\\CO... (exit 0) '{"file":"PMINTDTL.TPS","limit":0}' node tools\call.js tps_select --root C:\\Projects\\GitLab\\POS\\dtpos_404... (exit 0) '{"file":"PDCONFIG.TPS'"} node tools\call.js tps_describe --root C:\\Projects\\GitLab\\POS\\dtpos_404_data\\CO... (exit 0) '{"file":"PDCONFIG.TPS","limit":0}' node tools\call.js tps_select --root C:\\Projects\\GitLab\\POS\\dtpos_404... (exit 0) '{"file":"CPSTATE.TPS'"} node tools\call.js tps_describe --root C:\\Projects\\GitLab\\POS\\dtpos_404_data\\CONFIG (exit 0) '{"file":"CPSTATE.TPS","limit":0}' node tools\call.js tps_select --root C:\\Projects\\GitLab\\POS\\dtpos_404... (exit 0) '{"file":"REFSMTBL.TPS'"} node tools\call.js tps_describe --root C:\\Projects\\GitLab\\POS\\dtpos_404_data\\CO... (exit 0) '{"file":"REFSMTBL.TPS","limit":0}' node tools\call.js tps_select --root C:\\Projects\\GitLab\\POS\\dtpos_404... (exit 0) Full output: TpscliMcpConfig-Unit-Test-Results.json

Sign-off

Tester	— · — · —
Reviewer / Lead	— · — · —
Owner	— · — · —