cyber & data

"From bits to information"

Defence Systems, Policies and Risks

Outline

- Data, Information, Knowledge and Wisdom.
- Information Security and Forensic Computing.
- Impact and Harm.
- Risks, Costs and Benefits.
- Kill Chain Models.
- Defence Mechanisms.
- Defence-in-Depth.



Data to Wisdom





cyber & data

"From bits to information"

Security, Incident Response and Forensic Computing

Information Security





Investigation

- Investigating an intrusion on a system (incident response). This might lead to a criminal prosecution, but most of the time the intrusion is investigated in order to be able to detect it in the future, and to thwart the activities at an early stage.
- Investigation of a criminal activity (forensic computing). This might lead to a criminal prosecution, or to thwart the activities in the future.
- Investigation of a breach of security policy. This might lead to a disciplinary procedure within an organisation.



Due Care and Due Diligence

- With due care, the organisation must make sure that has taken the correct steps in the creation and implementation of its security policy and in its risk analysis.
- Then due diligence relates to the actual operation and maintenance of its security system, especially around vulnerability testing. Thus a company might take due care in analysing and designing their security policy, but not take due diligence in actually proving that it works. It can work the other way, in that a policy might be implemented with due diligence, but the originally creation of the policy has not been properly analysed/designed. It is thus important, in terms of any future liability, that security systems are designed, analysed, implemented and maintained with both due care and due diligence.



"From bits to information"

Impact and Harm

Impact and Harm



Physical or Digital harm.
Economic harm.
Psychological harm.
Reputational harm.
Social and Societal harm.

cyber & data

"From bits to information"

Risks, Costs and Benefits

Risks, Costs and Benefits

ALE = AV x ARO

ALE – Annual Loss Expectancy.
AV – Asset Value





Risks, Costs and Benefits



Error Operating (10-200)
Input (10-50,000) Programming (1-200)

Static discharge
General 300-3000)

Hardware
General (10-200)

Improper release (0.2-5) Ex-employee access (0.1-1)
Compromise
Loose Documents (0-5) Improper marking (0.1-100)

Password compromise
System entry (1-5) Uncleared visit (0.1-1000)

Major (0.01-0.09) Explosion (0.0001-0.01)
Fire
Minor (0.1-0.9) Catastrophic (0.001-0.009)

Disgruntled employee (0.1-5) Terrorism (0.002-0.006)
Forced entry
Burglary (?) Vandalism (0.008-1)

CORAS Ontology





CORAS Risk Management





cyber & data

"From bits to information"

Kill Chain Model

Incident Taxonomy



A Threat:
- Hacker.
- Spies
- Terrorists.
- Corporate Raiders.
- Professional Criminals.
- Vandals.
- Military Forces.

is achieved with Attack Tools:
- User command.
- Script or program.
- Autonomous Agent.
- Toolkit
- Distributed Tool.
- Data Tap.

for Vulnerabilities:
- Implementation vulnerability.
- Design vulnerability.
- Configuration vulnerability.

A **Threat** (eg Spies) **Is achieved with** **Attack Tools** (eg Toolkit) **for** **Vulnerabilities** (eg design vulnerability) **with** **Access** (eg Unauthorized Access for Processes) **which** **Results** (eg Theft of Service) **in, for** **Objectives** (eg Financial Gain)

for Objectives:
- Challenge/Status.
- Political Gain.
- Financial Gain.
- Damage.
- Destruction of an Enemy.

which Results in:
- Corruption of Information.
- Disclosure of Information.
- Theft of Service.
- Denial-of-Service.

with Access for:
- Files.
- Data in transit.
- Objects in Transit.
- Invocations in Transit.

Author: Prof Bill Buchanan

Kill Chain Model

Reconnaissance	Identification, Selection and Profiling of Target
Weaponize	Coupling of Remote Access Trojan with an Exploit into a deliverable payload called as Cyber Weapon
Delivery	Transmission of the cyber weapon to the targeted environment
Exploitation	Triggering the attacker's payload on target system
Installation	Installation of backdoor and maintaining persistence
Command and Control	Outbound internet controller servers to communicate with compromised host
Act on Objective	Data Exfiltration, Network Spreading, System Disruption



Unified Kill Chain Phases

Initial Foothold: Compromised System

- Reconnaissance
- Weaponization
- Delivery
- Social Engineering
- Exploitation
- Persistence
- Defense Evasion
- Command & Control

Pivoting

Network Propagation: Internal Network

- Discovery
- Privilege Escalation
- Execution
- Credential Access
- Lateral Movement

Access

Action on Objectives: Critical Asset Access

- Collection
- Exfiltration
- Target Manipulation
- Objectives

Unified Kill Chain Model

#	Unified Kill Chain	Cyber Kill Chain® (CKC)	Laliberte	Nachreiner	Bryant	Malone	MITRE ATT&CK™	UKC after literature study	UKC after Red Team C1	UKC after Red Team C2	UKC after Red Team C3	UKC after Red Team KC	UKC after APT28 C4 & KC
1	Reconnaissance	1	1	1	1	1		1	1	1	1	1	1
2	Weaponization	2	3	3	3	2		2	2	2	2	2	2
3	Delivery	3	5	5	6	3		7	7	3	3	3	3
4	Social Engineering	5	6	6	11	5		3	3	4	4	4	4
5	Exploitation	6	8	8	14	6		5	4	5	5	5	5
6	Persistence	8	14	9	18	8	6	6	5	6	6	6	6
7	Defense Evasion	18	18	14	16	10	11	8	6	7	7	7	7
8	Command & Control			18		5	7	9	8	8	8	8	8
9	Pivoting					11	13	11	9	9	9	9	9
10	Discovery					14	10	10	11	11	11	10	10
11	Privilege Escalation					17	14	14	10	10	10	11	11
12	Execution					18	12	12	14	14	14	12	12
13	Credential Access						15	13	12	12	12	13	13
14	Lateral Movement						16	17	13	13	13	14	14
15	Collection						8	15	17	17	17	17	15
16	Exfiltration							16	15	15	15	15	16
17	Target Manipulation								16	16	16	16	17
18	Objectives												18



cyber & data

"From bits to information"

Defence Mechanisms

Types of intelligence

Aims/objectives



often causes the most problems

"From bits to information"

Defence in Depth

Defence in depth

&cyber data





Defence

Defence

Defence

Defence



Forth-level defence

Third-level defence

Second-level defence

First-level defence

Defence in depth

&cyber data



Threats

&cyber data



Corporate access

Email access

Web access

Intrusion Detection

Users

Systems

Data

Assets

Network/Organisational perimeter

Firewall/ gateway

Data stealing

External hack

DoS (Denial-of-sevice)

Personal abuse

Worms/viruses

Terrorism/extortion

Fraud

Defence in depth



Defence-in-depth puts as many obstacles in the way of an intruder, so that it becomes harder to penetrate the network, and easier to detect



Layered Model





cyber & data

"From bits to information"

Defence Systems, Policies and Risks