

bambooBSC 0.5 Install

author: Bill chen
contact: chen.xin.nien@gmail.com

System required

A. **JDK8** (jdk8 is required)

B. MySQL 5.1 or later

1. DataBase setup

- a. first install **MySQL Server**
- b. config **max_allowed_packet=16M**
- c. config **lower_case_table_names = 1**

example for my.ini (my.cnf)

```
[mysqld]  
max_allowed_packet=16M  
lower_case_table_names = 1
```

- d. import bbcore.sql to DataBase
- ```
mysql -u root -p
MYSQL> create database bbcore;
MYSQL> exit;
mysql bbcore -u root -p < bbcore.sql
```

## 2. Config settings file

- a. modify apache-tomcat-7.0.62\webapps\**core-web**\WEB-INF\classes\applicationContext\conf\applicationContext-dataSource.properties
- b. modify apache-tomcat-7.0.62\webapps\**gsbsc-web**\WEB-INF\classes\applicationContext\conf\applicationContext-dataSource.properties
- c. modify apache-tomcat-7.0.62\webapps\**qcharts-web**\WEB-INF\classes\applicationContext\conf\applicationContext-dataSource.properties

dataSource.jdbcUrl= this options modify success database server address

dataSource.user= this options modify mysql account

dataSource.password= this options modify mysql password

## 3. Start

Windows:

apache-tomcat-7.0.62\bin\catalina.bat run

or

apache-tomcat-7.0.62\bin\startup.bat

Linux / \*BSD:

apache-tomcat-7.0.62/bin/startup.sh

## 4. Open the Web

input url

http://127.0.0.1:8080/core-web/pages/way.jsp

if way.jsp cannot redirect to login page. change 127.0.0.1:8080/core-web/index.action

http://127.0.0.1:8080/core-web/index.action

\*\*\* please use **FireFox** or **Google chrome** . **Not use IE** some functions not support \*\*\*

## 5. Login account

administrator user

account: **admin**

password: **admin99**

default user

account: **tester**

password: **tester**

## 6. modify Application site settings ( If you do not operate this step may page will like figure 6-3, error for page request )

1. click Application site item for menu

2. Query ( figure 6-1 )

3. click modify icons ( figure 6-1 )

In edit mode, modify Host to correct server **hostname with server-port** , or **IP address with server-port** and click **Save**. ( figure 6-2 )

**After modification, please refresh( click F5 ) the WEB to take effect**


**Need to change the settings, including**

**A. CORE**


**B. BSC**

**C. QCHARTS**


**\*\*\* If the results page ( figure 6-3 ), Step 6 Host ( figure 6-2 ) are usually not set correctly. \*\*\***



( figure 6-1 ) : management Application site page



( figure 6-2 ) : modify Application site page



( figure 6-3 ) : request page fail !