



# Ethereum Accounts and Transactions

# Ethereum addresses are accounts or contracts

address	code	storage	balance	nonce
account		contract		
address	Hash(pub_key)	H(creator, nonce)		
code	∅	EVM code		
storage	∅	Merkle storage root		
balance	ETH balance			
nonce	Number of transactions sent			

## Three types of transactions in Ethereum

<b>type</b>	<b>from</b>	<b>sig</b>	<b>nonce</b>	<b>to</b>	<b>data</b>	<b>value</b>	<b>gaslimit</b>	<b>gasprice</b>
-------------	-------------	------------	--------------	-----------	-------------	--------------	-----------------	-----------------

# Three types of transactions in Ethereum

type	from	sig	nonce	to	data	value	gaslimit	gasprice
------	------	-----	-------	----	------	-------	----------	----------

send	sender	sig	nonce	receiver	∅	amount	?	?
------	--------	-----	-------	----------	---	--------	---	---

## Three types of transactions in Ethereum

type	from	sig	nonce	to	data	value	gaslimit	gasprice
------	------	-----	-------	----	------	-------	----------	----------

send	sender	sig	nonce	receiver	∅	amount	?	?
------	--------	-----	-------	----------	---	--------	---	---

create	creator	sig	nonce	∅	code	start_bal	?	?
--------	---------	-----	-------	---	------	-----------	---	---

## Three types of transactions in Ethereum

type	from	sig	nonce	to	data	value	gaslimit	gasprice
------	------	-----	-------	----	------	-------	----------	----------

send	sender	sig	nonce	receiver	∅	amount	?	?
------	--------	-----	-------	----------	---	--------	---	---

create	creator	sig	nonce	∅	code	start_bal	?	?
--------	---------	-----	-------	---	------	-----------	---	---

call	caller	sig	nonce	contract	f, args	amount	?	?
------	--------	-----	-------	----------	---------	--------	---	---