\bigcirc 2022-2023 William Emerison Six, licensed under the MIT License (at end of this document)

Problem 1. Given vectors \vec{a} and \vec{b} in \mathbb{R}^3 , find a vector \vec{c} in \mathbb{R}^3 that 1) is perpendicular both to \vec{a} and to \vec{b} 2) follows the right-hand rule. Also, $\|\vec{c}\| = \|\vec{a}\| \|\vec{b}\| \sin(\theta)$

Proof. Rotate \vec{a} and \vec{b} so that \vec{a} is on the x axis:

Let
$$\vec{a} \triangleq \begin{bmatrix} a_x \\ a_y \end{bmatrix}$$
 and let $\vec{b} \triangleq \begin{bmatrix} b_x \\ b_y \\ b_z \end{bmatrix}$.

let $k \triangleq \sqrt{a_x^2 + a_y^2}$.

Define $\vec{f}_a^{zx}(\vec{v})$ such that $\vec{f}_a^{zx}(\vec{a})$ is rotated onto the xz plane.

$$\vec{a}' \triangleq \vec{f}_a^{zx} \begin{pmatrix} v_x \\ v_y \\ v_z \end{pmatrix} \triangleq \begin{pmatrix} \frac{a_x}{k} \\ -\frac{a_y}{k} \\ 0 \end{pmatrix} * v_x + \begin{pmatrix} \frac{a_y}{k} \\ \frac{a_x}{k} \\ 0 \end{pmatrix} * v_y + \begin{pmatrix} 0 \\ 0 \\ 1 \end{pmatrix} * v_z$$
 (1)

Define $\vec{f}_{a'}^x(\vec{v})$ such that $(\vec{f}_{a'}^x \circ \vec{f}_a^{zx})(\vec{a})$ is rotated onto the x axis.

$$\vec{f}_{a'}^{x}(\vec{v}) \triangleq \begin{bmatrix} \frac{k}{\|\vec{a}\|} \\ 0 \\ -\frac{a_{z}}{\|\vec{a}\|} \end{bmatrix} * v_{x} + \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix} * v_{y} + \begin{bmatrix} \frac{a_{z}}{\|\vec{a}\|} \\ 0 \\ \frac{k}{\|\vec{a}\|} \end{bmatrix} * v_{z}$$

$$(2)$$

$$\vec{a}'' \triangleq (\vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{v}) = \begin{bmatrix} \frac{k}{\|\vec{a}\|} & 0 & \frac{a_{z}}{\|\vec{a}\|} \\ 0 & 1 & 0 \\ \frac{-a_{z}}{\|\vec{a}\|} & 0 & \frac{k}{\|\vec{a}\|} \end{bmatrix} * \begin{pmatrix} \frac{a_{x}}{k} & \frac{a_{y}}{k} & 0 \\ 0 & 0 & 1 \end{bmatrix} * \vec{v})$$

$$= \begin{bmatrix} \frac{a_{x}}{\|\vec{a}\|} & \frac{a_{y}}{\|\vec{a}\|} & \frac{a_{z}}{\|\vec{a}\|} \\ \frac{-a_{y}}{k} & \frac{a_{x}}{k} & 0 \\ \frac{-a_{x}a_{z}}{k\|\vec{a}\|} & \frac{-a_{y}a_{z}}{k\|\vec{a}\|} & \frac{k}{\|\vec{a}\|} \end{bmatrix}$$

$$(4)$$

$$(\vec{f}_{a'}^x \circ \vec{f}_{a}^{zx})(\vec{a}) = \begin{bmatrix} \frac{a_x^2}{\|\vec{a}\|} + \frac{a_y^2}{\|\vec{a}\|} + \frac{a_z^2}{\|\vec{a}\|} \\ \frac{-a_y a_x}{k} + \frac{a_x a_y}{k} \\ \frac{-a_x^2 a_z}{k\|\vec{a}\|} + \frac{-a_y^2 a_z}{k\|\vec{a}\|} + \frac{k a_z}{\|\vec{a}\|} \end{bmatrix}$$

$$= \begin{bmatrix} \frac{a_x^2 + a_y^2 + a_z^2}{\|\vec{a}\|} \\ 0 \\ \frac{1}{\|\vec{a}\|} * (\frac{-a_x^2 a_z}{k} + \frac{-a_y^2 a_z}{k} + k a_z) \end{bmatrix}$$

$$= \begin{bmatrix} \frac{\|\vec{a}\|^2}{\|\vec{a}\|} \\ 0 \\ \frac{1}{\|\vec{a}\|} * (\frac{-a_x^2 a_z}{k} + \frac{-a_y^2 a_z}{k} + \frac{k^2 a_z}{k}) \end{bmatrix}$$

$$(7)$$

$$= \begin{bmatrix} \frac{a_x^2 + a_y^2 + a_z^2}{\|\vec{a}\|} \\ 0 \\ \frac{1}{\|\vec{a}\|} * (\frac{-a_x^2 a_z}{k} + \frac{-a_y^2 a_z}{k} + ka_z) \end{bmatrix}$$
 (6)

$$= \begin{bmatrix} \frac{\|\vec{a}\|^2}{\|\vec{a}\|} \\ 0 \\ \frac{1}{\|\vec{a}\|} * \left(\frac{-a_x^2 a_z}{k} + \frac{-a_y^2 a_z}{k} + \frac{k^2 a_z}{k}\right) \end{bmatrix}$$
 (7)

$$= \begin{bmatrix} & \|\vec{a}\| \\ & 0 \\ \frac{1}{\|\vec{a}\|} * \left(\frac{-a_x^2 a_z}{k} + \frac{-a_y^2 a_z}{k} + \frac{((a_x^2 + a_y^2))a_z}{k}\right) \end{bmatrix}$$
(8)

$$= \begin{bmatrix} \|\vec{a}\| \\ 0 \\ 0 \end{bmatrix} \tag{9}$$

$$\vec{b}'' \triangleq (\vec{f}_{a'}^x \circ \vec{f}_{a}^{zx})(\vec{b}) = \begin{bmatrix} \frac{a_x b_x}{\|\vec{a}\|} + \frac{a_y b_y}{\|\vec{a}\|} + \frac{a_z b_z}{\|\vec{a}\|} \\ \frac{-a_y b_x}{k} + \frac{a_x b_y}{k} \\ \frac{-a_x a_z b_x}{k \|\vec{a}\|} + \frac{-a_y a_z b_y}{k \|\vec{a}\|} + \frac{kb_z}{\|\vec{a}\|} \end{bmatrix}$$
(10)

Rotate $\vec{b}'' \triangleq (\vec{f}_{a'}^x \circ \vec{f}_{a}^{zx})(\vec{b})$ onto the xy plane

let
$$c \triangleq \sqrt{b_y''^2 + b_z''^2}$$
.

$$\vec{f}_{b''}^{xy}(\vec{v}) \triangleq \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix} * v_x + \begin{bmatrix} 0 \\ \frac{b_y''}{c} \\ \frac{-b_z''}{c} \end{bmatrix} * v_y + \begin{bmatrix} 0 \\ \frac{b_z''}{c} \\ \frac{b_y''}{c} \end{bmatrix} * v_z$$

$$(11)$$

$$= \begin{vmatrix} 1 & 0 & 0 \\ 0 & \frac{b_y''}{c} & \frac{b_z''}{c} \\ 0 & \frac{-b_z''}{c} & \frac{b_y''}{c} \end{vmatrix} * \vec{v}$$
 (12)

$$\vec{b}''' \triangleq (\vec{f}_{b''}^{xy} \circ \vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b}) = \begin{bmatrix} 1 & 0 & 0 \\ 0 & \frac{b_{y}''}{c} & \frac{b_{z}''}{c} \\ 0 & \frac{-b_{z}''}{c} & \frac{b_{y}''}{c} \end{bmatrix} * (\vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b})$$
(13)

Project $(\vec{f}_{b''}^{xy} \circ \vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b})$ onto the yz plane Define $\vec{f}_{b'''}^{y}(\vec{v})$ to project any vector v onto the y axis.

$$\vec{f}_{b'''}^{y}(\vec{v}) \triangleq \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix} * v_x + \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix} * v_y + \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix} * v_z$$

$$(14)$$

$$= \begin{vmatrix} 0 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{vmatrix} * \vec{v}$$
 (15)

$$(\vec{f}_{b'''}^{y} \circ \vec{f}_{b''}^{xy} \circ \vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b}) = \begin{bmatrix} 0 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix} * \begin{bmatrix} 1 & 0 & 0 \\ 0 & \frac{b''_y}{c} & \frac{b''_z}{c} \\ 0 & -\frac{b''_y}{c} & \frac{b''_y}{c} \end{bmatrix} * (\vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b})$$
(16)
$$= \begin{bmatrix} 0 & 0 & 0 \\ 0 & \frac{b''_y}{c} & \frac{b''_z}{c} \\ 0 & 0 & 0 \end{bmatrix} * (\vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b})$$
(17)

Rotate $(\vec{f}_{b'''}^y \circ \vec{f}_{b''}^{xy} \circ \vec{f}_{a'}^x \circ \vec{f}_{a}^{zx})(\vec{b})$ 90 degrees on the yz plane. Define $\vec{f}_y^z(\vec{v})$ rotate any vector v around the yz plane.

$$\vec{f}_{y}^{z}(\vec{v}) \triangleq \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix} * v_{x} + \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix} * v_{y} + \begin{bmatrix} 0 \\ -1 \\ 0 \end{bmatrix} * v_{z} \tag{18}$$

$$= \begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & -1 \\ 0 & 1 & 0 \end{bmatrix} * \vec{v} \tag{19}$$

$$(\vec{f}_{y}^{z} \circ \vec{f}_{b'''}^{y} \circ \vec{f}_{a'}^{xy} \circ \vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b}) = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & -1 \\ 0 & 1 & 0 \end{bmatrix} * \begin{bmatrix} 0 & 0 & 0 \\ 0 & \frac{b_{y}''}{c} & \frac{b_{z}''}{c} \\ 0 & 0 & 0 \end{bmatrix} * (\vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b})$$

$$(20)$$

$$= \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & \frac{b_y''}{c} & \frac{b_z''}{c} \end{bmatrix} * (\vec{f}_{a'}^x \circ \vec{f}_a^{zx})(\vec{b})$$

$$(21)$$

$$\begin{bmatrix} 0 & c & c \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & \frac{b''_y}{c} & \frac{b''_z}{c} \end{bmatrix} * \begin{bmatrix} b''_x \\ b''_y \\ b''_z \end{bmatrix}$$

$$= \begin{bmatrix} 0 \\ 0 \\ \frac{b''^2 + b''^2}{y} \end{bmatrix}$$
(22)

$$= \begin{bmatrix} 0 \\ 0 \\ \frac{b_y''^2 + b_z''^2}{\sqrt{b_y''^2 + b_z''^2}} \end{bmatrix}$$
 (23)

$$= \begin{bmatrix} 0 \\ 0 \\ c \end{bmatrix} \tag{24}$$

Apply inverse of $\vec{f}_{b''}^{xy}$ to $(\vec{f}_y^z \circ \vec{f}_{b'''}^y \circ \vec{f}_{b''}^{xy} \circ \vec{f}_{a'}^x \circ \vec{f}_a^{zx})(\vec{b})$

$$((\vec{f}_{b''}^{xy})^{-1} \circ \vec{f}_{y}^{z} \circ \vec{f}_{b'''}^{y} \circ \vec{f}_{b''}^{xy} \circ \vec{f}_{a'}^{x} \circ \vec{f}_{a}^{zx})(\vec{b}) = \begin{bmatrix} 1 & 0 & 0 \\ 0 & \frac{b_{y}''}{c} & \frac{-b_{z}''}{c} \\ 0 & \frac{b_{z}''}{c} & \frac{b_{y}''}{c} \end{bmatrix} * \begin{bmatrix} 0 \\ 0 \\ c \end{bmatrix}$$

$$(25)$$

$$= \begin{bmatrix} 0 \\ -b_z'' \\ b_y'' \end{bmatrix} \tag{26}$$

$$= \begin{bmatrix} 0 \\ \frac{a_x a_z b_x}{k \|\vec{a}\|} + \frac{a_y a_z b_y}{k \|\vec{a}\|} + \frac{-k b_z}{\|\vec{a}\|} \\ \frac{-a_y b_x}{k} + \frac{a_x b_y}{k} \end{bmatrix}$$
(27)

$$= \frac{1}{k\|\vec{a}\|} * \begin{bmatrix} 0 \\ a_x a_z b_x + a_y a_z b_y + -k^2 b_z \\ -a_y b_x \|\vec{a}\| + a_x b_y \|\vec{a}\| \end{bmatrix}$$
(28)

Rotate the x axis back to \vec{a}

$$f \triangleq ((\vec{f}_{a}^{zx})^{-1} \circ (\vec{f}_{a'}^{x})^{-1} \circ (\vec{f}_{b''}^{xy})^{-1} \circ \vec{f}_{y}^{z} \circ \vec{f}_{b'''}^{y} \circ \vec{f}_{a'}^{xy} \circ \vec{f}_{a'}^{zx} \circ \vec{f}_{a}^{zx})(\vec{b})$$

$$(29)$$

$$= \begin{bmatrix} \frac{a_x}{\|\vec{a}\|} & \frac{-a_y}{k} & \frac{-a_x a_z}{k\|\vec{a}\|} \\ \frac{a_y}{\|\vec{a}\|} & \frac{a_x}{k} & \frac{-a_y a_z}{k\|\vec{a}\|} \\ \frac{a_z}{\|\vec{a}\|} & 0 & \frac{k}{\|\vec{a}\|} \end{bmatrix} * \begin{bmatrix} 0 \\ \frac{a_x a_z b_x}{k\|\vec{a}\|} + \frac{a_y a_z b_y}{k\|\vec{a}\|} + \frac{-k b_z}{\|\vec{a}\|} \\ \frac{-a_y b_x}{k} + \frac{a_x b_y}{k} \end{bmatrix}$$
(30)

$$= \frac{1}{k^{2} \|\vec{a}\|^{2}} * \begin{bmatrix} a_{x}k & -a_{y} \|\vec{a}\| & -a_{x}a_{z} \\ a_{y}k & a_{x} \|\vec{a}\| & -a_{y}a_{z} \\ a_{z}k & 0 & k^{2} \end{bmatrix} * \begin{bmatrix} 0 \\ a_{x}a_{z}b_{x} + a_{y}a_{z}b_{y} + -k^{2}b_{z} \\ -a_{y}b_{x} \|\vec{a}\| + a_{x}b_{y} \|\vec{a}\| \end{bmatrix}$$
(31)

$$= \frac{1}{k^{2} \|\vec{a}\|^{2}} * \begin{bmatrix} \|\vec{a}\| * (-a_{x}a_{y}a_{z}b_{x} + -a_{y}^{2}a_{z}b_{y} + k^{2}a_{y}b_{z} + a_{x}a_{y}a_{z}b_{x} + -a_{x}^{2}a_{z}b_{y}) \\ \|\vec{a}\| * (a_{x}^{2}a_{z}b_{x} + a_{x}a_{y}a_{z}b_{y} + -k^{2}a_{x}b_{z} + a_{y}^{2}a_{z}b_{x} + -a_{x}a_{y}a_{z}b_{y}) \\ k^{2} \|\vec{a}\| * (-a_{y}b_{x} + a_{x}b_{y}) \end{bmatrix}$$
(32)

$$= \frac{1}{k^{2} \|\vec{a}\|} * \begin{bmatrix} -a_{y}^{2} a_{z} b_{y} + k^{2} a_{y} b_{z} + -a_{x}^{2} a_{z} b_{y} \\ a_{x}^{2} a_{z} b_{x} + -k^{2} a_{x} b_{z} + a_{y}^{2} a_{z} b_{x} \\ k^{2} \|\vec{a}\| * (-a_{y} b_{x} + a_{x} b_{y}) \end{bmatrix}$$

$$(33)$$

$$= \frac{1}{\|\vec{a}\|} * \begin{bmatrix} a_y b_z + \frac{-a_y^2 a_z b_y - a_x^2 a_z b_y}{k^2} \\ -a_x b_z + \frac{a_x^2 a_z b_x + a_y^2 a_z b_x}{k^2} \\ -a_y b_x + a_x b_y \end{bmatrix}$$
(34)

$$= \frac{1}{\|\vec{a}\|} * \begin{bmatrix} a_y b_z + \frac{-(a_x^2 + a_y^2)a_z b_y}{k^2} \\ -a_x b_z + \frac{(a_x^2 + a_y^2)a_z b_x}{k^2} \\ -a_y b_x + a_x b_y \end{bmatrix}$$

$$(35)$$

$$= \frac{1}{\|\vec{a}\|} * \begin{bmatrix} a_y b_z + \frac{-k^2 a_z b_y}{k^2} \\ -a_x b_z + \frac{k^2 a_z b_x}{k^2} \\ -a_y b_x + a_x b_y \end{bmatrix}$$

$$(36)$$

Scale $\vec{f}(\vec{b})$ by $\|\vec{a}\|$

$$\|\vec{a}\| * \vec{f}(\vec{b}) = \|\vec{a}\| * \frac{1}{\|\vec{a}\|} * \begin{bmatrix} a_y b_z - a_z b_y \\ -a_x b_z + a_z b_x \\ a_x b_y - a_y b_x \end{bmatrix}$$
(39)

$$= \begin{bmatrix} a_y b_z - a_z b_y \\ -a_x b_z + a_z b_x \\ a_x b_y - a_y b_x \end{bmatrix}$$

$$(40)$$

$$= a \times b \tag{41}$$

License of proof

© 2022-2023 William Emerison Six

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.