

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Will You Be My Valentine?</title>

<style>

body{
    margin:0;
    height:100vh;
    display:flex;
    justify-content:center;
    align-items:center;
    background:#fff;
    font-family:Arial, sans-serif;
}

/* Main Card */
.container{
    background:#fff;
    width:360px;
    padding:30px 20px;
    border-radius:15px;
    text-align:center;
    border:2px solid red;
}

/* Cat Emoji */
.cat{
    font-size:50px;
    margin-bottom:10px;
}

/* Main Text */
h2{
    font-size:20px;
```

```
    font-weight: normal;  
    margin-bottom: 25px;  
    color: black;  
}
```

```
/* Buttons Area */
```

```
.buttons{  
    position: relative;  
    height: 50px;  
}
```

```
/* Buttons */
```

```
button{  
    font-size: 16px;  
    padding: 10px 25px;  
    border-radius: 25px;  
    border: none;  
    cursor: pointer;  
}
```

```
/* Yes Button */
```

```
#yes{  
    background: red;  
    color: white;  
}
```

```
/* No Button */
```

```
#no{  
    background: white;  
    color: black;  
    border: 1px solid red;  
    position: absolute;  
    right: 0;  
    transition: 0.3s;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">

<div class="cat">🐱 ❤</div>

<h2>Cherubina will you be my valentine?</h2>

<div class="buttons">

    <button id="yes">Yes</button>

    <button id="no" onmouseover="moveNo()">No</button>

</div>

</div>

<script>

let move = false;

function moveNo(){

    const btn = document.getElementById("no");

    if(move === false){

        btn.style.right = "200px";

        move = true;

    }else{

        btn.style.right = "0px";

        move = false;

    }

}

</script>

</body>
</html>
```