

NAME

calendar – list today's reminders

SYNOPSIS

calendar

DESCRIPTION

A simple, four-line approximation of the core features of the BSD calendar utility.

The code for calendar is very difficult to compile on modern hardware, due to antiquated libraries. While not as fully-featured as the original, it gets the job done, and adds one glaring omission from the original.

THE FUNCTION

This manual entry documents the following shellsript and alias configuration:

```
#!/bin/zsh date '+%A, %B %e, %Y' echo '---' todate=$(date +"%b %e|%m/%d|%m-%d|%a|%A")  
grep -E "^(${todate})|^daily" ~/.calendar | cut -s -f 2-
```

```
# for .zshrc alias calendar='$HOME/bin/calendar' # (or your private executable path)
```

CALENDAR FILE

A file named **.calendar** must be present in your home directory. Every line consists of a date indicator, followed by a tab and a reminder message. Date indicators may consist of the following:

May 16

A capitalized month name followed by the day of that month.

05/16 A month/day pair (American style).

05-16 A month-day pair (also American style).

Thursday

A spelled out day name.

Thu A three-letter day name abbreviation. **daily** The lowercase word "daily." Items marked with this will appear every day.

INSTALLATION

Add the alias directly to your **.zshrc** file, and copy the shellsript to your personal executable path.

AUTHOR

William Orian Wear (Bill Wear)