API Documentation Airlines



Version 1.2

	Created	Checked	Released
Name	Erik Agus S.	Raymond Sugiarto	Hery Kurniawan
Date	Feb 20, 2015	Feb 23, 2015	Feb 24, 2015
Signature			

Change Log

- June 30, 2015. Version 1.4, Raymond
 - ✓ Update GetSeatAvailability and AssignSeat
- Jun 06, 2015. Version 1.3, Erik Agus S
 - ✓ Additions to service CaptchaCommit
 - ✓ Update error code
- Apr 08, 2015. Version 1.2, Erik Agus S
 - ✓ Additions to the introduction : GetSSRAvailibility
- Feb 26, 2015. Version 1.1, Erik Agus S
 - ✓ Additions to the introduction : List of Product
 - ✓ Revision URL Development
- Feb 20, 2015. Version 1.0, Erik Agus S
 - ✓ API Documentation created

Table Of Contents

Change Log	ii
Table Of Contents	iii
1. Login	1
1.1. Description	1
1.2. Request	
1.3. Response.	
1.4. Example.	1
2. CaptchaCommit	1
2.1. Description.	2
2.2. Request	2
2.3. Response.	2
2.4. Example	2
3. GetAvailability	
3.1. Description	3
3.2. Request	3
3.3. Response	4
3.4. Example.	6
4. GetItineraryPrice	8
4.1. Description	8
4.2. Request	9
4.3. Response	9
4.4. Example	10
5. GetSSRAvailability	
5.1. Description	12
5.2. Request	12
5.3. Response	13
5.4 Example	13

6. Sell	
6.1. Description.	18
6.2. Request	18
6.3. Response	19
6.4. Example	22
7. UpdatePassengers.	25
7.1. Description.	
7.2. Request	25
7.3. Response	26
7.4. Example	26
8. GetSeatAvailability	27
8.1. Description	27
8.2. Request.	
8.3. Response.	
8.4. Example	28
9. AssignSeat	80
9.1. Description	80
9.2. Request	80
9.3. Response	81
9.4. Example	81
10. GetBookingFromState	82
10.1. Description	82
10.2. Request	82
10.3. Response	82
10.4. Example	
11. GetBooking	
11.1. Description	
11.2. Request	
11.3. Response	
11.4. Example	
12. AddPaymentToBooking	

12.1. Description.	91
12.2. Request.	91
12.3. Response	91
12.4. Example	92
13. BookingCommit.	92
13.1. Description	92
13.2. Request	
13.3. Response	92
13.4. Example	94
14. Error Code	96
14.1. Common Error	96
14.2. Airlines Error Code	97

Introduction

- 1. Sebelum mencoba *web service* ini, pastikan anda telah me*registerkan* IP *address* dan telah menerima *auth_id*.
- 2. URL web service selama masa development adalah : http://torsapi.app.piposystem.com/api/airlines/<service name>
- 3. Data Response yang dihasilkan oleh web service berupa format Json.
- 4. Data type *Date* mempunyai format yyyy-mm-dd. Contoh : 2015-05-15
- 5. Data Request yang dikirimkan berupa data *POST* dengan format *Array*. *Note: example request dibawah merupakan format json.*
- 6. Parameter-parameter yang ada bersifat case sensitive.
- 7. List of Product

1.ARAirasia2.CKCitilink3.EAExpress4.GSGaruda Gos5.KTKalstar	
3.EAExpress4.GSGaruda Gos5.KTKalstar	
4. GS Garuda Gos 5. KT Kalstar	
5. KT Kalstar	
6. LI Lion	
7. TG Trigana	
8. TS Transnusa	
9. SJ Sriwijaya	
10. VF Jetstar	

1. Login

1.1. Description

Service login ini digunakan untuk mengirimkan auth_id, dimana auth_id akan menghasilkan session_id. Session_id yang telah didapatkan akan digunakan pada service selanjutnya. Dalam 1 proses booking / issued diharuskan menggunakan session_id yang sama.

Service name: Login

1.2. Request

Field	Data Type	Required	Description
product_code	String	Y	
auth id	String	Y	

1.3. Response

Field	Data Type	Description
err_code	String	
session_id	String	id <i>authentication</i> yang digunakan untuk proses-proses selanjutnya

1.4. Example

```
Request:
{
"product_code": "VF",
"auth_id": "9f14a652b75ebbab352bg1h2g3g4vhg32"
}

Response:
{
"err_code": 0,
"session_id": "AIVF2015021014372654d9b53681f5c"
}
```

2. CaptchaCommit

2.1. Description

Service CaptchaCommit ini digunakan untuk melakukan submit captcha pada maskapai yang menggunakan captcha.

Maskapai yang menggunakan captcha dapat dideteksi dengan melihat response Login. Jika response dari service dari Login mengembalikan "captcha_image", maka untuk mengirimkan captcha menggunakan CaptchaCommit.

Service name: CaptchaCommit

2.2. Request

Field	Data Type	Required	Description
Session_id	String	Y	
product_code	String	Y	
captcha	String	Y	

2.3. Response

Field	Data Type	Description
err_code	String	
session_id	String	
err_message	String	Optional
data	Array	

2.4. Example

Request:

```
"session_id": "AILI201503162012155506d6are41h2",
"product_code": "LI",
"captcha": "920413"

Response:

{
    "err_code": "0",
    "session_id": "AILI201503162012155506d6are41h2",
    "data": [
    ]
}
```

3. GetAvailability

3.1. Description

Service GetAvailability digunakan untuk mendapatkan ketersediaan jadwal penerbangan dan tarif penerbangan.dalam GetAvailability terdapat 4 komponen, yaitu:

a. Flight

Flight disini menandakan dimana terdapat adanya rute keberangkatan dan rute kedatangan dalam setiap penerbangan.

b. Journeys

Dalam satu *journeys* bisa terdiri dari satu *segment* apabila tidak terdapat *connecting flight* atau bisa terdiri dari banyak *segment* apabila terdapat *connecting flight*.

c. Segment

Segment adalah element yang terdapat dalam journeys yang bisa terdiri dari satu element segment atau banyak element segment.

d. Fare

Fare adalah detail harga atau detail class yang terdapat dalam journeys atau segment.

Service name: GetAvailability

3.2. Request

Field	Data Type	Required	Description
Session_id	String	Y	
product_code	String	Y	
origin	String	Y	rute asal.
destination	String	Y	rutetujuan.
departure_date	Date	Y	tanggal keberangkatan
arrival_date	Date	Y	tanggal kedatangan. Jika OW, arrival_date akan diabaikan.
flight_type	String	Y	jenis penerbangan. Possible value: OW (OneWay) atau RT (RoundTrip).
adult	String	Y	penumpang yang berusia 12 tahun ke atas
child	String	Y	penumpang yang berusia 2 tahun – 11 tahun
infant	String	Y	penumpang bayi yang berusia <i>maximal</i> 23 bulan

Field	Data Type	Description
err_code	String	
session_id	String	
data	Array	
*have ssr	String	indikatorssr (special service request). Bernilai 1 jika
_		mempunyai ssr, bernilai 0 jika sebaliknya
*have_available_seat	String	untuk mengidentifikasi seat available
*have_seat	String	untuk mengidentifikasi seat
*have_detail	String	untuk mengidentifikasi "field service_charges"
* have_fare	String	untuk mengidentifikasi "field fares"
*have_amount	String	indikator bahwa dalam jadwal penerbangan terdapat
		harga penumpang.
*allow_different_class	String	untuk mengindentifikasi pemilihan jadwal dengan
		kelas yang berbeda.
		Possible value 1/0
*flights	Array 2D	
**journeys	Array2D	
***journey_id	String	Key dari field "journeys".
***origin	String	
***origin_city	String	
***destination	String	
***destination_city	String	
***departure_time	String	
***arrival_time	String	
***have_fare	String	
***have_amount	String	
***segments	Array 2D	
****segment_id	String	Key dari field "segments".
****origin	String	
****origin_city	String	
****destination	String	
****destination_city	String	
****international	String	
****carrier_code	String	
****class_of_service	String	
****flight_number	String	
****departure_time	String	
****arrival_time	String	
****currency_code	String	
****have_fare	String	
****have_amount	String	

****fares	Array2D	
****fare id	String	Key dari field "fares".
*****class_of_service	String	TKCY duri field fales .
*****class code	String	
*****available seat	String	
*****adult price	String	
*****child price	String	A
****infant_price	String	
*****have detail	String	
*****service charges	Array 2D	
*****pax fares	Array 2D	
******pax_type	String	
*****service_charges	Array 2D	
******charge_category		
******charge code	String	
******charge_name	String String	
*******collect_type		
*****amount	String	
****service_charges	String	
******charge_category	Array 2D	
******charge_category	String	
******charge_name	String	
******collect_type	String	
***** amount	String	
	String	
****pax_fares	Array 2D	
*****pax_type	String	
*****service_charges	Array 2D	
***** charge_category	String	
***** charge_code	String	
***** charge_name	String	
***** collect_type	String	
*****amount	String	
****service_charges	Array 2D	
***** charge_category	String	
**** charge_code	String	
**** charge_name	String	
***** collect_type	String	
**** amount	String	
****legs	Array 2D	
*****origin	String	
*****origin_city	String	
*****destination	String	
*****destination_city	String	
*****departure_time	String	
*****arrival_time	String	

***fares	Array 2D	
****fare id	String	
****class of service	String	
****class_code	String	
****available_seat	String	
****adult_price	String	
****child_price	String	,
****infant_price	String	
****have detail	String	
****pax fares	Array 2D	
*****pax_type	String	
*****service_charges	Array 2D	
*****charge_category	String	
******charge_code	String	
*****charge_name	String	
*****collect_type	String	
*****amount	String	
**** service_charges	Array 2D	
**** charge_category	String	
**** charge_code	String	
**** charge_name	String	
***** collect_type	String	
**** amount	String	
*** service_charges	Array 2D	
**** charge_category	String	
**** charge_code	String	
**** charge_name	String	
**** collect_type	String	
**** amount	String	

Request:

```
"session_id": "AIVF2015021108294554dab0890f55f",
"product_code": "VF",
"flight_type": "OW",
"origin": "SUB",
"destination": "SIN",
"departure_date": "2015-02-25",
"arrival_date": "2015-02-28",
"adult": "1",
"child": "0",
"infant": "0"
Response:
```

```
"err code": 0,
"session id": "AIVF2015021108294554dab0890f55f",
"data": {
"have_ssr": "1",
"have seat": "0",
"have amount": "1",
"have detail": "0",
"have available seat": "1",
"allow different class": "0",
"flights": [
"journeys": [
"journey id": "3K~ 248~ ~~SUB~02\/25\/2015 13:50~SIN~02\/25\/2015 17:15~",
"origin": "SUB",
"origin city": "",
"destination": "SIN",
"destination city": "",
"departure time": "2015-02-25 13:50:00",
"arrival time": "2015-02-25 17:15:00",
"have fare": "0",
"have amount": "0",
"segments": [
"segment id": "3K~ 248~ ~~SUB~02\/25\/2015 13:50~SIN~02\/25\/2015 17:15~",
"origin": "SUB",
"origin city": "",
"destination": "SIN",
"destination_city": "",
"international": "1",
"carrier_code": "3K",
"flight number": " 248",
"departure time": "2015-02-25 13:50:00",
"arrival time": "2015-02-25 17:15:00",
"currency code": "IDR",
"have fare": "1",
"have_amount": "1",
"fares": [
"fare id": "0~W1~~WLECOW1~6200~~1~X",
"class of service": "W1",
"class code": "J00000",
"available_seat": "25",
"adult_price": 529900,
"child price": 0,
"infant price": 0,
"have detail": "0",
"service charges": [
"fare id": "0~LP~~LLECOLP~6201~~17~X",
"class of service": "LP",
"class code": "J00001",
"available seat": "25",
```

```
"adult price": 699900,
"child price": 0,
"infant_price": 0,
"have detail": "0",
"service charges": [
"fare id": "0~RY~~RHECORY~6202~~2~X",
"class of service": "RY",
"class code": "J00002",
"available seat": "105",
"adult_price": 1449900,
"child_price": 0,
"infant_price": 0,
"have_detail": "0",
"service charges": [
                         ],
"fares": [
                ]
}
```

4. GetItineraryPrice

4.1. Description

GetItineraryPrice merupakan service untuk mendapatkan detail harga dari perjalanan dalam suatu penerbangan.

Service_name : GetItineraryPrice

4.2. Request

Field	Data Type	Required	Description
session id	String	Y	

product_code	String	Y	
journeys	Array	Y	
*journeys_id	String	Y	Nilai field ini diperoleh pada service
			"GetAvailability"
*fare_id	String	Y	Nilai field ini diperoleh pada service
_			"GetAvailability"
*class_code	String	Y	Nilai field ini diperoleh pada service
_			"GetAvailability"
international	String	Y	

Field	Data	Description
	Type	-
err_code	String	
session_id	String	
data	Array	
*have_fare	String	
*have_amount	String	
*flights	Array 2D	
**journeys	Array 2D	
***origin	String	
***origin_city	String	
***destination	String	
***destination_city	String	
***departure_time	String	
***arrival_time	String	
***have_fare	String	
***have_amount	String	
***segments	Array 2D	
****origin	String	
****origin_city	String	
****destination	String	
****destination_city	String	
****international	String	
****carrier_code	String	
****flight_number	String	
****departure_time	String	
****arrival_time	String	
****currency_code	String	
****have_fare	String	
****have_amount	String	
****pax_fares	Array 2D	
*****pax_type	String	

*****service charges	A may 2D	
******charge code	Array 2D	
	String	
******charge_name	String	
*****charge_category	String	
******collect_type	String	Possibe value seller_chargeable, external_chargeable
*****amount	String	
****service_charges	Array 2D	
*****charge_category	String	
*****charge_code	String	
*****charge_name	String	
**** collect_type	String	Possibe value: seller chargeable /
		external chargeable
****amount	String	
***pax_fares	Array 2D	
****pax_type	String	
****service_charges	Array 2D	
*****charge_category	String	
*****charge_name	String	
*****charge_code	String	
*****collect_type	String	Possibe value: seller chargeable /
		external chargeable
****amount	String	
*** service_charges	Array 2D	
**** charge category	String	
**** charge_name	String	
**** charge code	String	7
**** collect_type	String	Possible value: seller chargeable,
		external chargeable
**** amount	String	
***fares	Array	
		I

Request:

```
Response:
"err code": 0,
"session id": "AIVF2015021108294554dab0890f55f",
"data": {
"flights": [
"journeys": [
"origin": "SUB",
"origin city": "",
"destination": "SIN",
"destination_city": "",
"departure time": "2015-02-25 13:50:00",
"arrival time": "2015-02-25 17:15:00",
"have fare": "0",
"have amount": "0",
"segments": [
"origin": "SUB",
"origin city": "",
"destination": "SIN",
"destination city": "",
"carrier code": null,
"flight number": null,
"departure_time": "2015-02-25 13:50:00",
"arrival time": "2015-02-25 17:15:00",
"currency code": "IDR",
"have fare": "1",
"have amount": "1",
"pax fares": [
"pax type": "ADT",
"service charges": [
"collect type": "seller chargeable",
"charge_code": "fare_price",
"charge_category": "fare price",
"charge_name": "Fare Price",
"amount": 529900
                                             },
"collect type": "seller chargeable",
"charge code": "travel fee",
"charge category": "travel fee",
"charge name": "Travel Fee",
"amount": -50000
```

"collect_type": "external_chargeable",

"charge category": "travel fee",

"charge code": "TAD",

"amount": -50000

"charge name": "SUB-SIN",

},

}

5. GetSSRAvailability

5.1. Description

Untuk mendapatkan detail dari special service request, service ini bersifat optional.

Service_name : GetSSRAvailibility

5.2. Request

Field	Data	Required	Description
	Туре		
session_id	String	Y	
product_code		Y	
journeys	Array	Y	
*journey_id		Y	
*fare_id		Y	
*class_code		Y	

Field	Data	Description
	Type	
err_code		
session_id		
data	Array	

*ssr_segment_id		
*carrier code		
*flight number		
*departure date		
*origin		
*destination		
*available_pax_ssr_list	Array 2D	
**ssr_code		
**ssr_name		
**ssr_type		
**inventory_controlled		
**non_inventory_control		
led		
**available		
**total		``\
**service_charge	Array 2D	
***charge_type		
***collect_type		Possible value: seller_chargeable,
		external_chargeable
***charge_code		
***currency_code		
***amount		
***charge_detail		

```
Request:
```

```
"carrier code": "3K",
"flight number": " 248",
"departure date": "2015-04-10 13:15:00",
"origin": "SUB",
"destination": "SIN",
"available pax ssr list": [
"ssr code": "VGML",
"ssr name": "Vegetarian",
"ssr_type": "meal",
"inventory controlled": "true",
"non inventory controlled": "false",
"available": "179",
"total": 162000,
"service charge": [
"charge type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge code": "MF",
"currency_code": "IDR",
"amount": "162000.000",
"charge detail": "Meal Fee"
"ssr code": "SPML",
"ssr name": "Standard",
"ssr type": "meal",
"inventory controlled": "true",
"non_inventory_controlled": "false",
"available": "179",
"total": 162000,
"service charge": [
"charge type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge_code": "MF",
"currency_code": "IDR",
"amount": "162000.000",
"charge detail": "Meal Fee"
"ssr code": "BG40",
"ssr name": "Baggage 40KG",
"ssr type": "baggage",
"inventory controlled": "false",
"non inventory controlled": "true",
"available": "0",
"total": 520000,
"service charge": [
"charge type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge code": "BG40",
```

```
"currency code": "IDR",
"amount": "520000.000",
"charge detail": "Baggage 40"
                },
"ssr code": "BG35",
"ssr name": "Baggage 35KG",
"ssr_type": "baggage",
"inventory controlled": "false",
"non_inventory_controlled": "true",
"available": "0",
"total": 440000,
"service charge": [
"charge_type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge code": "BG35",
"currency_code": "IDR",
"amount": "440000.000",
"charge detail": "Baggage 35"
"ssr code": "BG30",
"ssr name": "Baggage 30KG",
"ssr type": "baggage",
"inventory controlled": "false",
"non_inventory_controlled": "true",
"available": "0",
"total": 360000,
"service charge": [
"charge type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge_code": "BG30",
"currency_code": "IDR",
"amount": "360000.000",
"charge detail": "Baggage 30"
"ssr code": "BG25",
"ssr name": "Baggage 25KG",
"ssr type": "baggage",
"inventory controlled": "false",
"non inventory controlled": "true",
"available": "\overline{0}",
"total": 280000,
"service charge": [
"charge type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge code": "BG25",
```

```
"currency code": "IDR",
"amount": "280000.000",
"charge detail": "Baggage 25"
                },
"ssr code": "BG20",
"ssr name": "Baggage 20KG",
"ssr_type": "baggage",
"inventory controlled": "false",
"non_inventory_controlled": "true",
"available": "0",
"total": 155000,
"service charge": [
"charge_type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge code": "BG20",
"currency_code": "IDR",
"amount": "155000.000",
"charge detail": "Baggage 20"
"ssr code": "BG15",
"ssr name": "Baggage 15KG",
"ssr type": "baggage",
"inventory controlled": "false",
"non_inventory_controlled": "true",
"available": "0",
"total": 145000,
"service charge": [
"charge type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge_code": "BG15",
"currency_code": "IDR",
"amount": "145000.000",
"charge detail": "Baggage 15"
"ssr code": "BG10",
"ssr name": "Baggage 10KG",
"ssr type": "baggage",
"inventory controlled": "false",
"non inventory controlled": "true",
"available": "\overline{0}",
"total": 112405,
"service charge": [
"charge type": "ServiceCharge",
"collect type": "SellerChargeable",
"charge code": "BG10",
```

```
"currency code": "IDR",
"amount": "112405.00000",
"charge_detail": "Baggage 10"
                 },
"ssr_code": "BG05",
"ssr_name": "Baggage 5 KG",
"ssr_type": "baggage",
"inventory_controlled": "false",
"non_inventory_controlled": "true",
"available": "0",
"total": 70000,
"service_charge": [
"charge_type": "ServiceCharge",
"collect_type": "SellerChargeable",
"charge code": "BG05",
"currency_code": "IDR",
"amount": "70000.000",
"charge detail": "Baggage 5K"
"ssr code": "NONE",
"ssr name": "No Baggage",
"ssr type": "baggage",
"inventory controlled": false,
"non_inventory_controlled": false,
"available": 1,
"total amount": 0,
"service charge": [
"ssr code": "NONE",
"ssr name": "No Meal",
"ssr_type": "meal",
"inventory_controlled": false,
"non inventory controlled": false,
"available": 1,
"total_amount": 0,
"service charge": [
    ]
}
```

6. Sell

6.1. Description

Service Sell merupakan service dimana suatu jadwal yang telah dipilih dan ditetapkan.Service ini hanya dapat dilakukan sekali untuk 1 session_id.

Service_name : Sell

6.2. Request

Field	Data	Required	Description
	Type		
session_id	String	Y	
product_code	String	Y	
origin	String	Y	
destination	String	Y	
departure_date	Date	Y	
arrival_date	Date	Y	Optional
flight_type	String	Y	
adult	String	Y	
child	String	Y	
infant	String	Y	
international	String	Y	
using_form	String	Y	indikator client jika membutuhkan form
			reservasi dari server. Possible value : 1 atau 0.
journeys	Array	Y	
*journeys_id	String	Y	
*fare_id	String	Y	
*class_code		Y	

Field	Data	Description
	Type	
err_code	String	
session_id	String	
data	Array	
*total	String	
*form	String	Form reservasi dari server.

**contact	String	
***first_name	String	
****type	String	
****label	String	
****required	String	
***last name	String	
****type	String	
****label	String	
****required	String	
***title	String	
****type	String	
****label	String	
****required	String	
****list	String	Posible value : MS, MR
****default	String	
***email	String	
****type	String	
****label	String	
****required	String	
***home_phone	String	
****type	String	
****label	String	
****required	String	
***other_phone	String	
****type	String	
****label	String	
****required	String	
***address	String	
****type	String	
****label	String	
****required	String	
***country	String	
****type	String	
****label	String	
****required	String	
***province	String	
****type	String	
****label	String	
****required	String	
***city	String	
****type	String	
****label	String	
****required	String	
**passengers	String	
***adult	String	

****gender	String	
*****label	String	
*****type	String	
*****list	String	Possible value: Male / Female.
****required	String	
****title	String	
*****label	String	
*****type	String	
****required	String	
*****list	String	Possible value: Miss, Mrs, Ms, Mr, Capt, Dr, Prof, Rev dsb *Note: sesuai dengan masing-masing maskapai penerbangan.
*****default	String	
****first_name	String	
*****type	String	
*****label	String	
*****required	String	
****last_name	String	
*****type	String	
*****label	String	
****required	String	
****birthdate	String	
****type	String	
*****label	String	
****required	String	
****qaff	String	
****type	String	
*****label	String	
****required	String	
***child	String	
****gender	String	
*****label	String	
****type	String	
*****list	String	Possible value: Male / Female.
*****required	String	
****title	String	
*****label	String	
*****type	String	
****required	String	
*****list	String	Possible value: Miss, Mrs, Ms, Mr, Capt, Dr, Prof, Rev dsb *Note: sesuai dengan masing-masing maskapai penerbangan.
****default	String	

****first name	Ctring	
*****type	String	
*****label	String	
	String	
****required	String	
****last_name	String	
****type	String	
*****label	String	
****required	String	
****birthdate	String	
*****type	String	
*****label	String	
****required	String	
****qaff	String	
*****type	String	
*****label	String	
*****required	String	
***infant	String	
****gender	String	
*****label	String	
*****type	String	
*****list	String	Possible value: Male / Female.
****required	String	
****title	String	
*****label	String	
*****type	String	
*****required	String	
*****list	String	Possible value: Miss, Mrs, Ms, Mr, Capt, Dr, Prof,
	,	Rev dsb
		*Note: sesuai dengan masing-masing maskapai
		penerbangan.
*****default	String	
****first_name	String	
*****type	String	
*****label	String	
****required	String	
****last_name	String	
*****type	String	
*****label	String	
****required	String	
****birthdate	String	
*****type	String	
*****label	String	
****required	String	
****gaff	String	
*****type	String	
****type	String	

*****label	String	
****required	String	
****passenger_reference	String	
****label	String	
*****type	String	
*****list	Array 2D	Posible value : 0,1,2,3,4,5, dst
****required	String	
*****default		

Request:

```
"session_id": "AIVF2015021108294554dab0890f55f",
"product_code": "VF",
"journeys": [
         "journey id": "3K~ 248~ ~~SUB~02\/25\/2015 13:50~SIN~02\/25\/2015
17:15~",
         "fare id": "0~W1~~WLECOW1~6200~~1~X",
         "class code": "J00000"
"international": "0",
"flight type": "OW",
"origin": "SUB",
"destination": "SIN",
"departure date": "2015-02-25",
"arrival_date": "2015-02-28",
"adult": "1",
"child": "0",
"infant": "0",
"using form":
```

Response:

```
"label": "Last Name",
"required": "1"
"title": {
"label": "Title",
"type": "select",
"required": "1",
"list": {
"MS": "Ms",
"MR": "Mr"
                     },
"default": "MS"
                 } ,
"email": {
"type": "text",
"label": "Email",
"required": "1"
"home phone": {
"type": "phone",
"label": "Home Phone",
"required": "1"
"other_phone": {
"type": "phone",
"label": "Other Phone",
"required": "1"
                 },
"address": {
"type": "text",
"label": "Address",
"required": "1"
"country": {
"type": "country",
"label": "Country",
"required": "1"
"province": {
"type": "province",
"label": "Province",
"required": "1"
"city": {
"type": "city",
"label": "City",
"required": "1"
"passengers": {
"adult": {
"gender": {
"label": "Gender",
"type": "select",
"list": {
"Male": "Male",
"Female": "Female"
```

```
} ,
"required": "1"
                      },
"title": {
"label": "Title",
"type": "select",
"required": "1",
"list": {
"MISS": "Miss",
"MRS": "Mrs",
"MS": "Ms",
"MR": "Mr",
"CAPT": "Captain",
"DR": "Doctor",
"PROF": "Professor",
"REV": "Reverend"
                          },
"default": "MS"
                      },
"first name": {
"type": "text",
"label": "First Name",
"required": "1"
                      },
"last name": {
"type": "text",
"label": "Last Name",
"required": "1"
"birthdate": {
"type": "date",
"label": "Birthdate",
"required": "1"
                      },
"qaff": {
"type": "text",
"label": "Qantas Frequent Flyer Number",
"required": "0"
```

7. UpdatePassengers

7.1. Description

Service update passenger digunakan untuk mengirimkan data contact, data passenger dan untuk mengirimkan data ssr (jika diperlukan). Field request untuk service ini, berbeda-beda tiap maskapai penerbangan. Request dibawah merupakan salah satu contoh dari salah satu maskapai

penerbangan. Untuk mendapatkan format request UpdatePassengers dengan lengkap untuk masing-masing maskapai dapat mengaktifkan form pada service "Sell" dengan cara melakukan request "using_form" = "1" pada saat memanggil service "Sell".

Service_name : UpdatePassengers

7.2. Request

Field	Data	Required	Description
riciu	Data	Required	Description
	Type		
session_id		Y	
product_code		Y	
contact	String	Y	
*firstname	String	Y	
*last_name	String	Y	
*country	String	Y	
*province	String	Y	
*city	String	Y	
*address	String	Y	
*email	String	Y	
*tittle	String	Y	
*home_phone	String	Y	
*other_phone	String	Y	
passengers	Array	Y	·
*first_name	String	Y	
*last_name	String	Y	
*pax_type	String	Y	
*passenger_number	String	Y	
*birthdate	String	Y	
* tittle	String	Y	
* gender	String	Y	
*qaff	String	N	Optional. Hanya ada pada jetstar.
*passenger_reference	String	Y	Optional. Jika tanpa bayi.
ssr_segments	Array 2D	Y/N	Optional. Jika tanpa ssr.
* segment_id	String	Y/N	
* ssr	Array 2D	Y/N	
** ssr_code	String	Y/N	
** passenger_number	String	Y/N	

Field	Data	Description
	Туре	
err_code	String	
session_id	String	
data	Array	
*total	String	

Request:

```
"session id": "AIVF2015021108294554dab0890f55f",
"product code": "VF",
"contact": {
   "first name": "Rudy",
   "last name": "Wijaya",
   "title": "MR",
   "email": "rudy@gmail.com",
   "home_phone": "031562000",
   "other_phone": "031562000",
   "address": "abcd",
   "country": "ID",
   "province": "BLI",
   "city": "DPS"
"passengers": [
         "gender": "Male",
         "title": "MR",
         "first_name": "Rudy",
         "last_name": "Wijaya",
"birthdate": "24-03-1986",
         "qaff": "abcd",
         "passenger number": "0",
         "pax type": "ADT"
Response:
"err_code": 0,
"session id": "AIVF2015021108294554dab0890f55f",
"data": [
```

8. GetSeatAvailability

8.1. Description

Service GetSeatAvailability ini digunakan untuk mendapatkan susunan kursi pada pesawat untuk per penerbangan / per segment.

Service_name : GetSeatAvailability

8.2. Request

Field	Data Type	Required	Description
session_id	String	Y	
product_code	String	Y	
journeys	Array2D	Y	
*journey_id	String	Y	
*fare_id	String	Y	
*class_code	String	Y	
segment_id	String	Y	

Field	Data	Description
	Type	
err_code	String	
Session_id	String	
Data	Array	
*destination	String	
*origin	String	
*arrival_date	String	
*departure_date	String	
*available_units	String	
*equipment_category	String	
*name	String	
*carrier_code	String	
*flight_number	String	
*compartments	Array2D	
**compartment_designator	String	
**length	String	
**width	String	
**available_units	String	
**seats	Array2D	
***seat_number	String	
***assignable	String	

***seat_availability	String	
***seat_available_units	String	
***travel_class_code	String	
***seat_type	String	
***X	String	
***y	String	
***height	String	
***width	String	
***seat_group	String	
*seat_groups	Array2D	
**seat_group	String	
**passenger_number	String	
**flight_reference	String	
**departure_date	String	
**carrier_code	String	
**flight_number	String	
**origin	String	
**destination	String	
**total_amount	String	
**service_charges	Array2D	
***charge_type	String	
***collect_type	String	
***charge_code	String	

Request:

```
"origin": "SUB",
"arrival date": "2015-07-10 16:30:00",
"departure date": "2015-07-10 13:15:00",
"available units": "173",
"equipment category": "JetAircraft",
"name": "A320 (3K 180 seats)",
"carrier code": "3K",
"flight number": " 248",
"compartments": [
"compartment designator": "Y",
"length": "62",
"width": "16",
"available units": "173",
"seats": [
"seat_number": "$0",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "EX",
"x": "0",
"y": "1",
"height": "2",
"width": "1",
"seat group": "0"
                     },
"seat number": "$1",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "EX",
"x": "0",
"y": "23"
"height": "4",
"width": "1",
"seat_group": "0"
                    },
"seat number": "$10",
"assignable": "0",
"seat_availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "3",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$11",
"assignable": "0",
```

```
"seat availability": "unknown",
"seat available units": "0",
"travel_class_code": "",
"seat_type": "LR",
"x": "-2",
"y": "5",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat number": "$12",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel_class_code": "",
"seat_type": "LR",
"x": "-2",
"y": "7",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat number": "$13",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "9",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$14",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel class code": "",
"seat_type": "LR",
"x": "-2",
"y": "11",
"height": "2",
"width": "2",
"seat group": "0"
"seat_number": "$15",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat_type": "LR",
"x": "-2",
```

```
"y": "13",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$16",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "15",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat number": "$17",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "17",
"height": "2",
"width": "2",
"seat group": "0"
"seat_number": "$18",
"assignable": "0",
"seat_availability": "unknown",
"seat_available_units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "19",
"height": "2",
"width": "2",
"seat_group": "0"
"seat_number": "$19",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "21",
"height": "2",
"width": "2",
"seat_group": "0"
                     },
```

```
"seat number": "$2",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel_class_code": "",
"seat type": "EX",
"x": "15",
"y": "23",
"height": "4",
"width": "1",
"seat group": "0"
                     },
"seat_number": "$20",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel_class_code": "",
"seat type": "LR",
"x": "-2",
"y": "23",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$21",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel_class_code": "",
"seat_type": "LR",
"x": "-2",
"y": "25",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$22",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel_class_code": "",
"seat_type": "LR",
"x": "-2",
"y": "27",
"height": "2",
"width": "2",
"seat group": "0"
"seat number": "$23",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
```

```
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "29",
"height": "2",
"width": "2",
"seat_group": "0"
                     },
"seat number": "$24",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat_type": "LR",
"x": "-2",
"y": "31",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat number": "$25",
"assignable": "0",
"seat_availability": "unknown",
"seat_available_units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "33",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat_number": "$26",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel_class code": "",
"seat type": "LR",
"x": "-2",
"y": "35",
"height": "2",
"width": "2",
"seat group": "0"
                     } ,
"seat number": "$27",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel_class code": "",
"seat type": "LR",
"x": "-2",
"y": "37",
"height": "2",
```

```
"width": "2",
"seat group": "0"
                     },
"seat number": "$28",
"assignable": "0",
"seat_availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "39",
"height": "2",
"width": "2",
"seat_group": "0"
                     },
"seat number": "$29",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel_class_code": "",
"seat type": "LR",
"x": "-2",
"y": "41",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat number": "$3",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat_type": "LR",
"x": "1",
"y": "-2",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$30",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "43",
"height": "2",
"width": "2",
"seat group": "0"
"seat number": "$31",
```

```
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel class code": "",
"seat_type": "LR",
"x": "-2",
"y": "45",
"height": "2",
"width": "2",
"seat group": "0"
"seat number": "$32",
"assignable": "0",
"seat_availability": "unknown",
"seat_available_units": "0",
"travel_class_code": "",
"seat_type": "LR",
"x": "-2",
"y": "47",
"height": "2",
"width": "2",
"seat group": "0"
"seat number": "$33",
"assignable": "0",
"seat_availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat_type": "LR",
"x": "-2",
"y": "49",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$34",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel class code": "",
"seat_type": "LR",
"x": "-2",
"y": "51",
"height": "2",
"width": "2",
"seat group": "0"
"seat number": "$35",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat_type": "LR",
```

```
"x": "-2",
"y": "53",
"height": "2",
"width": "2",
"seat_group": "0"
                     },
"seat number": "$36",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "55",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat number": "$37",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel_class_code": "",
"seat_type": "LR",
"x": "-2",
"y": "57",
"height": "2",
"width": "2",
"seat_group": "0"
                     },
"seat number": "$38",
"assignable": "0",
"seat_availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat_type": "LR",
"x": \overline{}-2",
"y": "59",
"height": "2",
"width": "2",
"seat group": "0"
"seat number": "$4",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "-2",
"y": "1",
"height": "2",
"width": "2",
"seat group": "0"
```

```
},
"seat number": "$5",
"assignable": "0",
"seat_availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "3",
"y": "-2",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat number": "$6",
"assignable": "0",
"seat availability": "unknown",
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "5",
"y": "-2",
"height": "2",
"width": "2",
"seat_group": "0"
                     },
"seat number": "$7",
"assignable": "0",
"seat availability": "unknown",
"seat_available_units": "0",
"travel_class code": "",
"seat type": "LR",
"x": "9",
"y": "-2",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$8",
"assignable": "0",
"seat_availability": "unknown",
"seat_available_units": "0",
"travel class code": "",
"seat type": "LR",
"x": "11",
"y": "-2",
"height": "2",
"width": "2",
"seat_group": "0"
"seat number": "$9",
"assignable": "0",
"seat availability": "unknown",
```

```
"seat available units": "0",
"travel class code": "",
"seat type": "LR",
"x": "13",
"y": "-2",
"height": "2",
"width": "2",
"seat group": "0"
                     },
"seat number": "10A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "1",
"y": "19",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat_number": "10B",
"assignable": "1",
"seat availability": "open",
"seat_available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "19",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "10C",
"assignable": "1",
"seat availability": "open"
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "19",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "10D",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "19",
```

```
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "10E",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "19",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "10F",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "19",
"height": "2",
"width": "2",
"seat group": "1"
"seat_number": "11A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "21",
"height": "2",
"width": "2",
"seat_group": "1"
"seat_number": "11B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "3",
"y": "21",
"height": "2",
"width": "2",
"seat group": "1"
                     },
```

```
"seat number": "11C",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "21",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "11D",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "9",
"y": "21",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "11E",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "11",
"y": "21",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "11F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "13",
"y": "21",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "12A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
```

```
"seat type": "NS",
"x": "1",
"y": "23",
"height": "2",
"width": "2",
"seat_group": "2"
                     },
"seat number": "12B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "23",
"height": "2",
"width": "2",
"seat group": "2"
                     },
"seat number": "12C",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "23",
"height": "2",
"width": "2",
"seat_group": "2"
"seat_number": "12D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "23",
"height": "2",
"width": "2",
"seat_group":
"seat number": "12E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "23",
"height": "2",
"width": "2",
```

```
"seat group": "2"
                     },
"seat_number": "12F",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "23",
"height": "2",
"width": "2",
"seat group": "2"
"seat number": "13A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "25",
"height": "2",
"width": "2",
"seat group": "2"
                     },
"seat number": "13B",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "25",
"height": "2",
"width": "2",
"seat_group": "2"
                     },
"seat number": "13C",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "25",
"height": "2",
"width": "2",
"seat_group": "2"
"seat number": "13D",
"assignable": "1",
```

```
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "9",
"y": "25",
"height": "2",
"width": "2",
"seat group": "2"
                      },
"seat number": "13E",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "11",
"y": "25",
"height": "2",
"width": "2",
"seat group": "2"
                      },
"seat number": "13F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "25",
"height": "2",
"width": "2",
"seat_group": "2"
"seat number": "14A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "1",
"y": "27",
"height": "2",
"width": "2",
"seat group": "1"
"seat_number": "14B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
```

```
"y": "27",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "14C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "27",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "14D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "27",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "14E",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "27",
"height": "2",
"width": "2",
"seat_group": "1"
"seat_number": "14F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "27",
"height": "2",
"width": "2",
"seat group": "1"
                     },
```

```
"seat number": "15A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "1",
"y": "29",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat_number": "15B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "3",
"y": "29",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "15C",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "5",
"y": "29",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "15D",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "9",
"y": "29",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "15E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
```

```
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "29",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "15F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "29",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "16A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "31",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat_number": "16B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "31",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "16C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "31",
"height": "2",
```

```
"width": "2",
"seat group": "1"
                     },
"seat_number": "16D",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "31",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "16E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "11",
"y": "31",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat_number": "16F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "31",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "17A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "33",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "17B",
```

```
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "3",
"y": "33",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "17C",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "33",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "17D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "9",
"y": "33",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "17E",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "11",
"y": "33",
"height": "2",
"width": "2",
"seat group": "1"
"seat_number": "17F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
```

```
"x": "13",
"y": "33",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "18A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "35",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "18B",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class code": "Y",
"seat type": "NS",
"x": "3",
"y": "35",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "18C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "35",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "18D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "35",
"height": "2",
"width": "2",
"seat group": "1"
```

```
},
"seat number": "18E",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "35",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "18F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "35",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "19A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class code": "Y",
"seat type": "NS",
"x": "1",
"y": "37",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "19B",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "37",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "19C",
"assignable": "1",
"seat availability": "open",
```

```
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "5",
"y": "37",
"height": "2",
"width": "2",
"seat group": "1"
                      },
"seat number": "19D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "9",
"y": "37",
"height": "2",
"width": "2",
"seat group": "1"
                      },
"seat_number": "19E",
"assignable": "1",
"seat availability": "open",
"seat_available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "37",
"height": "2",
"width": "2",
"seat_group": "1"
                      },
"seat number": "19F",
"assignable": "1",
"seat availability": "open"
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "37",
"height": "2",
"width": "2",
"seat group": "1"
                      },
"seat number": "1A",
"assignable": "1",
"seat availability": "reserved",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "1",
```

```
"height": "2",
"width": "2",
"seat group": "2"
                     },
"seat number": "1B",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "1",
"height": "2",
"width": "2",
"seat_group": "2"
                     },
"seat number": "1C",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "1",
"height": "2",
"width": "2",
"seat group": "2"
"seat_number": "1D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "1",
"height": "2",
"width": "2",
"seat_group": "2"
"seat_number": "1E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "11",
"y": "1",
"height": "2",
"width": "2",
"seat group": "2"
                     },
```

```
"seat number": "1F",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "1",
"height": "2",
"width": "2",
"seat group": "2"
"seat number": "20A",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "1",
"y": "39",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "20B",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "3",
"y": "39",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "20C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "5",
"y": "39",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "20D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
```

```
"seat type": "NS",
"x": "9",
"y": "39",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "20E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "39",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "20F",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class code": "Y",
"seat type": "NS",
"x": "13",
"y": "39",
"height": "2",
"width": "2",
"seat_group": "1"
"seat_number": "21A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "41",
"height": "2",
"width": "2",
"seat_group":
"seat number": "21B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "41",
"height": "2",
"width": "2",
```

```
"seat group": "1"
                     },
"seat_number": "21C",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "5",
"y": "41",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "21D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "41",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "21E",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "41",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "21F",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "41",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "22A",
"assignable": "1",
```

```
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "1",
"y": "43",
"height": "2",
"width": "2",
"seat group": "1"
                      },
"seat number": "22B",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "3",
"y": "43",
"height": "2",
"width": "2",
"seat group": "1"
                      },
"seat number": "22C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "5",
"y": "43",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "22D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "9",
"y": "43",
"height": "2",
"width": "2",
"seat group": "1"
"seat_number": "22E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "11",
```

```
"y": "43",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "22F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "43",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "23A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "45",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "23B",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "45",
"height": "2",
"width": "2",
"seat_group": "1"
"seat_number": "23C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "45",
"height": "2",
"width": "2",
"seat group": "1"
                     },
```

```
"seat number": "23D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "9",
"y": "45",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat_number": "23E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "11",
"y": "45",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "23F",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "13",
"y": "45",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "24A",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "1",
"y": "47",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "24B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
```

```
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "47",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "24C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "5",
"y": "47",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "24D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "47",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat_number": "24E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "47",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "24F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "47",
"height": "2",
```

```
"width": "2",
"seat group": "1"
                     },
"seat number": "25A",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "49",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "25B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "3",
"y": "49",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat_number": "25C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "5",
"y": "49",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "25D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "49",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "25E",
```

```
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "11",
"y": "49",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "25F",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "49",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "26A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "1",
"y": "51",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "26B",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "3",
"y": "51",
"height": "2",
"width": "2",
"seat group": "1"
"seat_number": "26C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
```

```
"x": "5",
"y": "51",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "26D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "51",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "26E",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "11",
"y": "51",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "26F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "51",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "27A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "53",
"height": "2",
"width": "2",
"seat group": "1"
```

```
},
"seat number": "27B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "53",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "27C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "53",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "27D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class code": "Y",
"seat type": "NS",
"x": "9",
"y": "53",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "27E",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "53",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "27F",
"assignable": "1",
"seat availability": "open",
```

```
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "53",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "28A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "1",
"y": "55",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat_number": "28B",
"assignable": "1",
"seat availability": "open",
"seat_available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "55",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "28C",
"assignable": "1",
"seat availability": "open"
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "55",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "28D",
"assignable": "1",
"seat availability": "fleetblocked",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "55",
```

```
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "28E",
"assignable": "1",
"seat_availability": "fleetblocked",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "55",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "28F",
"assignable": "1",
"seat availability": "fleetblocked",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "13",
"y": "55",
"height": "2",
"width": "2",
"seat group": "1"
"seat_number": "29A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "57",
"height": "2",
"width": "2",
"seat_group": "1"
"seat_number": "29B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "57",
"height": "2",
"width": "2",
"seat group": "1"
                     },
```

```
"seat number": "29C",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "57",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "29D",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "9",
"y": "57",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "29E",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "11",
"y": "57",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "29F",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "13",
"y": "57",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "2A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
```

```
"seat type": "NS",
"x": "1",
"y": "3",
"height": "2",
"width": "2",
"seat_group": "3"
                     },
"seat number": "2B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "3",
"height": "2",
"width": "2",
"seat_group": "3"
                     },
"seat number": "2C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "3",
"height": "2",
"width": "2",
"seat_group": "3"
"seat_number": "2D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "3",
"height": "2",
"width": "2",
"seat_group":
"seat number": "2E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "3",
"height": "2",
"width": "2",
```

```
"seat group": "3"
                     },
"seat_number": "2F",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "3",
"height": "2",
"width": "2",
"seat_group": "3"
"seat number": "30A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "59",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "30B",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "59",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "30C",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "59",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "30D",
"assignable": "1",
```

```
"seat availability": "fleetblocked",
"seat available units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "9",
"y": "59",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "30E",
"assignable": "1",
"seat availability": "fleetblocked",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "11",
"y": "59",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "30F",
"assignable": "1",
"seat availability": "fleetblocked"
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "59",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "3A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "1",
"y": "5",
"height": "2",
"width": "2",
"seat group": "3"
"seat number": "3B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
```

```
"y": "5",
"height": "2",
"width": "2",
"seat_group": "3"
"seat number": "3C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "5",
"height": "2",
"width": "2",
"seat group": "3"
                     },
"seat number": "3D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "5",
"height": "2",
"width": "2",
"seat group": "3"
                     },
"seat number": "3E",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "5",
"height": "2",
"width": "2",
"seat_group": "3"
"seat_number": "3F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "5",
"height": "2",
"width": "2",
"seat_group": "3"
                     },
```

```
"seat number": "4A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "1",
"y": "7",
"height": "2",
"width": "2",
"seat_group": "3"
                     },
"seat_number": "4B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "7",
"height": "2",
"width": "2",
"seat_group": "3"
"seat number": "4C",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "5",
"y": "7",
"height": "2",
"width": "2",
"seat_group": "3"
"seat_number": "4D",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "9",
"y": "7",
"height": "2",
"width": "2",
"seat group": "3"
"seat number": "4E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
```

```
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "7",
"height": "2",
"width": "2",
"seat_group": "3"
"seat number": "4F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "7",
"height": "2",
"width": "2",
"seat group": "3"
                     },
"seat number": "5A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "9",
"height": "2",
"width": "2",
"seat group": "3"
                     },
"seat_number": "5B",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "9",
"height": "2",
"width": "2",
"seat group": "3"
                     },
"seat number": "5C",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "9",
"height": "2",
```

```
"width": "2",
"seat group": "3"
                     },
"seat_number": "5D",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "9",
"height": "2",
"width": "2",
"seat_group": "3"
                     },
"seat number": "5E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "11",
"y": "9",
"height": "2",
"width": "2",
"seat group": "3"
                     },
"seat_number": "5F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "13",
"y": "9",
"height": "2",
"width": "2",
"seat_group": "3"
"seat number": "6A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "11",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "6B",
```

```
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "3",
"y": "11",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "6C",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "11",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "6D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "9",
"y": "11",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "6E",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "11",
"y": "11",
"height": "2",
"width": "2",
"seat group": "1"
"seat_number": "6F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
```

```
"x": "13",
"y": "11",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "7A",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "13",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "7B",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class code": "Y",
"seat type": "NS",
"x": "3",
"y": "13",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "7C",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "13",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "7D",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "13",
"height": "2",
"width": "2",
"seat group": "1"
```

```
},
"seat number": "7E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "13",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat number": "7F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "13",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "8A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class code": "Y",
"seat type": "NS",
"x": "1",
"y": "15",
"height": "2",
"width": "2",
"seat_group": "1"
"seat number": "8B",
"assignable": "1",
"seat_availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "3",
"y": "15",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "8C",
"assignable": "1",
"seat availability": "open",
```

```
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "5",
"y": "15",
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "8D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel_class_code": "Y",
"seat_type": "NS",
"x": "9",
"y": "15",
"height": "2",
"width": "2",
"seat group": "1"
                     },
"seat_number": "8E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "11",
"y": "15",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "8F",
"assignable": "1",
"seat availability": "open"
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "15",
"height": "2",
"width": "2",
"seat group": "1"
                      },
"seat number": "9A",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "1",
"y": "17",
```

```
"height": "2",
"width": "2",
"seat group": "1"
"seat number": "9B",
"assignable": "1",
"seat_availability": "open",
"seat available units": "0",
"travel_class_code": "Y",
"seat type": "NS",
"x": "3",
"y": "17",
"height": "2",
"width": "2",
"seat_group": "1"
                     },
"seat number": "9C",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "5",
"y": "17",
"height": "2",
"width": "2",
"seat group": "1"
"seat_number": "9D",
"assignable": "1",
"seat availability": "open",
"seat_available_units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "9",
"y": "17",
"height": "2",
"width": "2",
"seat_group": "1"
"seat_number": "9E",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat_type": "NS",
"x": "11",
"y": "17",
"height": "2",
"width": "2",
"seat group": "1"
                     },
```

```
"seat number": "9F",
"assignable": "1",
"seat availability": "open",
"seat available units": "0",
"travel class code": "Y",
"seat type": "NS",
"x": "13",
"y": "17",
"height": "2",
"width": "2",
"seat group": "1"
        ],
"seat groups": [
"seat group": "1",
"passenger number": "0",
"flight reference": "20150710 3K 248 SUBSIN",
"departure date": "2015-07-10",
"carrier code": "3K",
"flight number": "248",
"origin": "SUB",
"destination": "SIN",
"total amount": 55000,
"service charges": [
"charge type": "service charge",
"collect type": "seller chargeable",
"charge code": "STF",
"currency_code": "IDR",
"amount": "55000.000",
"charge detail": "SUB-SIN"
"seat group": "2",
"passenger number": "0",
"flight reference": "20150710 3K 248 SUBSIN",
"departure_date": "2015-07-10",
"carrier code": "3K",
"flight number": "248",
"origin": "SUB",
"destination": "SIN",
"total amount": 330000,
"service charges": [
"charge_type": "service_charge",
"collect_type": "seller_chargeable",
"charge_code": "STF",
"currency_code": "IDR",
"amount": "330000.000",
"charge detail": "SUB-SIN"
```

```
} ,
"seat group": "3",
"passenger number": "0",
"flight_reference": "20150710 3K 248 SUBSIN",
"departure_date": "2015-07-10",
"carrier code": "3K",
"flight number": "248",
"origin": "SUB",
"destination": "SIN",
"total_amount": 143000,
"service charges": [
"charge type": "service_charge",
"collect_type": "seller_chargeable",
"charge code": "STF",
"currency_code": "IDR",
"amount": "143000.000",
"charge detail": "SUB-SIN"
}
```

9. AssignSeat

9.1. Description

Service AssignSeat ini digunakan untuk memilih kursi yang diinginkan pada pesawat.

Service name: AssignSeat

9.2. Request

Field	Data Type	Required	Description
session_id	String	Y	
product_code	String	Y	
segment_seats	Array2D	Y	
*segment_id	String	Y	
*passenger_number	String	Y	
*seat_number	String	Y	
*compartment_designator	String	Y	

Field	Data Type	Description
err_code	String	
session_id	String	
data	Array2D	

Request:

10. Get Booking From State

10.1. Description

Service GetBookingFromState digunakan untuk mendapatkan data detail reservasi dari history session.

Service name: GetBookingFromState

10.2. Request

Field	Data Type	Required	Description
session_id	String	Y	
product code	String	Y	

Field	Data Type	Description
err_code	String	
session_id	String	
data	Array	
*transaction_date	String	Tanggal Transaksi.
*booking_date	String	Tanggal Booking.
*hold_date_time	String	Time Limit Issued.
*issued_date	String	Tanggal issued.
*transaction_code	String	No.Transaksi pada API.
*booking_code	String	Kode Booking.
*currency_code	String	
*currency_rate	String	
*basic_fare	String	
*basic_fare_exclude_infant	String	
*tax_total	String	
*discount_total	String	
*fee_total	String	
*ssr_total	String	<i>y</i>
*insurance_total	String	
*total	String	
*commission	String	
*total_pax	String	
*total_adult	String	
*total_child	String	
*total_infant	String	
*status_transaction	String	
*origin	String	
*destination	String	
*departure_date	String	
*arrival_date	String	
*flight_type	String	
*contact	Array	
**first_name	String	
**surname	String	
**last_name	String	
**title	String	
**email	String	

4.4.1	I ~ ·	
**home_phone	String	
**other_phone	String	
**address	String	
**country	String	
**city	String	
**province	String	
*flights	Array 2D	
**flight_index	String	
**origin	String	
**destination	String	
**departure_time	String	
**arrival_time	String	
**carrier_code	String	
**carrier_name	String	
**flight_number	String	
**sub_class	String	
**class	String	
**segment_id	String	
**fare_id	String	
**seats	Array 2D	
***passenger_number	String	
***departure_station	String	
***arrival_station	String	
***unit_designator	String	
***compartment_designator	String	
*passenger	Array 2D	
**gender		
**title)
**first_name		
**last name		
**birthdate		
**qaff		
**passenger number		
**pax type		
**passenger reference		Optional
*charges	Array 2D	•
**flight number	String	No. Penerbangan
**flight index	String	Indikator rute keberangkatan / rute kedatangan.
**pax number	String	No. Penumpang.
**pax type	String	
**collect_type	String	Possible value: seller_chargeable /
about 1	a. ·	external_chargeable
**charge_type	String	
**ssr_type	String	
**charge_code	String	

**charge_name	String	
**currency_code	String	
**amount_value	String	
**amount_percent	String	

Request:

```
"session id": "AIVF2015021108294554dab0890f55f",
"product code": "VF"
Response:
   "err code": 0,
   "session id": "AIVF2015021108294554dab0890f55f",
   "data": {
   "hold date time": "1970-01-01 07:00:00",
  "booking_code": "",
   "currency code": "IDR",
   "currency_rate": "1",
   "origin": "SUB",
   "destination": "SIN",
   "departure date": "2015-02-25",
  "arrival date": "2015-02-28",
  "flight type": "OW",
   "total adult": "1",
   "total child": "0",
   "total infant": "0",
   "total pax": 1,
   "status_transacion": "DEFAULT"
   "contact": {
   "first_name": "Rudy",
   "last name": "Wijaya",
   "title": "MR",
   "email": "rudy@gmail.com",
   "home_phone": "031562000",
  "other phone": "031562000",
   "address": "abcd",
   "country": "ID",
   "province": "BLI",
   "city": "DPS"
         },
   "flights": [
   "origin": "SUB",
   "destination": "SIN",
   "carrier code": "3K",
   "flight_number": " 248",
   "carrier_name": "",
   "segment_id": "3K~ 248~ ~~SUB~02\/25\/2015 13:50~SIN~02\/25\/2015
17:15~",
```

```
"departure time": "2015-02-25 13:50:00",
"arrival time": "2015-02-25 17:15:00",
"fare id": "0~W1~ ~WLECOW1~6200~~1~X",
"class": "W1",
"sub_class": ""
        ],
"passengers": [
"gender": "Male",
"title": "MR",
"first_name": "Rudy",
"last name": "Wijaya",
"birthdate": "24-03-1986",
"qaff": "abcd",
"passenger_number": "0",
"pax_type": "ADT"
"charges": [
"flight number": "3K 248",
"pax number": "",
"collect_type": "seller_chargeable",
"charge_type": "fare",
"charge_code": "BF",
"ssr_type": "",
"charge name": "FarePrice",
"currency code": "IDR",
"amount_value": "529900.0000",
"amount percent": ""
"flight number": "3K 248",
"pax_number": "",
"collect type": "seller chargeable",
"charge_type": "fee",
"charge_code": "TAD",
"ssr_type": "",
"charge_name": "TravelFee",
"currency code": "IDR",
"amount value": "-50000.000",
"amount_percent": ""
        ],
"basic fare": 529900,
"fee total": -50000,
"ssr total": 0,
"tax total": 0,
"discount total": 0,
"total": 514900
    }
```

}

11.GetBooking

11.1. Description

Service GetBooking digunakan untuk mendapatkan data booking berdasarkan booking_code.

Service Name: GetBooking

11.2. Request

Field	Data Type	Required	Description
session_id	String	Y	
booking_code	String	Y	

Field	Data Type	Description
err_code	String	
session_id	String	
data	Array	,
*transaction_date	String	Tanggal Transaksi.
*booking_date	String	Tanggal Booking.
*hold_date_time	String	Time Limit Issued.
*issued_date	String	Tanggal issued.
*transaction_code	String	No.Transaksi pada API.
*booking_code	String	Kode Booking.
*currency_code	String	
*currency_rate	String	
*basic_fare	String	
*tax_total	String	
*discount_total	String	
*fee_total	String	
*ssr_total	String	
*insurance_total	String	
*total	String	
*commission	String	
*total_pax	String	
*total_adult	String	

*total child	String	
*total infant	String	
*status transaction	String	
*origin	String	
*destination	String	
*departure date	String	
*arrival date	String	
*flight type	String	
*contact	Array	
**first name	String	
**surname	String	
**last name	String	
**title	String	
**email	String	
**home phone	String	
**other_phone	String	
**address	String	
**country	String	
**city	String	
**province	String	
*flights	Array 2D	
**flight_index	String	
**origin	String	
**destination	String	
**departure_time	String	
**arrival_time	String	
**carrier_code	String	
**carrier_name	String	
**flight_number	String	
**sub_class	String	
**class	String	
**segment_id	String	
**fare_id	String	
*passenger	Array 2D	
**gender		
**title		
**first_name		
**last_name		
**birthdate		
**qaff		
**passenger_number		
**pax_type		
**passenger_reference		Optional
*charges	Array 2D	
**flight_number	String	No. Penerbangan

**flight_index	String	Indikator rute keberangkatan / rute kedatangan.
**pax_number	String	No. Penumpang.
**pax_type	String	
**collect_type	String	Possible value: seller_chargeable /
		external_chargeable
**charge_type	String	
**ssr_type	String	
**charge_code	String	
**charge_name	String	
**currency_code	String	
**amount_value	String	
**amount_percent	String	

Request:

```
"session id": "AIVF2015021614300654e19c7e726fe",
"product code": "VF",
"booking code": "T4NHMR"
Response:
   "err code": 0,
   "session id": "AIVF2015021108294554dab0890f55f",
   "data": {
   "hold date time": "1970-01-01 07:00:00",
   "booking_code": "",
   "currency_code": "IDR",
   "currency_rate": "1",
"origin": "SUB",
   "destination": "SIN",
   "departure_date": "2015-02-25",
   "arrival date": "2015-02-28",
   "flight_type": "OW",
"total_adult": "1",
   "total_child": "0",
   "total infant": "0",
   "total_pax": 1,
   "status transacion": "DEFAULT",
   "contact": {
   "first_name": "Rudy",
"last_name": "Wijaya",
   "title": "MR",
   "email": "rudy@gmail.com",
   "home phone": "031562000",
   "other phone": "031562000",
   "address": "abcd",
   "country": "ID",
   "province": "BLI",
```

```
"city": "DPS"
           },
   "flights": [
   "origin": "SUB",
   "destination": "SIN",
   "carrier code": "3K",
   "flight number": " 248",
   "carrier_name": "",
   "segment id": "3K~
                          248~ ~~SUB~02\/25\/2015
                                                      13:50~SIN~02\/25\/2015
17:15~",
   "departure_time": "2015-02-25 13:50:00",
   "arrival time": "2015-02-25 17:15:00",
   "fare id": "0~W1~ ~WLECOW1~6200~~1~X",
   "class": "W1",
   "sub_class": ""
           ],
   "passengers": [
   "gender": "Male",
   "title": "MR",
   "first_name": "Rudy",
   "last_name": "Wijaya",
   "birthdate": "24-03-1986",
   "qaff": "abcd",
   "passenger number": "0"
   "pax type": "ADT"
   "charges": [
   "flight number": "3K 248",
   "pax number": "",
   "collect type": "seller chargeable",
   "charge_type": "fare",
   "charge_code": "BF",
   "ssr type": "",
   "charge name": "FarePrice",
   "currency code": "IDR",
   "amount value": "529900.0000",
   "amount_percent": ""
   "flight_number": "3K 248",
   "pax number": "",
   "collect type": "seller chargeable",
   "charge type": "fee",
   "charge code": "TAD",
   "ssr type": "",
   "charge_name": "TravelFee",
   "currency code": "IDR",
   "amount_value": "-50000.000",
   "amount_percent": ""
   "basic fare": 529900,
```

12.AddPaymentToBooking

12.1. Description

Service AddPaymentToBooking digunakan untuk menandakan bahwa akan dilakukan proses issued. Jika proses ini tidak dipanggil / skip dan dilanjutkan ke service BookingCommit maka proses tersebut dianggap hanya BOOKING. Service AddPaymentToBooking hanya boleh dipanggil 1 kali dalam 1 proses booking / issued dalam 1 session_id. Service ini harus dipanggil setelah service "GetBooking / GetBookingFromState".

Service name: AddPaymentToBooking

12.2. Request

Field	Data Type	Required	Description
session_id	String	Y	
product_code	String	Y	
total	String	Y	Nominal yang harus dibayarkan. Value field ini dapat diperoleh dari "total" pada service
			GetBookingFromState atau GetBooking

Field	Data Type	Description
err_code	String	
session_id	String	

Request:

```
"session_id": "AIVF2015021108294554dab0890f55f",
"product_code": "VF",
"total": "514900"

Response:
{
    "err_code": 0,
    "session_id": "AIVF2015021108294554dab0890f55f",
    "data": ""
```

13.BookingCommit

13.1. Description

Service BookingCommit digunakan untuk mengakhiri proses booking / issued. Service ini harus dipanggil setelah service "GetBookingFromState" jika dalam kondisi BOOKING. Jika dalam kondisi ISSUED, service ini harus dipanggil setelah service "AddPaymentToBooking". Pemanggilan service ini hanya dapat dilakukan sekali dalam 1 session_id.

Service name: BookingCommit

13.2. Request

Field	Data Type	Required	Description
session_id	String	Y	
product_code	String	Y	

Field	Data Type	Description
err_code	String	
session_id	String	

dataArray*transaction_dateStringTanggal Transaksi.*booking_dateStringTanggal Booking.*hold_date_timeStringTime Limit Issued.	
*booking_date String Tanggal Booking. *hold_date_time String Time Limit Issued.	
*hold_date_time String Time Limit Issued.	
*issued_date String Tanggal issued.	
*transaction_code String No.Transaksi pada API.	
*booking_code String Kode Booking.	
*currency_code String	
*currency_rate String	
*basic_fare String	
*tax_total String	
*discount_total String	
*fee_total String	
*ssr_total String	
*insurance_total String	
*total String	
*commission String	
*total_pax String	
*total_adult String	,
*total_child String	
*total_infant String	
*status_transaction String	
*origin String	
*destination String	
*departure_date String	
*arrival_date String	
*flight_type String	
*contact Array	
**first_name String	
**surname String	
**last name String	
**title String	
**email String	
**home_phone String	
**other_phone String	
**address String	
**country String	
**city String	
**province String	
*flights Array 2D	
**flight_index String	
**origin String	
**destination String	
**departure_time String	
**arrival_time String	

**carrier_code	String	
**carrier_name	String	
**flight_number	String	
**sub_class	String	
**class	String	
**segment_id	String	
**fare_id	String	
*passenger	Array 2D	
**gender		
**title		
**first_name		
**last_name		
**birthdate		
**qaff		
**passenger_number		
**pax_type		
**passenger_reference		Optional
*charges	Array 2D	
**flight_number	String	No. Penerbangan
**flight_index	String	Indikator rute keberangkatan / rute kedatangan.
**pax_number	String	No. Penumpang.
**pax_type	String	
**collect_type	String	Possible value: seller_chargeable /
		external_chargeable
**charge_type	String	
**ssr_type	String	/
**charge_code	String	
**charge_name	String	
**currency_code	String	
**amount_value	String	
**amount_percent	String	

Request:

```
"session_id": "AIVF2015021108294554dab0890f55f",
"product_code": "VF"

Response:
{
   "err_code": 0,
   "session_id": "AIVF2015021108294554dab0890f55f",
   "data": {
   "total": 479900,
```

```
"booking code": "QGCC3X",
"hold date time": "1970-01-01 07:00:00",
"currency code": "IDR",
"currency_rate": "1",
"origin": "SUB",
"destination": "SIN",
"departure date": "2015-02-25",
"arrival date": "2015-02-28",
"flight type": "OW",
"total adult": "1",
"total_child": "0",
"total infant": "0",
"total pax": 1,
"status transacion": "CONFIRMED",
"contact": {
"first name": "Rudy",
"surname": "",
"last name": "Rudy",
"title": "MR",
"email 1": "rudy@gmail.com",
"phone 1": "031562000",
"phone 2": "031562000",
"address": "abcd",
"country": "ID",
"city": "DPS",
"province": "BLI"
        },
"flights": [
"origin": "SUB",
"destination": "SIN",
"carrier_code": "3K",
"flight number": " 248",
"carrier name": "",
"segment_id": "3K~ 248~ ~~SUB~02\/25\/2015 13:50~SIN~02\/25\/2015 17:15~",
"departure time": "2015-02-25 13:50:00",
"arrival time": "2015-02-25 17:15:00",
"fare id": "0~W1~ ~WLECOW1~6200~~1~X",
"class": "W1",
"sub class": ""
        ],
"passengers": [
"pax number": "0",
"type": "ADT",
"title": "MR",
"gender": "Male",
"first name": "Rudy",
"surname": "",
"last_name": "Wijaya",
"birthdate": "1986-03-24",
"ticket number": "",
"mobile 1": "",
"passpost number": "abcd",
"passpost expired": "1970-01-01 07:00:00"
```

```
"charges": [
"flight number": "3K 248",
"pax_number": "",
"collect type": "seller chargeable",
"charge_type": "fare",
"charge code": "BF",
"ssr type": "",
"charge_name": "FarePrice",
"currency_code": "IDR",
"amount value": "529900.0000",
"amount percent": ""
"flight_number": "3K 248",
"pax_number": "",
"collect type": "seller chargeable",
"charge type": "fee",
"charge code": "TAD",
"ssr type": "",
"charge name": "TravelFee",
"currency_code": "IDR",
"amount_value": "-50000.000",
"amount_percent": ""
        ],
"basic fare": 529900,
"fee_total": -50000,
"ssr_total": 0,
"tax_total": 0,
"discount_total": 0,
"channel_commission_value": 32000
}
```

14. Error Code

14.1. Common Error

Error Code	Error Message
1000	Unknown Error
1001	Connection Error
1002	auth_id is required
1003	IP is not registered
1004	Invalid auth_id. Please contact administrator
1005	Parser Error
1006	Session Expired
1007	Login Failed
1008	Service not found
1010	(Error Connection)

1011	session_id is required
1013	product_category_code is required
1014	Service is not registered
1015	Invalid Product. Please contact administrator.
1016	Invalid User. Please contact administrator.
1017	Pricing Error. Please contact administrator.
1018	Invalid Product Balance. Please contact administrator.
1020	product_code is required

14.2. Airlines Error Code

Error Code	Error Message
2001	origin is required
2002	destination is required
2003	departure_date is required
2004	arrival_date is required
2005	flight_type is required
2006	adult is required
2007	child is required
2008	infant is required
2015	GetItineraryPrice cannot call before GetAvailability
2016	journeys is required
2017	journey[journey_id] is required
2018	fare_id is required
2019	ssr_segments is required
2020	segment_id is required
2021	ssr is required
2022	passenger_number is required
2023	ssr_code is required
2024	international is required
2025	journey[class_code] is required
2030	contact is required
2031	contact[first_name] is required
2032	contact[last_name] is required
2033	contact[title] is required
2034	contact[email] is required
2035	contact[home_phone] is required
2036	contact[other_phone] is required
2037	contact[address] is required
2038	contact[city] is required
2039	contact[province] is required
2040	contact[country] is required
2050	passengers is required
2051	passenger[passenger_number] is required

2052	passenger[first_name] is required	
2053	passenger[last_name] is required	
2054	passenger[title] is required	
2055	passenger[pax type] is required	
2056	passenger[dob] is required	
2057	passenger[passport_number] is required	
2058	passenger[passport_expired] is required	
2059	passenger[gender] is required	
2100	segment_seat is required	
2101	segment_seats[passenger_number] is required	
2102	segment_seats[segment_id] is required	
2103	segment_seats[seat_number] is required	
2104	segment_seats[compartment_designator] is required	
2200	booking_code is required	
2201	total is required	
2202	You must call AddPaymentToBooking before BookingCommit	
2205	CaptchaCommit only available for Lion	
2206	Captcha is required	
2207	You must call GetBookingBookFromState minimal one times at a Booking Process.	
2208	You must call GetBookingBookFromState before call this service.	
2209	Total amount is mismatch.	
2210	You must call GetBooking minimal one times at a Booking Process.	
2300	Please try again	
2400	No SSR Available	
2800	No Flight Available	
2801	You cant sell twice at same session	
2802	Book Code not found	
2900	(Error Booking. DB.API)	
2901	(Error Booking. DB.API)	
2902	(Error Issued. DB.API)	
2903	(Error Issued. DB.API)	
2904	Parse Error	
2999	(Error from Airlines)	