



Available online at www.sciencedirect.com

ScienceDirect

Procedia Computer Science 00 (2023) 000–000

Procedia

Computer Science

www.elsevier.com/locate/procedia

The 12th International Workshop on Agent-based Mobility, Traffic and Transportation Models,
Methodologies and Applications (ABMTrans 2023)
March 15–17, 2023, Leuven, Belgium

SimWrapper, an open source web-based platform for interactive visualization of microsimulation outputs and transport data

William Charlton^a, Bhargava Sana^b

^aTechnische Universität Berlin, Chair of Transport Systems Planning and Transport Telematics, Straße des 17. Juni 135, 10623 Berlin, Germany

^bSan Diego Association of Governments, 401 B Street, Unit 800, San Diego, CA 92101, United States

Abstract

A new open-source, web-based, configurable data visualization platform is presented that is specifically designed to support large-scale transportation simulations including MATSim and ActivitySim. It produces a wide array of interactive charts, maps, animations and analysis dashboards that are generally useful in the transportation domain. Interactive visualizations can be created and viewed locally on an analyst's laptop, or public web-based dashboards can be published for viewing on the open Internet. The details of software design are provided along with several examples of implementation at public agencies. User feedback shows the platform is found to be very flexible, while the straightforward configuration approach enables efficient development and deployment of web-based interactive visualizations. While it is not intended to replace geographic information systems or commercial software packages, the smaller curated set of capabilities is found by users to warrant its current adoption at several public agencies. Further work is needed to add more useful features, improve the platform's quality and user experience, and extend documentation.

© 2023 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Peer-review under responsibility of the Conference Program Chairs.

Keywords: Data visualization; Data dashboards; Transport microsimulation; Human-Computer Interaction; MATSim; ActivitySim

1. Introduction

Data visualization has been an integral part of transportation planning and travel forecasting for decades [3]. More recently, transportation data visualizations have become interactive and can also be shared over the web [4]. This paper describes SimWrapper, an advanced data visualization platform that is unique because it is open source, web-based,

* Corresponding author. Tel.: +1-415-335-9282
E-mail address: charlton@vsp.tu-berlin.de

specifically targets transportation simulation and activity-based model outputs, is actively developed, and is already in use in several locations worldwide.

SimWrapper was originally developed by the Transport Planning and Telematics department at Technische Universität Berlin (TU Berlin) to support MATSim, an agent-based microsimulation framework for large-scale transportation simulations [5]. TU Berlin has been researching open source, web-based visualization platforms for displaying MATSim results since 2017. These tools have taken various names including MatHub [1] and AfterSim [2], and SimWrapper is the latest iteration of this research with some interesting and unique capabilities.

The platform produces a wide array of interactive charts, maps, and dashboards that are generally useful in the transportation domain. User feedback shows the platform is found to be flexible, and straightforward configuration using text files enables efficient development and deployment of repeatable and deployable web-based interactive visualizations. The details of software design are provided below along with some examples of implementation at public agencies.

This new platform, SimWrapper, in a nutshell:

- is a static website in the form of a “single page application” that is compatible with all modern web browsers;
- allows the user to navigate their local filesystem folders in-browser, rather than uploading files to a central server or database. This matches the design of MATSim and other simulation frameworks which all produce collections of output files by default;
- also supports network-based file storage for public- and/or group-accessible shared data (such as model runs or simulation outputs), for internal collaboration and for world-accessible project dashboards;
- provides a collection of data visualization archetypes, e.g. statistical charts, geographic data viewers supporting road and transit network link data, area aggregation maps, X/Y coordinate plots, agent animations, and more;
- can combine all of these components into cohesive dashboards that the user can lay out in a flexible manner, using drag and drop or by editing small text files. These configurations can be applied project-wide;
- enables easy and cost-free online publishing of results.

SimWrapper can be deployed on a local network or accessed directly from the main SimWrapper website linked at the end of this paper. It is used by several project teams at TU Berlin and by some public agencies. SimWrapper is generic enough to be broadly useful, but it is not intended to replace GIS tools nor commercial analysis packages.

2. State of research

Numerous past studies present visualization tools and platforms that were developed to cater to the needs of a broad range of applications, ranging from visualizing traffic microsimulation [2, 8], and transportation accessibility [13] to highway performance measures [12].

Previous literature reveals that the number of web-based interactive platforms specifically developed for visualizing travel demand model inputs and outputs is still limited. Agent-based microsimulation and activity-based models are gaining popularity in recent years due to higher policy sensitivity and behavioral realism [7], and with them the input and output datasets are increasing in granularity and complexity.

Consequently, there is a growing need for tools that can effectively visualize these datasets. The visualizations could potentially be used for a variety of purposes such as conducting quality checks on model inputs, summarizing simulation outputs, comparing outputs across different scenarios, etc. In addition, they may be needed to communicate the findings of travel modeling efforts and analyses to decision-makers and the public, who are less and less interested in reading PDF reports [6].

3. SimWrapper: design and implementation

SimWrapper is an open source and web-based data visualization platform intended for researchers who wish to build interactive dashboards that display the results of their simulations and model runs. The platform is designed as a standalone website which is configured to access files stored on the local machine, on network file servers, or using internet-based file storage.

Initial internal discussions identified necessary capabilities which were then augmented through iterative trial and error fashion. Like many other dashboard tools, SimWrapper can display interactive charts such as bar, line, pie, and scatterplots. But SimWrapper can also create many advanced map-based visualizations of large disaggregate datasets derived from MATSim and ActivitySim [11], described below. Each of these can be viewed individually or combined into cohesive dashboards.

The high-level workflow is as follows: after running a simulation, some outputs such as MATSim trips and events can be directly viewed in SimWrapper, while other outputs require some post-processing to produce summary datasets in comma-separated value (CSV) format. Along with the data, the user provides configuration details for each dashboard which define the layout and any additional parameters. Typical configuration details are the names and locations of input files, color and width symbology specifications, and so on. These parameters can be set on a project level or for individual runs, and are stored as specially-formatted text files using the common "YAML" text markup format. The website reads these files and generates the dashboards. Dashboards can be organized as separate pages, be full-screen, or use a special side-by-side mode for comparison tasks.

End users are not expected to know or use JavaScript, Python or any other notebook programming language; SimWrapper is essentially just a website like any other. It reads the files directly and builds visualizations according to the text configuration files in those same folders.

3.1. User feedback on the design approach

Previous research showed that most regular users in the middle of their research workflow run simulations either on their personal laptop/desktop machines, or on shared compute cluster machines with large storage but no public-facing access to the web. These runs are usually not intended to be immediately published. Analysts often run and review scenarios on their local machines, and then publish "good" runs to a departmental file server.

User feedback from early versions of the tool made two design goals clear: (1) analysts do not want to duplicate and upload their large output files to a new system, and (2) building consistent visualizations across model runs requires the configuration details to be copyable amongst runs.

The first design goal requires finding a way to grant the user's web browser access to select folders on their local filesystem. With Google Chrome and Microsoft Edge, this is as simple as clicking "yes" to a security popup when using the site. For other browsers, a small companion program (link at the end) is provided which runs in the user's top-level data folder. This tool runs a local web (HTTP) server that grants the needed access to files and folders in its startup folder.

The second goal, creating consistent visualizations, is accomplished by authoring configuration files which can be shared among runs or copied between folders as needed. Initially, visualizations can be created interactively using the website, choosing details such as datasets, colors, scales, etc. Then an export button writes the configuration to a text file which can be copied or modified as needed.

This provides a "*best of both worlds*" design where the user isn't expected to memorize the configuration file format and can produce valid configurations using the website itself; but they can also edit the exported text file to rapidly make small changes and share them across model runs.

3.2. Managing, accessing, and publishing files with SimWrapper

Eventually, most users of SimWrapper wish to publish their dashboards (either internally or on the web), so a method for accessing network-based file resources is also provided. For this, the server needs to provide HTTP-based file and folder browsing via a defined URL. This is easily configured on any web server such as NGINX or Apache, and every cloud-based service also provides this option. The configuration details are provided on the SimWrapper website.

The public TU Berlin file server is one such data source, but others can be added by end users. Each source must allow HTTP-based directory access to this storage: SimWrapper needs to be able to *view directory listings and retrieve file contents*. SimWrapper never writes any files anywhere itself; it is a read-only system.

To actually publish a SimWrapper-based website online, one simply clones or copies the website code from the SimWrapper website, copies all data and configuration files to the *data* subfolder, and pushes it to any static web host, such as GitHub Pages. More details are on the SimWrapper website.




Fig. 1. Example dashboard showing (a) vehicle animation and point data, (b) point data aggregated into areas; (c) some basic chart summaries

4. Some key and noteworthy data visualizations implemented in SimWrapper

Figures 1 and 2 show example dashboards with sample data, to give the reader an idea of what is possible with SimWrapper. Unfortunately, the human-computer interface of an interactive plot is impossible to capture in a PDF.

The **link viewer** can display networks in MATSim or shapefile formats. Datasets can be joined by link ID, and then symbology and filtering is configured in the UI or via YAML configuration.

An **area map** visualization allows shapefiles and area-based maps to be created with line, color, fill, filter, and difference symbologies. Multiple datasets can be joined to the area boundaries and maps can be interactively developed and then exported to YAML.

X/Y points and X/Y hexagon viewers handle point data, as not all transport data is link-based. Activity locations, home locations, pickups and dropoffs for transit and taxi modes, all have geographic coordinates associated with them. For this type of point data, two visualizations are provided: one which displays point data directly, possibly linked to time-of-day, and the other which aggregates point data into equal-size hexagons across the map. The default MATSim file *output_trips.csv* is automatically viewable using this visualization.

A **vehicle animation** for MATSim event files allows interactive viewing of vehicle trajectories on a second-by-second basis. Postprocessing can enable the user to focus on specific markets or modes such as autonomous vehicle fleets.

Left out due to space considerations are the basic charts, Vega-Lite[9] advanced charts; MATSim transit networks; MATSim freight/carriers; aggregate origin/destination plots; and a summary table / calculation generator.

5. Example projects using SimWrapper

KoMo:Dnext (Düsseldorf, Germany): An extensive dashboard for the MATSim Düsseldorf transport scenarios, including link flow capacities and volumes, statistical charts, videos, and more. Figure 3 shows a small portion of the site. Viewable online at vsp.berlin/simwrapper/komodnext

SF-CHAMP: San Francisco, California, USA. SF-CHAMP is the activity-based model used by the San Francisco County Transportation Authority (SFCTA)[10]. SFCTA uses SimWrapper to perform quality control on model inputs and to review model outputs, using both the area map and the link viewer.

There is no room for screenshots of the SF-CHAMP project sites, nor is there room for showcasing other projects using SimWrapper, including the ActivitySim consortium of agencies using it in the United States, and the excellent dashboard for the RealLabHH project in Hamburg, Germany, available online for review at vsp.berlin/simwrapper.




Fig. 2. Example dashboard depicting network link, X/Y point-based emissions, and mode shift diagrams

Short- and long-term effects of AVs and ACVs

This page shows the potential effects when introducing automated (AVs) and autonomous connected vehicles (ACVs), together with intelligent infrastructure uniformly and unrestricted to the scenario. We simulated short-term effects by only allowing agents to adapt their plans by re-routing and departure time mutation. Long-term effects also includes mode-choice behaviour.

Short-term travel time savings


The following table shows the reduction in time spent for traveling in car:

	Near fut.	Mid-term	Distant fut.
Vehicle-hours	+1.1%	-3.0%	-8.1%

The overall numbers of car trips stayed the same, because mode-choice was not enabled. This assumption is not plausible for scenarios in the future, but shows the effect, if nobody would switch to a different mode.

Relative travel times

Shown are the mean relative travel time over all congested link in the base scenario throughout the day.



Long-term effects with Mode-choice

The following table shows the number of car trips and driven km and hours compared to the base case:

	Near fut.	Mid-term	Distant fut.
Car trips	-1.2%	+1.7%	+7.1%
Vehicle-km	-1.0%	+1.6%	+6.0%
Vehicle-hours	-0.8%	+0.7%	+3.8%

Here mode-choice has been enabled.

Mode-Shift Distant future

Number of agents switching mode of transportation



Emissions

Particular matter emissions according to HBEFA



Fig. 3. KoMo:Dnext project dashboard

6. Discussion and Conclusions

SimWrapper is under continuous development, and therefore its feature set is fluid. As of this writing, most of the basic needs of a transport planner are met: statistical summaries, area maps, network link displays, point data, and agent animations can all be displayed in cohesive dashboards. These are repeatable for comparison across scenarios, and publishable online. The technology has gone far beyond the old days of PDF reports.

The unique combination of features enables analysts to rapidly prototype and then publish their work, without requiring any programming. Feedback from initial users identifies many specific "pain points" in the use of the system:

(1) initial onboarding is too complex, and a basic off-the-shelf dashboard would help create a starting point for new users; (2) documentation is extensive but always lagging behind current features; (3) YAML configuration files are flexible but difficult to master; and (4) a more consistent way to handle scenario comparisons is needed. Despite these issues, current users convey a very optimistic outlook on their continued use of SimWrapper.

These issues and some new visualizations are currently being considered for the continued development of the platform. Beyond the featureset of SimWrapper itself, longer-term questions remain about the viability of a small open-source research project in the face of commercial tools specifically designed to work with MATSim outputs, as well as very well-established and feature-rich open source tools such as GIS systems. There does appear to be a niche for a completely open source web platform which is specifically designed for transport microsimulation visualization.

Having confirmed the utility and capabilities of a fully browser-based data visualization platform for several projects at multiple agencies, SimWrapper is a viable visualization framework for transport planners interested in an open source tool for analyzing and publishing their work.

7. Online resources

SimWrapper main website: <https://vsp.berlin/simwrapper>

Companion tool for browsing local files: <https://pypi.org/project/simwrapper>

8. Acknowledgements

This research was funded in part by the German Federal Ministry of Transport and Digital Infrastructure (funding number 16AVF2160). The author is thankful for the funding and support provided by the ActivitySim project. Some projects described in this paper use data provided by Senozon Deutschland GmbH.

References

- [1] Charlton, W., Laudan, J., 2020. Web-based data visualization platform for matsim. *Transportation Research Record* 2674, 124–133.
- [2] Charlton, W., Leich, G., Kaddoura, I., 2021. Open-source web-based visualizer for dynamic-response shared taxi simulations. *Procedia Computer Science* 184, 728–733. doi:<https://doi.org/10.1016/j.procs.2021.03.090>. the 12th International Conference on Ambient Systems, Networks and Technologies (ANT) / The 4th International Conference on Emerging Data and Industry 4.0 (EDI40) / Affiliated Workshops.
- [3] Dueker, K.J., Vrana, R., 1990. Geographic information systems in urban public transportation, in: Proceedings of the 1990 Geographic Information Systems (GIS) for Transportation SymposiumCo-sponsored by American Association of State Highway and Transportation Officials, Highway Engineering Exchange Program and Federal Highway Administration.
- [4] Higgins, N., Basile, R., Hecke, S.V., Zissman, J., Gilkeson, S. (Eds.), 2017. Data Visualization Methods for Transportation Agencies. The National Academies Press, Washington, DC. doi:[10.17226/24755](https://doi.org/10.17226/24755).
- [5] Horni, A., Nagel, K., Axhausen, K.W. (Eds.), 2016. The Multi-Agent Transport Simulation MATSim. Ubiquity, London. doi:[10.5334/baw](https://doi.org/10.5334/baw).
- [6] Kahila-Tani, M., Kyttä, M., Geertman, S., 2019. Does mapping improve public participation? exploring the pros and cons of using public participation gis in urban planning practices. *Landscape and Urban Planning* 186, 45–55. doi:<https://doi.org/10.1016/j.landurbplan.2019.02.019>.
- [7] Lemp, J.D., McWethy, L.B., Kockelman, K.M., 2007. From aggregate methods to microsimulation: Assessing benefits of microscopic activity-based models of travel demand. *Transportation Research Record* 1994, 80–88. doi:[10.3141/1994-11](https://doi.org/10.3141/1994-11).
- [8] Lu, W., Liu, C., Thomas, N., Bhaduri, B.L., Han, L.D., 2015. Global system for transportation simulation and visualization in emergency evacuation scenarios. *Transportation research record* 2529, 46–55.
- [9] Moritz, D., accessed 01-jun-2022. Vega-lite: a grammar of interactive graphics. <https://vega.github.io/vega-lite/>.
- [10] Outwater, M.L., Charlton, B., 2006. The san francisco model in practice. *Innovations in Travel Demand Modeling* 24.
- [11] Stabler, B., Doyle, J., 2017. Development of a common open platform for activity-based travel demand modeling: Activitysim.
- [12] Transportation Research Board and National Academies of Sciences Engineering and Medicine, 2022. *Visualization of Highway Performance Measures*. The National Academies Press, Washington, DC. doi:[10.17226/26651](https://doi.org/10.17226/26651).
- [13] Yin, S., Li, M., Tilahun, N., Forbes, A., Johnson, A., 2015. Understanding transportation accessibility of metropolitan chicago through interactive visualization, in: Proceedings of the 1st International ACM SIGSPATIAL Workshop on Smart Cities and Urban Analytics, pp. 77–84.