

The 9th International Workshop on Agent-based Mobility, Traffic and Transportation Models,
(ABMTRANS) March 23 - 26, 2021, Warsaw, Poland

Open-Source Web-Based Visualizer for Dynamic-Response Shared Taxi Simulations

William Charlton^a, Gregor Leich^a, Ihab Kaddoura^a, Kai Nagel^a

^a*Technische Universität Berlin, Chair of Transport Systems Planning and Transport Telematics, Straße des 17. Juni 135, 10623 Berlin, Germany*

Abstract

We describe a unique, web-based data visualization portal developed for use by researchers and public transit agencies investigating future shared-taxi fleet scenarios. Augmenting or even replacing fixed-route transit lines with automated, connected, shared taxi fleets may be a desirable alternative in less-densely developed areas. The MATSim agent-based transport microsimulation model is used to study scenarios including status quo; dynamically-dispatched fleets with drivers; and fully autonomous fleets. This paper focuses on a data visualization portal which includes many interactive views, such as agent (taxi) movements color-coded by number of passengers and trip request origins and destinations, changes in roadway and passenger volumes compared to a base case, and more. The agent-based simulation covers a 24 hour simulation period; analysts can hone in on specific times of day to examine, e.g. school pickup/drop-offs or commute trips connecting to rail stations. The tool is in operation for several small cities and rural regions in Germany and was successfully used as an outreach tool in public meetings. In addition, developers of the MATSim DRT extension found the visualizations particularly useful for debugging both the algorithms and the scenario definitions. All code is open source and, while this specific study has a very specific use case, the portal has an extensible design that could be modified for other purposes.

© 2021 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Peer-review under responsibility of the Conference Program Chairs.

Keywords: shared taxis; data visualization; matsim; public outreach

1. Introduction

Augmenting or replacing fixed-route transit lines with automated, connected, shared taxi fleets may be a desirable alternative for transit agencies in less-densely developed areas. The economics of fixed-route transit are difficult to square with sparse development patterns, especially with the advent of private ride-hailing services which add the

* Corresponding author. Tel.: +49 30 314-23308 ; fax: +49 30 314-26269.

E-mail address: charlton@vsp.tu-berlin.de

”shared taxi” concept to people’s travel options [5]. The same technologies used by private ride-hailing, however, can also be modified and applied to future transit services.

In this study, known in German as AVÖV¹, a new dynamic-response shared taxi service, or ”DRT”, is examined as an alternative approach to serving the population of rural areas and less-dense portions of urban regions. Dynamic-response transit is analyzed using the MATSim agent-based transport microsimulation model. MATSim is an extensible, activity- and multi-agent based transport simulation, which enables the simulation of large scale scenarios. [4]. Crucially, MATSim simulates passenger transport in both private and public modes [9].

The existing methodology behind using MATSim to simulate DRT is well-described by [*] and is not the focus of this paper. Rather, in the course of the effort to develop, analyze and compare various DRT scenarios, a need arose to create some truly unique data visualizations that could assist in improving and displaying the DRT scenarios themselves. A web-based portal is the result of this research. The portal includes many interactive views, such as agent (taxi) movements color-coded by number of passengers and trip request origins and destinations, changes in roadway and passenger volumes compared to a base case, and more. The agent-based simulation covers a 24 hour simulation period; analysts can hone in on specific times of day to examine, e.g. school pickup/drop-offs or commute trips connecting to rail stations.

The tool is now in operation for several small cities and rural regions in Germany, and was successfully used as an outreach tool in online public meetings. Project partners at transit agencies are interested in understanding the detailed implications of the DRT simulations, and without a visual, interactive component, that would be extremely difficult to provide.

Furthermore, developers of the MATSim DRT extension found the visualizations particularly useful for debugging both the algorithms and the scenario definitions. The latest implementations of MATSim include extensive DRT capabilities whose methods are continually being optimized and improved.

All code for MATSim and the visualization portal is open source and, while this specific study has a quite esoteric use case, the portal has an extensible design that could be modified for other purposes.

2. Motivation: Existing Tools and Research

Agent-based microsimulation is quite complex and the reams of data and overwhelming details are not appropriate for public outreach and stakeholder meetings. PDF reports and PowerPoint slides are the norm in these situations, but there is an opportunity here to build something truly interactive, possibly an order of magnitude more useful.

Many existing tools can analyze agent-based transport simulation outputs. **OTFVis** is a venerable open-source tool designed to integrate tightly with MATSim [8], however it is not under active development for several years and has no online component nor DRT-specific capabilities.

The commercial product **Senozon Via** [6] is very feature rich, actively maintained, and is currently used by our research team for myriad internal analysis tasks. It has no online web-based component, although it is very easy to create high-quality screen recordings of simulation results. The lack of interactive options for outreach meetings, as well as Via’s focus on advanced analyst tasks, make it a poor fit for outreach despite its many other advantages.

General geographic information system tools, such as **ArcGis** and its open source corollary **QGis**, are again very analyst-focused. Unlike QGis, ArcGis can create high quality online dashboards and interactive maps, and study team has used them in other settings. ArcGis does not have any MATSim-specific capabilities; the rich agent-based details would be entirely lost in the aggregations required to get DRT outputs onto an ArcGis map. ArcGis is also commercial software and was not considered due to the required financial outlay.

Research by Charlton and Laudan [1] shows that a web-based tool specific to MATSim is now possible, given the latest advances in 3D technology embedded in modern web browsers. That tool, known as ”MatHub”, includes a web front-end (website) which runs in the user’s browser. Through this site the user organizes model outputs, and defines aggregate visualizations for a few typical use cases. The tool also requires a large, complex back-end server component which handles file storage, user authentication, output post-processing, and realtime visualization support.

¹ Automatisierter vernetzter öffentlicher Verkehr: Automated, networked public transit

That work is an obvious starting point for this research, but for reasons that will be described below, much of it was ultimately discarded.

In summary, the existing tools are all either incapable of visualizing the disaggregate outputs of the DRT module of MATSim in an efficient manner, have no web-based online component, or are inappropriate for anyone except highly trained analysts. Thus the new platform described below is seen as a viable solution.

3. The Visualization Platform

Despite two years of development of the previous client/server “MatHub” solution for other studies, many problems remained. The two largest were: (1) The massive size of MATSim outputs (a single run can be 800Mb or more) always preclude loading them into a user’s web browser. This forces post-processing and/or aggregation to happen, which can eliminate many of the benefits of a fully disaggregate analysis. (2) The back-end server design required extensive effort whenever new visualization capabilities were desired. A strict database design and overwrought user/group management capabilities resulted in a rock-solid system that was extremely onerous to modify. It turns out that complex file and user management was unnecessary.²

Trial and error eventually converges on a simplified system that eliminates all of the back-end server complexity by eliminating all of the back-end servers:

- File storage is delegated to existing online storage, instead of creating a special visualization server. On site, we have an existing “Subversion” server [2] which is quite adept at large-file storage and version management. All access to the server is via a very simple interface that can be easily extended to cloud storage, such as Amazon S3
- As the site is intended to be publicly accessible, we discard all user authentication capabilities. If you have a web browser, you can view the results of any runs which are stored *in the public area* of the Subversion server. Naturally some parts of file storage remain off-limits to the greater Internet
- Analysts define visualizations by creating small configuration text files in the same folder as model outputs. These files include all of the details of a visualization — usually just a few lines — pointing to the input files and configuration settings. This eliminates all the hassle of writing code for user interface input dialog boxes.
- Post-processing of outputs must be performed by the analyst as part of their modeling workflow, before uploading to Subversion, since browsers cannot ingest MATSim outputs in their entirety.

The code is designed as a “Single Page Application” or “SPA” which is a modern way of building Javascript-based websites that behave similarly to desktop applications. Most large consumer websites such as Twitter and Facebook behave in a similar manner, thus this paradigm is easy for end users to understand.

Again after much trial and error for which there is no space in this brief paper, the platform is the combination of many different advanced web technologies:

- The overall application framework is based on **VueJS**, a popular Javascript toolkit for building interactive websites
- The agent-based visualizations use custom code (“shaders”) written using the **Deck.gl** visualization library
- Older visualizations borrowed from Charlton’s previous research use the **MapBox GL** mapping library
- Extensive optimization of memory usage for handling these large datasets with the brilliant **crossfilter** Javascript library, which manages lightning-fast filtering of million-rows datasets in multiple dimensions

The entire codebase is open source and is designed with a “plug-in” architecture so that new visualizations can be developed quickly while relying on common infrastructure for things like file access.

² This invokes the programming mantra “YAGNI” – You Aren’t Gonna Need It: just build the simplest possible solution that works instead of over-engineering things.

To create a new visualization, the developer copies an existing template, modifies the Javascript code to take advantage of the Deck.gl or MapBox libraries as needed, and registers it with the main application. End users can then create visualizations by adding corresponding configuration files to a scenario's file server folder.

4. Dynamic-Response Taxi Visualizations

Several unique visualizations depict details specific to the dynamic-response transit scenarios in this study. Standard MATSim outputs such as mode shares by time of day, simulation statistics, trip length summaries, and so on are also available in each scenario subfolder.

These descriptions fit in this scientific paper but for best results it is easiest to view the site in situ, as it remains online and is better demonstrated than described.³

4.1. DRT Animation

A 24-hour agent-based interactive animation of DRT vehicles traversing the roadway network includes the following features: (1) DRT vehicles traversing the roadway links in real-time, sped up, or in reverse time, for analysis; (2) Vehicles color-coded by occupancy, so users can see the relative amount of ride-sharing occurring at different times of day; (3) Passenger origin/destinations depicted as "flyovers" instead of on the street network, so actual supply and demand can be viewed separately from the roads on which that demand occurs;

Each of these components can be turned on or off to assist in reducing clutter in the animation. The 3D map can be zoomed or panned and its pitch angle adjusted to assist in viewing.




Fig. 1: Dynamic Response Transit (DRT) animation screenshots

³ Site is viewable at avo-ev-vsp.github.io

4.2. DRT Passenger and Vehicle volumes

Aggregate summaries of roadway volumes depict total DRT passenger or vehicle volumes in the entire simulation, or for specific times of day. The user can click on a specific link to see the diurnal (time of day) distribution of trips for that link, or can modify the time window being displayed for all links from total to a specific range, such as 6 A.M. to 9 A.M. if morning commute trips are being studied.

Difference plots compare the DRT scenarios to the "base case" depicting current conditions.




Fig. 2: Dynamic Response Transit (DRT) further visualization examples

4.3. Cross-Scenario Modal Shifts

Another aggregate visualization of total mode shift from one scenario to another, in this study comparing DRT scenarios to the base case. These visualizations really highlight the degree to which the new DRT mode is "stealing" trips from existing transit and bicycle modes versus from private vehicles.

5. Results

Throughout summer 2020, our team iterated on dozens of DRT scenarios: varying pricing structures, presence of drivers, service coverage areas, maximum wait time goals, and so on. In August 2020 we began the first public meetings with transit agency staff, with the fully operational website at <https://avoev-vsp.github.io> (available in German only).

The final site displays a front page listing the results for 6-8 scenarios in each region, covering a wide spectrum of DRT scenarios. Then for each scenario, visualizations include the individual agent animations (see above) with occupancy, origin/destination, and routing details; mode shift summaries vs. base case; vehicle volume, passenger volume, and volume differences on roadway links compared to base case; aggregate levels of tripmaking for trips originating or destined to geographical areas ("hexagon plots"); as well as detailed model output summary graphs depicting general taxi occupancy levels by time of day and more.

Each outreach meeting started with technical staff describing the study, the agent-based model, and the results for each alternative in overview; followed by small break-out groups online, in which people could explore the scenarios and discuss the findings among themselves; and finally a return en banc for group discussion. No problems with bugs or site performance were reported.

Some direct feedback from analysts included:

The drt viz helped us understand better how the drt code works and find some issues, e.g. when the system is congested weird things can happen and a large group of vehicles with one passenger per vehicle only moves from

the same start to the same destination at the same time (in an attempt to save each passenger a few seconds it serves them separately and wastes vehicles which then are missing for the next requests). It is really nice to have requests and vehicle occupancy shown, Via did only the latter after some pre-processing.

The website obviously made the AVÖV workshops easier. Instead of only sharing our screen we could hand out a website where people could click themselves. Unfortunately it seemed that those listeners did not use the website a lot and rather kept listening to us. Some hypotheses: Maybe because sometimes a group of people shared one computer and their internet connection was bad, maybe because they are not used to that kind of interaction...

The other plots like passengers/link or vehicles/link are not entirely new; some used QGIS to produce those. However, the website forced us to actually produce all those plots systematically instead of 'we could do that plot, but maybe it's not necessary, let's look into something else or raw data only to avoid the hassle of setting up QGIS...'

The feedback that some of these visualizations are not entirely "new" is of course expected: tools such as QGIS and Via do indeed provide some very nice visualization capabilities already. They are not online tools, however, and are not accessible to non-technical staff such as at a public outreach meeting.

Given this level of feedback, we are pleased with the initial roll-out of the visualization platform, and expect to continue developing it for further analysis of dynamic-response transit systems.

6. Conclusions and Outlook

Several years of trial and error led us to this specific combination of technologies and techniques. The research team is deeply indebted to the developers of so many components and libraries on which this is based, all of which are freely available online and without which this work would have been entirely impossible. The final product is more than parts merely cobbled together: a usable, useful tool for decision-making now exists, and the DRT-specific extensions serve as a template for other work.

Paraphrasing Dennis Ritchie's early description of the UNIX system in Ritchie and Thompson [7], "Success lies not so much in new inventions but rather in the full exploitation of a carefully selected set of fertile ideas, and especially in showing that they can be keys to the implementation of a small yet powerful system."

Our successful experience using the platform in a public outreach setting confirms our belief that advanced agent-based simulations can be part of a decision framework and public policy discussions – ultimately leading to better informed decision-making.

Further enhancements to the underlying platform and to the DRT visualization capabilities are ongoing; the plugin architecture enables other Javascript developers to write plugins for their own agent-based models and their own use cases, if they so desire.

The website remains online at <https://avo-ev-vsp.github.io>. All code is available at <https://github.com/avo-ev-vsp/avo-ev-vsp.github.io> and is licensed under the GNU GPL Version 3 [3]. The authors welcome feedback and code contributions.

7. Acknowledgements

This research was funded in part by the German Federal Ministry of Transport and Digital Infrastructure (funding number 16AVF2160)

References

- [1] Charlton, B., Laudan, J., 2020. A web-based data visualization platform for matsim. Transportation Research Record URL: <https://doi.org/10.1177/0361198120935109>, doi:10.1177/0361198120935109.
- [2] Collins-Sussman, B., Fitzpatrick, B., Pilato, C., . Version control with subversion. For subversion 1.5.
- [3] Free Software Foundation, 2007. GNU General Public License. URL: www.gnu.org/licenses/gpl.html.
- [4] Horni, A., Nagel, K., Axhausen, K.W. (Eds.), 2016. The Multi-Agent Transport Simulation MATSim. Ubiquity, London. doi:10.5334/baw.
- [5] Hough, J., , Taleqani, A.R., 2018. Future of rural transit. Journal of Public Transportation 21, 31–42. URL: <https://doi.org/10.5038/2375-0901.21.1.4>, doi:10.5038/2375-0901.21.1.4.
- [6] Rieser, M., 2016. Senozon via, in: [4]. chapter 33. doi:10.5334/baw.
- [7] Ritchie, D.M., Thompson, K., 1978. The UNIX time-sharing system†. Bell System Technical Journal 57, 1905–1929. URL: <https://doi.org/10.1002/j.1538-7305.1978.tb02136.x>, doi:10.1002/j.1538-7305.1978.tb02136.x.
- [8] Strippgen, D., 2016. Otfvis: Matsim's open-source visualizer, in: [4]. chapter 34. doi:10.5334/baw.
- [9] Ziemke, D., Kaddoura, I., Nagel, K., 2019. The MATSim Open Berlin Scenario: A multimodal agent-based transport simulation scenario based on synthetic demand modeling and open data. Procedia Computer Science 151, 870–877. doi:10.1016/j.procs.2019.04.120.