01/06/2015 Shop

Skip navigation links

- Package
- Class
- Use
- Tree
- Deprecated
- <u>Index</u>
- <u>Help</u>
- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr
- Method

car.shop

Class Shop

- java.lang.Object
- car.shop.Shop

•

```
public class Shop
extends java.lang.Object
```

This class contains the Shop object. When created the user enters services which will be processed by the Shop. It will calculate the total price and the total time for the user. Programmer name: Billy Hutchins Date: 05-30-2015

constructor Summary

Constructors

Constructor and Description

Shop()

01/06/2015 Shop

Method Summary

All Methods <u>Instance Methods</u> <u>Concrete Methods</u>

Modifier and Type	Method and Description
int	<pre>getPrice()</pre>
int	<pre>getTime()</pre>
void	<pre>process(java.lang.String service) processes the service the user enters by calling the calculatePrice and calculatetime method</pre>

Methods inherited from class java.lang.Object

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString,
wait, wait
```

• • Constructor Detail

Shop

```
public Shop()
```

Method Detail

getPrice

```
public int getPrice()

Returns:
    the price of the service
```

getTime

```
public int getTime()

Returns:
    the time for the service
```

process

```
public void process(java.lang.String service)

processes the service the user enters by calling the calculatePrice and calculatetime method
```

Parameters:

service - service user enters

Skip navigation links

- Package
- Class
- Use
- <u>Tree</u>
- Deprecated
- Index
- Help
- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr
- Method