

## [Skip navigation links](#)

- [Package](#)
- [Class](#)
- [Use](#)
- [Tree](#)
- [Deprecated](#)
- [Index](#)
- [Help](#)
  
- [Prev Class](#)
- [Next Class](#)
  
- [Frames](#)
- [No Frames](#)
  
- [All Classes](#)
  
- Summary:
- Nested |
- Field |
- [Constr](#) |
- [Method](#)
  
- Detail:
- Field |
- [Constr](#) |
- [Method](#)

car.shop

## Class DisplayOrder

- java.lang.Object
  - car.shop.DisplayOrder

---

- 

```
public class DisplayOrder
extends java.lang.Object
```

This class contains the methods to convert the price and time values into it's correct formats.  
Programmer name: Billy Hutchins Date: 05-30-2015

- - **Constructor Summary**

Constructors

### Constructor and Description

[DisplayOrder\(\)](#)

- **Method Summary**

All Methods [Static Methods](#) [Concrete Methods](#)

Modifier and Type	Method and Description
static java.lang.String	<a href="#">displayPrice</a> (double totalPrice)
static java.lang.String	<a href="#">displayTime</a> (int totalTime)

- **Methods inherited from class java.lang.Object**

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

- ◦ **Constructor Detail**

- **DisplayOrder**

public DisplayOrder()

- **Method Detail**

- **displayTime**

public static java.lang.String displayTime(int totalTime)

Parameters:

totalTime - time of the service the user enters

Returns:

time of service converted into hours and minutes format

- **displayPrice**

public static java.lang.String displayPrice(double totalPrice)

Parameters:

totalPrice - price of the service the user enters

Returns:

price of service converted into currency format

[Skip navigation links](#)

- [Package](#)
- [Class](#)
- [Use](#)
- [Tree](#)
- [Deprecated](#)
- [Index](#)
- [Help](#)
- [Prev Class](#)

- [Next Class](#)
- [Frames](#)
- [No Frames](#)
- [All Classes](#)
- Summary:
  - Nested |
  - Field |
  - [Constr](#) |
  - [Method](#)
- Detail:
  - Field |
  - [Constr](#) |
  - [Method](#)