01/06/2015 CheckService

# Skip navigation links

- Package
- Class
- Use
- Tree
- Deprecated
- <u>Index</u>
- Help
- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr
- Method

car.shop

# **Class CheckService**

- java.lang.Object
- o car.shop.CheckService

•

public class CheckService
extends java.lang.Object

This class contains the methods which checks if the user enters a valid ID and service. Programmer name: Billy Hutchins Date: 05-30-2015

# • • Constructor Summary

Constructors

**Constructor and Description** 

CheckService()

01/06/2015 CheckService

# Method Summary

All Methods Static Methods Concrete Methods

Modifier and Type Method and Description

Checks if the user entered a valid id

static java.lang.String <a href="mailto:checkService">checkService</a>(java.lang.String order)
Checks if the user entered a valid service.

# Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString,
wait, wait

## Constructor Detail

#### CheckService

public CheckService()

## Method Detail

#### checkID

public static boolean checkID(int id)

Checks if the user entered a valid id

Parameters:

id - id which the user enters

Returns:

true if id is valid false otherwise

#### checkService

public static java.lang.String checkService(java.lang.String order)

Checks if the user entered a valid service. The user can enter even just the first letter of service and is not case sensitive.

Parameters:

order - service which the user enters

Returns:

correct service name if user enters a valid entry. returns Invalid service otherwise

## Skip navigation links

## Package

- Class
- <u>Use</u>
- Tree
- Deprecated
- Index
- Help
- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr
- Method