

Bootstrap



# Components

Over a dozen reusable components built to provide buttons, dropdowns, input groups, navigation, alerts, and much more.



All the tools your team needs in one place. Slack: Where work happens.  
ads via Carbon

Getting started

Layout

Content

## Components

Alerts

Badge

Breadcrumb

Buttons

## Button group

Card

Carousel

Collapse

Dropdowns

Forms

Input group

Jumbotron

List group

Modal

Navs

Navbar

Pagination

Popovers

Progress

Scrollspy

[Tooltips](#)[Utilities](#)[About](#)[Migration](#)

# Button group

Group a series of buttons together on a single line with the button group. Add on optional JavaScript radio and checkbox style behavior with [our buttons plugin](#).

## Contents

- [Basic example](#)
- [Button toolbar](#)
- [Sizing](#)
- [Nesting](#)
- [Vertical variation](#)
- [Tooltips and popovers](#)

## Basic example

Wrap a series of buttons with `.btn` in `.btn-group`.



```
<div class="btn-group" role="group" aria-label="Basic example">
  <button type="button" class="btn btn-secondary">Left</button>
  <button type="button" class="btn btn-secondary">Middle</button>
  <button type="button" class="btn btn-secondary">Right</button>
</div>
```

## Button toolbar

Combine sets of button groups into button toolbars for more complex components. Use utility classes as needed to space out groups, buttons, and more.



```

<div class="btn-toolbar" role="toolbar" aria-label="Toolbar with button groups">
  <div class="btn-group mr-2" role="group" aria-label="First group">
    <button type="button" class="btn btn-secondary">1</button>
    <button type="button" class="btn btn-secondary">2</button>
    <button type="button" class="btn btn-secondary">3</button>
    <button type="button" class="btn btn-secondary">4</button>
  </div>
  <div class="btn-group mr-2" role="group" aria-label="Second group">
    <button type="button" class="btn btn-secondary">5</button>
    <button type="button" class="btn btn-secondary">6</button>
    <button type="button" class="btn btn-secondary">7</button>
  </div>
  <div class="btn-group" role="group" aria-label="Third group">
    <button type="button" class="btn btn-secondary">8</button>
  </div>
</div>

```

Feel free to mix input groups with button groups in your toolbars. Similar to the example above, you'll likely need some utilities though to space things properly.

1	2	3	4	@	Input group example
---	---	---	---	---	---------------------

1	2	3	4
---	---	---	---

@	Input group example
---	---------------------

```

<div class="btn-toolbar mb-3" role="toolbar" aria-label="Toolbar with button groups">
  <div class="btn-group mr-2" role="group" aria-label="First group">
    <button type="button" class="btn btn-secondary">1</button>
    <button type="button" class="btn btn-secondary">2</button>
    <button type="button" class="btn btn-secondary">3</button>
    <button type="button" class="btn btn-secondary">4</button>
  </div>
  <div class="input-group">
    <span class="input-group-addon" id="btnGroupAddon">@</span>
    <input type="text" class="form-control" placeholder="Input group example" aria-describedby="btnGroupAddon">
  </div>
</div>

```

```

<div class="btn-toolbar justify-content-between" role="toolbar" aria-label="Toolbar with button groups">
  <div class="btn-group" role="group" aria-label="First group">
    <button type="button" class="btn btn-secondary">1</button>
    <button type="button" class="btn btn-secondary">2</button>
    <button type="button" class="btn btn-secondary">3</button>
    <button type="button" class="btn btn-secondary">4</button>
  </div>
  <div class="input-group">
    <span class="input-group-addon" id="btnGroupAddon2">@</span>
    <input type="text" class="form-control" placeholder="Input group example" aria-describedby="btnGroupAddon2">
  </div>
</div>

```



Instead of applying button sizing classes to every button in a group, just add `.btn-group-*` to each `.btn-group`, including each one when nesting multiple groups.



```
<div class="btn-group btn-group-lg" role="group" aria-label="...">...</div>
<div class="btn-group" role="group" aria-label="...">...</div>
<div class="btn-group btn-group-sm" role="group" aria-label="...">...</div>
```

## Nesting

Place a `.btn-group` within another `.btn-group` when you want dropdown menus mixed with a series of buttons.




```
<div class="btn-group" role="group" aria-label="Button group with nested dropdown">
  <button type="button" class="btn btn-secondary">1</button>
  <button type="button" class="btn btn-secondary">2</button>

  <div class="btn-group" role="group">
    <button id="btnGroupDrop1" type="button" class="btn btn-secondary dropdown-toggle" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
      Dropdown
    </button>
    <div class="dropdown-menu" aria-labelledby="btnGroupDrop1">
      <a class="dropdown-item" href="#">Dropdown link</a>
      <a class="dropdown-item" href="#">Dropdown link</a>
    </div>
  </div>
</div>
```

## Vertical variation

Make a set of buttons appear vertically stacked rather than horizontally. **Split button dropdowns are not supported here.**



```
<div class="btn-group-vertical">  
  ...  
</div>
```

## Tooltips and popovers

Due to the specific implementation (and some other components), a bit of special casing is required for tooltips and popovers within button groups. **You'll have to specify the option `container: 'body'`** to avoid unwanted side effects (such as the element growing wider and/or losing its rounded corners when the tooltip or popover is triggered).

[GitHub](#) [Twitter](#) [Examples](#) [About](#)

Designed and built with all the love in the world by [@mdo](#) and [@fat](#). Maintained by the **core team** with the help of **our contributors**.  
Currently v4.0.0-alpha.6. Code licensed **MIT**, docs **CC BY 3.0**.

