

Chapter 7. EMV Receipt Guidelines

This chapter consists of:

- EMV Receipt Data
- Offline Decline EMV Receipt Tag Data

7.1 EMV Receipt Data

This section outlines EMV-specific information that should be printed on all EMV transaction receipts.

Magnetic stripe swipe receipt mandates have not changed and are not documented in this manual.

Please refer to Payment Brand requirements or merchant specifications for any clarifications needed on magnetic stripe swipe receipt requirements.

Mandates to print or not print receipts have not changed with the implementation of EMV.

The following are the **MANDATORY** requirements for EMV Receipts:

Table 16 EMV Receipt Data

Field Label	Field Description	Field
General Fields		
Merchant, Marketplace or DBA Name and Address	The name and detail address of the merchant or marketplace	Mandatory
Transaction Time	The time stamp of the transaction	Mandatory
Transaction Date	The date stamp of the transaction	Mandatory
Merchant ID (MID)	The unique reference number of the merchant- Must be truncated if present	Optional
Terminal ID (TID)	The unique reference number of the terminal- Must be truncated if present	Optional
Transaction Number	The unique reference number of the transaction	Mandatory
Receipt/Invoice Number	The unique reference number of the receipt	Mandatory
Card Type	The name of the card issuer (ex. Amex, Discover, JCB, Mastercard, UnionPay, Visa...)	Mandatory
Account Number/Truncated PAN	The account number is printed on the card. In the receipt, the digits of the card number, except the last 4 digits, must be truncated.	Mandatory
Card Entry Method / Transaction Data Source	Method or the Source that is used to read the details of the card: • <u>Chip</u> – Contact Chip Read • <u>Contactless</u> or <u>Waved</u>- Contactless Chip Read • <u>FSwipe</u> or <u>Fallback</u> – Swiped after failed chip read attempt • <u>Magstripe</u> – swiped non-EMV transaction	Mandatory

Field Label	Field Description	Field
Application Preferred Name or Application Label or Terminal Default Label	Preferred mnemonic associated with the Application ID (AID): Display the Application Preferred Name (Tag 9F12) if it is stored in a character set supported by the display (as identified by the Issuer Code Table Index (Tag 9F11)). If the card does not have the Application Preferred Name or the terminal does not support the character set indicated by the Issuer Code Table Index, then the printed copies of the transaction receipt must have the Application Label (Tag 50) If both the Application Preferred Name and the Application Label are not available for usage, then the Terminal Default Name should be printed.	Conditional
Application Identifier	The unique reference number of the EMV application used for the transaction. The AID numbers are truncated	Mandatory
Cryptogram/Transaction Certification	Information on transaction encryption processing	Optional
Approval Code	The authorization code received for the transaction	Mandatory
Authorization Mode	Indicates how the transaction was authorized. Text printed must be: <u>Issuer</u> - for transactions authorized online or through merchant Stand-In/Deferred Authorization <u>Card</u> - if the transaction was authorized or declined by the chip without going online.	Mandatory
Transaction Type	The type of the transaction (Sale/Refund/TOR/Void)	Mandatory
Purchase Details	The brief description of the purchased goods/services with their prices	Mandatory
Transaction Amount / Grand Total and	The total billed amount	Mandatory

Field Label	Field Description	Field
Currency	Unless a specified Currency indicator is not mandatory. If no currency is identified on the transaction receipt, the transaction is deemed to have taken place in the currency that is legal tender at the point of sale.	Conditional
PIN Verify Statement	The status of the cardholder's PIN verification (Verified/not verified)	Mandatory
Signature Line	If the client is capturing signature on the receipt, then a signature like is printed. Else, to verify that the CVM method is printed as signature and no signature is expected.	Conditional
Declaration	The general declaration from the customer **Optional unless required by state/local laws	Optional
Return and Refund Policies	The terms and conditions of the merchant	Mandatory
Payment Network	The network used for routing must be displayed on the receipt. This value can be determined from the Network Label returned in the authorization response. Applicable for CAID when sent in a credit message for clients entitled to both credit and debit processing with Fiserv.	Conditional
Fields for the Declined Transaction		
Decline Code	The system generated error code for the declined transaction	Mandatory
Decline Message	The system generated message for the respective online decline code	Mandatory
Mandatory EMV Tags	For transactions declined offline without going online for authorization must contain "AID", "TVR", "IAD", and "ARC" labels followed by their tag values	Mandatory

 Note	It is ultimately the <u>client's responsibility</u> to adhere to the receipt mandates and recommendations listed. Please note that the items listed are intended to assist in any kind of dispute investigation in a quick and thorough manner.
 Note	Signature lines are to be produced for Signature CVM. Signature lines are conditional for No CVM transactions.

	BP 2400 Merchant and Customer receipts should contain the same data It is recommended that the same information be printed on both the merchant and customer receipts except for the Merchant/Customer copy indicator printed at the bottom of the receipt.
---	--

	RQ 5800 Transaction amount must be printed on the receipt The receipt must show the transaction total amount and identify the currency used for the transaction. For U.S. Dollar transactions “USD\$” or “\$USD” or “\$” must be used. If a currency symbol is not displayed the transaction is assumed to be in the merchant’s local currency.
	RQ 5900 Application Name must be printed on the receipt The Application Preferred Name (Tag 9F12) must be printed on the receipt if it is stored on the chip in a character set supported by the printer. Otherwise, the Application Label (Tag 50) must be printed. If neither are present on the card, the terminal must use the Default Application Label stored in the terminal for the AID selected.
	RQ 6000 Masked Application PAN must be printed on receipt The Application PAN (Tag 5A) must be printed on the receipt. The PAN must be masked and truncated to remove trailing hex ‘F’s.
	RQ 6100 Application ID Must Be Printed on Receipt The Application Identifier (AID) must be printed on the receipt whenever a receipt, electronically or physically, is provided. This is the full brand aid value as provided by the chip.
	RQ 6200 Receipt must identify EMV and Fallback transactions. The Card Entry Method must be printed on the receipt. The text printed must be “Chip Read” for an inserted transaction, “Contactless” for a contactless transaction, or “FSwipe” for a fallback transaction.
	RQ 6300 The CVM selected must be printed on the receipt The Cardholder Verification Method must be printed on the receipt. For PIN transactions “Verified by PIN” must be printed and for signature transactions a signature line must be printed.
	RQ 6400 Receipt must contain the authorization mode. The receipt must include the Authorization Mode indicating how the transaction was authorized. The text printed must be “Issuer” for transactions authorized online or through merchant Stand-In or “Card” if the transaction was authorized/declined by the chip without going online.

✓	RQ 6500 For transactions declined offline receipts must contain mandatory EMV tags All receipts for transactions declined offline without going online for authorization must contain “AID”, “TVR”, “IAD”, and “ARC” labels followed by their tag values in addition to standard receipt requirements.
✓	RQ 6501 Refund Policy to be Printed on the Receipt With the advent of the No Signature required program, Mastercard now requires that The refund policy must be clearly printed on the paper or email receipt offered to the cardholder in a face-to-face environment.

7.2 Offline Decline EMV Receipt Tag Data

The following chart identifies the EMV tags that should be printed on offline decline receipts; receipts where the card has declined the transaction offline without going online. This is the minimum information required by Fiserv. Additional information may be printed if desired.

Table 17 Offline Decline EMV Receipt Data

Receipt Text	Tag	Description	Comment
Tag 9F12 OR Tag 50	9F12 OR 50	Application Preferred Name OR Application Label	If neither is present the Terminal Default Application Label is to be used.
Tag 5F2A	5F2A	Transaction Currency Code	
Tag 5F34	5F34	PAN Sequence Number	Blank if not present
Tag 8A	8A	Authorization Response Code (ARC)	Mandatory Minimum
Tag 82	82	Application Interchange Profile	
Tag 84	84	Application Identifier (AID)	Mandatory Minimum
Tag 95	95	Terminal Verification Results (TVR)	Mandatory Minimum
Tag 9A	9A	Transaction Date	
Tag 9C	9C	Transaction Type	
Tag 9F10	9F10	Issuer Authentication Data (IAD)	Mandatory Minimum
Tag 9F02	9F02	Amount Authorized	Printed with decimal point

Table 17 Offline Decline EMV Receipt Data

Receipt Text	Tag	Description	Comment
Tag 9F03	9F03	Other Amount	Printed with decimal point
Tag 9F07	9F07	Application Usage Control	
Tag 9F0D	9F0D	Issuer Action Code – Default	
Tag 9F0E	9F0E	Issuer Action Code – Denial	
Tag 9F0F	9F0F	Issuer Action Code – Online	
Tag 9F1A	9F1A	Terminal Country Code	
Tag 9F26	9F26	Application Cryptogram	
Tag 9F27	9F27	Cryptogram Information Data	
Tag 9F34	9F34	CVM Results	
Tag 9F36	9F36	Application Transaction Counter	
Tag 9F37	9F37	Unpredictable Number	
TAC Default		Terminal Action Code – Default	
TAC Denial		Terminal Action Code – Denial	
TAC Online		Terminal Action Code – Online	



Listing numerous tags for Offline Declines on a receipt are rooted in the attempt to provide information for any potential customer service disputes and provides a snapshot of the condition that resulted in said decline.



If an Offline Decline overrides an Online Approval, you must reverse the amount of the Request.



RQ 6600 Offline Decline receipt data must be kept

Offline decline receipt data must be kept for a reasonable period (if possible). This information aids in resolution to issues that may arise processing EMV cards.



RQ 6700 Offline Decline EMV receipt data required for all card brands

Offline Decline EMV data is required on all offline decline receipts regardless of card scheme. The data fields must be printed in the order shown in the table above and be identified by the label defined in the “Receipt Text” or “Description” column.

7.3 Fiserv Receipt Requirements

M=mandatory C=Conditional O=optional	EMV Imp Guide 051921	Amex	Discover	Mastercard	Visa	DNA	Interac
Terminal ID (TID)	o	M ² - Contactless					

M=mandatory C=Conditional O=optional	EMV Imp Guide 051921	Amex	Discover	Mastercard	Visa	DNA	Interac
Merchant ID (MID)	O	C ¹ - Contact Required if Merchant Address is not printed M ² - Contactless					
Merchant Name	M	M ¹	M ⁸	M ⁵	M ⁶	M ⁸	M ⁷
Merchant Address	M	C ¹ Required if Merchant ID is not printed	M ⁸	M ⁵	M ⁶	M ⁸	M ⁷
Transaction Type	M	M ¹	M ⁸	M ⁵	M ⁶	M ⁸	M ⁷
PAN (masked to last four digits)	M	M ¹	M ⁴	M ⁵	M ⁶	M ⁸	M ⁷
Transaction Date and Time	M	M ¹	M ⁴	M ⁵	M ⁶	M ⁸	M ⁷
Unique Transaction Number	M	M ¹	M ⁸	M ⁸	M ⁸	M ⁸	M ⁸
Authorization Code	M	M ¹	M ³	M ⁵	M ⁶	M ⁸	M ⁷
Total Transaction Amount-purchase + Cashback (Including Currency Symbol)	Amount-M Currency Symbol-C	M ¹	M ⁴	M ⁵	M ⁶	M ⁸	M ⁷
Cashback Amount (separate to purchase amount)			M ⁴		M ⁶		

M=mandatory C=Conditional O=optional	EMV Imp Guide 051921	Amex	Discover	Mastercard	Visa	DNA	Interac
Signature Line	C-if signature transaction	C ¹ If Signature has been requested	C ⁸ If Signature has been requested	C ⁵ If Signature has been requested	C ⁸ If Signature has been requested	C ⁸ If Signature has been requested	C ⁸ If Signature has been requested
PIN Statement (e.g. PIN Verified)	M	C ¹ If PIN has been performed	C ⁸ If PIN has been performed	C ⁸ If PIN has been performed	C ⁸ If PIN has been performed	C ⁸ If PIN has been performed	C ⁸ If PIN has been performed
AID	M	M ¹	M ³	M ⁸	M ⁸	M ⁸	M ⁷
Brand Name	M	M ¹	M ⁴ (Discover, JCB, and CUP must be printed per the selected AID)	M ⁸	M ⁶ (Must be 'US DEBIT' or VISA DEBIT or another enhanced descriptor and not just 'Visa' for US Debit transactions)	M ⁸	M ⁸
Application Label (Tag 50)	M	M ¹	M ⁴ (Discover, JCB, and CUP must be printed per the selected AID)	M ⁸	M ⁶ (Must be 'US DEBIT' or VISA DEBIT or another enhanced descriptor and not just 'Visa' for US Debit transactions)	M ⁸	M ⁸
Transaction Date Source	M	M ⁸	M ⁸	M ⁸	M ⁸	M ⁸	M ⁷

M=mandatory C=Conditional O=optional	EMV Imp Guide 051921	Amex	Discover	Mastercard	Visa	DNA	Interac
Chip/Magstripe/Contactless							
Declaration (e.g. "I Agree to PAY The Above Total Amount According to The Card Issuer Agreement.")	C – if required by State laws	M ² - Contactless					
Retention Reminder (e.g. "Please Retain For Your Records")		M ² - Contactless					
Description of Each Product	M	M ⁸ (don't raise in feedback, this won't be present in a testing environment)	M ⁸ (don't raise in feedback, this won't be present in a testing environment)	M ⁵ (don't raise in feedback, this won't be present in a testing environment)	M ⁶ (don't raise in feedback, this won't be present in a testing environment)	M ⁸ (don't raise in feedback, this won't be present in a testing environment)	M ⁸ (don't raise in feedback, this won't be present in a testing environment)
Return and Refund Policy	M	M ⁸ (don't raise in feedback, this won't be present in a testing environment)	M ⁸ (don't raise in feedback, this won't be present in a testing environment)	M ⁸ (don't raise in feedback, this won't be present in a testing environment)	M ⁶ (don't raise in feedback, this won't be present in a testing environment)	M ⁸ (don't raise in feedback, this won't be present in a testing environment)	M ⁸ (don't raise in feedback, this won't be present in a testing environment)

M=mandatory C=Conditional O=optional	EMV Imp Guide 051921	Amex	Discover	Mastercard	Visa	DNA	Interac
RRN (for pre-auth transactions only (AFD))							M ⁷
Approved/Declined	M						M ⁷
Authorization Mode (e.g. 'Issuer', 'Stand-In', etc.)	M	M ⁸	M ⁸	M ⁸	M ⁸	M ⁸	M ⁸
Host Network (applicable to US Common Debit Transactions)	C – US debit only		M ⁸	M ⁸	M ⁸		
Tag 5F20 (Cardholder Name)		O	O	O	O	O	<u>MUST NOT BE PRINTED FOR INTERAC</u>

7.4 Declined Receipts

The following chart identifies the EMV tags that must be printed on chip offline decline receipts. This is the minimum information required by Fiserv. RQ 08800

Receipt Text	Tag	Description	Comment
Tag 50	50	Application Label	
Tag 5F2A	5F2A	Transaction Currency Code	
Tag 5F34	5F34	PAN Sequence Number	Blank if not present
Tag 82	82	Application Interchange Profile	
Tag 95	95	Terminal Verification Results	
Tag 9A	9A	Transaction Date	
Tag 9C	9C	Transaction Time	
Tag 9F02	9F02	Amount Authorized	Printed with decimal point
Tag 9F03	9F03	Other Amount	Printed with decimal point

Receipt Text	Tag	Description	Comment
Tag 9F07	9F07	Application Usage Control	
Tag 9F0D	9F0D	Issuer Action Code-Default	
Tag 9F0E	9F0E	Issuer Action Code-Denial	
Tag 9F0F	9F0F	Issuer Action Code-Online	
Tag 9F12	9F12	Application Preferred Name	Blank if in unprintable format
Tag 9F1A	9F1A	Terminal Country Code	
Tag 9F26	9F26	Application Cryptogram	
Tag 9F27	9F27	Cryptogram Information Data	
Tag 9F34	9F34	CVM Results	
Tag 9F36	9F36	Application Transaction Data	
Tag 9F37	9F37	Unpredictable Number	
TAC Default		Terminal Action Code-Default	
TAC Denial		Terminal Action Code-Denial	
TAC Online		Terminal Action Code-Online	

✓	RQ 09000 Offline Decline EMV receipt data must be kept (at least for six months or until batch settlement is performed).
✓	RQ 09100 Offline Decline EMV receipt data required for all card brands.

Chapter 12. EMV Receipt Samples

This chapter consists of:

- EMV Sale/Purchase – PIN Verified Sample
- EMV Sale/Purchase – Fallback Sample
- EMV Offline Decline - Sample

12.1 EMV Sale/Purchase – PIN Verified Sample

The following is an example of a receipt for a Purchase transaction approved online by the host. The CVM used was online PIN and card track data was obtained by reading the EMV chip.

Merchant Name	
Merchant Address 1	
Merchant Address 2	
Merchant Address 3	
06/13/2014 12:50PM	
MID:	
*****2345	
TID: *****5678	
RRN: 123456789012	
Batch #: 000001	
Purchase Details	
Total:	USD\$ 75.03 or \$75.03
<APPLICATION PREFERRED NAME>	
<PAYMENT NETWORK>	
*****8106	
AID: A0000000031010	
Chip Read	
APPROVED 123456	
PIN Verified	
Mode: Issuer	
I agree to pay the above total amount per the Issuer agreement.	
Merchant agreement (if Credit Voucher)	
Retain this copy for your records.	
MERCHANT COPY / CUSTOMER COPY	

EMV Receipt Requirements

- The Merchant Number (MID) and Terminal ID (TID) should be masked.
- **Transaction Type (Purchase)**
- Transaction Amount must be printed on the total line (**75.03**)
- The currency symbol denoting the Transaction currency must be included. If the currency symbol or identification is not on the Transaction Receipt, the Transaction is the local currency of the Transaction Country.
- If the card has the Application Preferred Name (Tag 9F12) and the terminal supports the character set indicated by the Issuer Code Table Index (9F11), then the printed copies of the transaction receipt must have the Application Preferred Name.
- If the card does not have the Application Preferred Name or the terminal does not support the character set indicated by the Issuer Code Table Index, then the printed copies of the transaction receipt must have the Application Label (Tag 50).
- If neither the Application Preferred Name nor the Application Label is available, then the printed copies of the transaction receipt must have the Default Application Name stored in the terminal for that AID.
- Payment Network identifies the network to which the transaction was routed. This comes from the Network Label field provided in the response message.
- Application PAN must be truncated and printed (*******8106**)
- EMV AID must be printed on receipt below the account number and identified by the tag name: AID (**A0000000031010**)
- Card Entry Method indicates card was inserted and card information was obtained from a contact read (**Chip Read**)
- Cardholder Verification Method – A PIN was entered so “**PIN Verified**” is printed.
- Mode identifies that the transaction was sent online to the issuer (**Issuer**)
- **EMV Receipt Best Practices**
- Merchant and Customer receipt copies should be identical except for the receipt copy indicator

12.2 EMV Sale/Purchase – Fallback Sample

The following is an example of a receipt for a credit or debit transaction approved online by the host. The card had a chip Service Code (2xx or 6xx) but there was a chip read error so the card was swiped and the transaction was completed as a Fallback transaction.

Merchant Name
Merchant Address1
Merchant Address 2
Merchant Address 3
06/13/2014 12:50PM
MID: *****12345
TID: *****5678
RRN: 123456789012
Batch #: 000001
Purchase
<APPLICATION PREFERRED NAME>
<PAYMENT NETWORK>
*****8106
FSwipe
Total: USD\$ 75.03 or \$75.03
APPROVED 123456
I agree to pay above total amount According to card issuer agreement. (Merchant agreement if Credit Voucher) Retain this copy for your records.
X _____
Cardholder Signature

EMV Receipt Requirements

- The Merchant Number (MID) and Terminal ID (TID) should be truncated.
- **Transaction Type (Purchase)**
- Track 2 PAN is printed (masked)
- Payment Network identifies the network to which the transaction was routed. This comes from the Network Label provided in the response message.
- Card Entry Method indicates that card information was obtained by swiping the card after a failed chip read (**FSwipe**)
- The currency symbol denoting the Transaction currency must be included. If the currency symbol or identification is not on the Transaction Receipt, the Transaction is the local currency of the Transaction Country
- Total transaction amount must be printed on the total line (**75.03**)
- Card was a fallback swipe, so a signature line is printed **EMV Receipt Best Practices**
- Merchant and Customer receipt copies should be identical except for the receipt copy indicator

MERCHANT COPY / CUSTOMER COPY

 Note	Effective April 2018, Signature will no longer be required to be captured or collected.
---	---

12.3 EMV Offline Decline – Sample

The following is an example of a receipt for a credit or debit transaction declined offline by the EMV chip. The CVM used was Signature and the Track 2 PAN was obtained by reading the EMV chip.

Acceptance problems which lead to transactions being declined offline can be very difficult to analyze and resolve because the data associated with the transaction is not usually kept. It is easier to resolve these problems if the terminal can produce a record of the most important transaction details after the decline. Vendors might choose, as a best practice, to automatically produce a record for all transactions declined offline

	EMV Receipt Requirements
Merchant Name Merchant Address 1 Merchant Address 2 Merchant Address 3 06/13/2014 12:50PM MID: *****12345 TID: *****5678 RRN: 123456789012 Batch #: 000001 Purchase PAYMENT NETWORK (ex. VISA, MasterCard, STAR) *****8106 Chip Read Total: USD\$ \$75.04 Declined Mode: Card AID: A0000000031010 TVR: 0010008000 IAD: 06010A03A40002 ARC: Z1 EMV Offline Data Tag 50: Visa Credit or Debit Tag 5F2A: Tag 5F34: 12 Tag 82: 1234 Tag 95: 0010008000 Tag 9A: 140613 Tag 9C: 125025 Tag 9F02: 75.04 Tag 9F03: 0.00 Tag 9F07: 1234 Tag 9F0D: 1234567890 Tag 9F0E: 1234567890 Tag 9F0F: 1234567890 Tag 9F10: 06010A03A40002 Tag 9F12: VISA CREDIT Tag 9F1A: 123 Tag 9F26: 0123456789ABCDEF Tag 9F27: 12 Tag 9F34: 123456 Tag 9F36: 1234 Tag 9F37: 12345678	Transaction Type (Purchase) - If the card has the Application Preferred Name (Tag 9F12) and the terminal supports the character set indicated by the Issuer Code Table Index (9F11), then the printed copies of the transaction receipt must have the Application Preferred Name - If the card does not have the Application Preferred Name of the terminal does not support the character set indicated by the Issuer Code Table Index, then the printed copies of the transaction receipt must have the Application Label (Tag 50) - If neither the Application Preferred Name nor the Application label is available, then the printed copies of the transaction receipt must have the Default Application Name stored in the terminal for that AID - Application PAN (Tag 5A) must be truncated and masked (*****8106) - Card Entry Method indicates card was inserted and card information was obtained by reading the chip (Chip Read) - The currency symbol denoting the Transaction currency must be included. If the currency symbol or identification is not on the Transaction Receipt, the Transaction is the local currency of the Transaction Country. - Transaction Amount must be printed on the total line (75.04) - Authorization Mode identifies that the transaction was declined offline by the card without going to the issuer (Card) - EMV AID must be printed on receipt and identified by the tag name: AID (A0000000031010) - EMV Information must be printed in the order shown in the sample at left and identified by the tag names. - Cardholder Verification Method – Not printed as the transaction was declined - EMV Offline Data block (i.e. Tag 50, Tag 5F2A, etc.) is printed in the order shown using the labels shown EMV Receipt Best Practices - Merchant and Customer receipt copies should be identical with the exception of the receipt copy indicator