Mathematics **EXERCISE 17.1** Q1. Construct, a $\triangle ABC$, in which (i) $m \overline{AB} = 3.2 \text{cm}$, $m \overline{BC} = 4.2 \text{cm}$, $m \overline{CA} = 5.2 \text{cm}$ Solution: Construction: (i) Draw a line segment $m\overline{CA} = 5.2$ cm. (ii) With center A and radius equal to 3.2 cm, draw an arc. (iii) With center C and radius equal to 4.2 cm, draw another arc to cut the first arc at point B. (iv) Join BC and AB. Then ABC is the required triangle. (ii) $m \overline{AB} = 3.9 \text{cm}$, $m \overline{BC} = 3.6 \text{cm}$, $m \overline{AC} = 4.2 \text{cm}$ Solution: Construction: (i) Draw a line segment \overline{AC} such that $m \overline{AC}$ = 4.2 cm. Mathematics (ii) With center A and radius 3.9 cm draw an arc. (iii) With center C and radius 3.6 cm draw another arc to cut the first arc at B. (iv) Join C to A and B. ABC is the required angle. (iii) $m \overline{AB} = 4.8 \text{cm}, m \overline{BC} = 3.7 \text{cm}, m \angle B = 60^{\circ}$ Solution: Construction: (i) Draw a line segment $m \overline{AB} = 4.8 \text{ cm}$. (ii) At the end B of AB make $m \angle ABC = 60^{\circ}$. (iii) Cut of $m\overline{BC}$ = 3.7 cm. (iv) Join A to C. ABC is the required angle. (iv) $m \overline{AB} = 3$ cm, $m \overline{AC} = 3.2$ cm, $m \angle A = 45^{\circ}$ Solution: 2 Mathematics Construction: (i) Draw a line segment $m\overline{AC}$ = 3.2 cm. (ii) At the end A of \overline{AC} make $\angle CAB = 45^{\circ}$. (iii)Cut off $m\overline{AB} = 3$ cm. (iv) Join B to C. So, ABC is the required triangle. (v) $m \overline{AB} = 4.2 \text{cm}, m \overline{CA} = 3.5 \text{cm}, m \angle C = 75^{\circ}$ Solution: 3.5 cm Construction: (i) Draw a line segment $m \overline{BC} = 4.2 \text{ cm}$. (ii) At the end C of \overline{BC} make $\angle BCA = 70^{\circ}$. (iii) Cut off $m\overline{CA} = 3.5$ cm. (iv) Join A to B. So, ABC is the required triangle. 3 Mathematics (vi) $m \overline{AB} = 2.5 \text{cm}, m \angle A = 30^{\circ}, m \angle B = 105^{\circ}$ Solution: Construction: (i) Draw a line segment $m \overline{AB} = 2.5 \text{ cm}$. (ii) At the end point A of \overline{AB} make $\angle BAC = 30^{\circ}$. (iii) At the end point B of \overline{AB} make $\angle ABC = 105^{\circ}$. (iv) The terminal sides of these two angles meet at C. Then ABC is the required triangle. (vii) $m \overline{AB} = 3.6 \text{cm}, m \angle A = 75^{\circ}, m \angle B = 45^{\circ}$ Solution: Construction: Mathematics (i) Draw a line segment $m \overline{AB} = 3.6$ cm. (ii) At the end point A of \overline{AB} make $\angle BAC = 75^{\circ}$ (iii) At the end point B of \overline{AB} make $\angle ABC = 45^{\circ}$ (iv) The terminal sides of these two angles meet at C. Then ABC is the required triangle. 2. Construct **AXYZ** in which (i) $m\overline{YZ} = 7.6$ cm, $m\overline{XY} = 6.1$ cm and $m \angle X = 90^{\circ}$ Solution: Construction: (i) Draw a line segment $m \overline{XY} = 6.1$ cm. (ii) At the end point X of \overline{XY} make $\angle YXL = 90^{\circ}$. (iii) With center Y and radius equal to 7.6 cm draw an arc to cut \overline{XL} at point Z. (iv) Join Y to Z. Then XYZ is the required triangle. (ii) $m\overline{ZX} = 6.4$ cm, $m\overline{YZ} = 2.4$ cm and $m \angle X = 90^{\circ}$ Solution: Mathematics Construction: (i) Draw a line segment $m\overline{YZ} = 2.4$ cm. (ii) At the end point Y of \overline{YZ} make $\angle XYZ = 90^{\circ}$. (iii) With center Z and radius equal to 6.4 cm draw an arc to cut \overrightarrow{YL} at point X. (iv) Join X to Z. Then XYZ is the required triangle. (iii) $m \overline{XY} = 5.5 \text{cm}$, $m \overline{ZX} = 4.5 \text{cm}$ and $m \angle Z = 90^{\circ}$ Solution: Construction: (i) Draw a line segment $m\overline{ZX}$ = 4.5 cm. (ii) At the end point Z of \overline{ZX} make $\angle XZL = 90^{\circ}$. Mathematics (iii) With center X and radius equal to 5.5 cm draw an arc to cut \overrightarrow{ZL} at point Y. (iv) Join Y to X. Then the required triangle is ΔXYZ . Q3. Construct a right-angled r measure of whose hypotenuse is 5 cm and one side is 3.2 cm. (Hint: Angle in a semi-circle is a right angle). Solution: Construction: (i) Draw a line segment $m \overline{AB} = 5.2 \text{ cm}$. (ii) Find the mid-point O of \overline{AB} . (iii) With center at O and radius equal to $\overline{\mathit{OA}}$ draw and semi-circle. (iv) Join C to A and B. Then ABC is the required triangle. Q4. Construct a right-angled isosceles triangle whose hypotenuse is (i) 5.2 cm long Solution: Mathematics Construction: (i) Draw a line segment $m \overline{AB} = 5 \text{cm}$ (ii) Draw \overrightarrow{LM} the right bisector of \overline{AB} cutting it at the point O. (iii) With center at the point O end AB as diameter draw a semi-circle to cut \overrightarrow{LM} at the point C. (iv) Join C to A and B. So, the required triangle is ΔABC . (ii) 4.8 cm Solution: Construction (i) Draw a line segment $m \overline{AB} = 4.8 \text{ cm}$. (ii) Draw \overline{LM} the right bisector of \overline{AB} cutting it at the point O. Mathematics (iii) With O as center and \overline{AB} as diameter draw a semicircle to cut \overline{LM} at the point C. (iv) Join C to A and B. Then the required triangle is ABC. (iii) 6.2 cm Solution: Construction: (i) Draw a line segment $m \overline{AB} = 6.2 \text{ cm}$. (ii) Draw \overrightarrow{LM} the right bisector of \overline{AB} cutting it at the point O. (iii) With center at the point O and \overline{AB} as diameter, draw a semi-circle to cut \overrightarrow{LM} at the point C. (iv) Join C to A and B. Then the required triangle is ABC. (iv) 5.4 cm Solution: Mathematics Construction: (i) Draw a line segment $m \overline{AB} = 5.4 \text{ cm}$. (ii) Draw \overrightarrow{LM} the right bisector of \overline{AB} cutting it at the point O. (iii) With center at the point O and \overline{AB} as diameter, draw a semi-circle to cut \overrightarrow{LM} at the point C. (iv) Join C to A and B. Then the required triangle is ABC. Q5. (Ambiguous Case) Construct a ΔABC in which (i) $m \overline{AC} = 4.2 \text{cm}$, $m \overline{AB} = 5.2 \text{cm}$, $m \angle B = 45^{\circ}$ (two Δs) Solution: Construction: (i) Draw a line segment $m \overline{AB} = 5.2 \text{ cm}$ (ii) At the end point B make $m \angle ABL = 45^{\circ}$ 10 Mathematics

> (i) Draw a line segment $m \overline{AB} = 6.9 \text{ cm}$ (ii) At the end point A make $m\angle BAL = 90^{\circ}$ (iii) With center at B and radius 7.3 cm, draw an arc to cut \overline{AL} at the end Then $\triangle ABC$ is the required triangles. (iii) $m \overline{BC} = 5 \text{cm}, m \overline{AB} = 3.5 \text{cm}, m \angle B = 60^{\circ}$ (i) Draw a line segment $m \overline{BC} = 5 \text{ cm}$. (ii) At the end point B make $m\angle CBL = 60^{\circ}$ (iii) With center at the point C and radius 3.5 cm draw an arc. So, we cannot construct a triangle with the given data.

(iii) With center at A and radius 4.2 cm, draw an arc to cut $\overline{\it BL}$ at two points

C and C'.

Solution:

Construction

point C.

Solution:

Construction:

It does not cut \overline{BL} .

Page 12 / 12

(iv) Join A to C.

(iv) Join A to C and C'.

So $\triangle ABC$ and $\triangle ABC'$ are two required triangles.

(ii) $m \overline{AB} = 6.9 \text{cm}$, $m \overline{BC} = 7.3 \text{cm}$, $m \angle A = 90^{\circ}$ (one \triangle)

12

11


Mathematics

Mathematics

EXERCISE 17.2

Q1. Construct the following Δ 's ABC. Draw the bisectors of their angles and verify their concurrency. (i) $m\overline{AB} = 4.5 \text{ cm}, m\overline{BC} = 3.1 \text{ cm}, m\overline{AC} = 5.2 \text{ cm}$

Solution:



Construction: (i) Take $m\overline{AB} = 4.5$ cm.

(ii) With B as center and radius $m\overline{BC} = 3.1$ cm draw an arc. (iii) With center A and radius $m\overline{AC}$ = 5.2 cm draw another arc which intersects the first arc at C.

(iv) Join \overline{CA} and \overline{CB} to complete the $\triangle ABC$. (v) Draw bisectors of ΔB and $\angle C$ meeting each other at the point *l*.

(vi) Now draw the bisector of the third $\angle A$. (vii) We observe that the third angle bisector also passes through the point 1. (viii) Hence the angle bisectors of the $\triangle ABC$ are concurrent at I.

(ii) $m \overline{AB} = 4.2 \text{ cm}$, $m \overline{BC} = 6 \text{ cm}$, $m \overline{CA} = 5.2 \text{ cm}$. Solution:

Construction: (i) Take $m \overline{BC} = 6 \text{ cm}$. (ii) With B as center and radius $m \overline{BA} = 4.2$ cm draw an arc.

(iii) With C as center and radius $m\overline{CA} = 5.2$ cm draw another arc which intersects the first arc at A. (iv) Join \overline{BA} and \overline{CA} to complete the ΔABC . (v) Draw bisectors of $\angle B$ and $\angle C$ meeting each other at the point I.

(vi) Now draw the bisector of the third $\angle A$. (vii) We observe that the third angle bisector also passes through the point I. (viii) Hence the angle bisectors of the $\triangle ABC$ are concurrent.

(iii) $m \overline{AB} = 3.6 \text{ cm}, m \overline{BC} = 4.2 \text{ cm}, m \angle B = 75^{\circ}.$ Solution:

Construction: (i) Take $m \overline{BC} = 4.2 \text{ cm}$

(ii) With B as center construct an angle $\angle ABC = 75^{\circ}$ with radius $m \overline{AB} = 3.6 \text{cm}$ draw an arc. (iii) With C as center and radius $m\overline{CA} = 5.2$ cm draw an arc. (iv) Join \overline{BA} and \overline{CA} to complete the $\triangle ABC$. (v) Draw bisectors of $\angle B$ and $\angle C$ meeting each other at the point *I*. (vi) Now draw the bisector of the third $\angle A$.

Q2. Construct the following \triangle 's PQR. Draw their altitudes and show that they

3

Mathematics

2

Mathematics

Solution:

(vii) We observe that the third angle bisector also passes through the point 1.

(viii) Hence the angle bisectors of the $\triangle ABC$ are concurrent at I.

(i) $m \overline{PQ} = 6 \text{ cm}, m \overline{QR} = 4.5 \text{ cm}, m \overline{PR} = 5.5 \text{cm}$

are concurrent.

Construction: (i) Take $m\overline{PQ} = 6$ cm.

(ii) With P as center and radius equal to 5.5 cm draw an arc.

first arc at R. (iv) Join \overline{PR} and \overline{QR} to complete the triangle ΔPQR .

(iii) With Q as center and radius equal to 4.5 cm draw another arc to cut the

(vi) From the vertex Q draw $\overline{\mathit{QM}} \perp \overline{\mathit{PR}}$. These two altitudes meet in the point (vii) Now from the third vertex 'R' draw $\overline{RN} \perp \overline{PQ}$. (viii) We observe that this third altitude also passes through the point of intersection O of the first two altitudes. (viii) Hence the three altitudes of the ΔPQR are concurrent at O.

(ii) $m\overline{PQ}$ = 4.5 cm, $m\overline{QR}$ = 3.9 cm, $m\angle R$ = 45°

Mathematics

(i) Take $m\overline{QR} = 3.9$ cm. (ii) At point R make $m \angle QRS = 45^{\circ}$.

Construction:

O inside the ΔPQR .

are concurrent at O.

 $m\angle Q = 30^{\circ}, \ m\angle P = 105^{\circ}$ $m\angle P + m\angle Q + m\angle R = 180^{\circ}$ $105^{\circ} + 30^{\circ} + m\angle R = 180^{\circ}$ $m\angle R = 180^{\circ} - 135^{\circ} = 45^{\circ}$

Solution

(iii) With center at Q radius 4.5 cm draw an arc to cut \overrightarrow{RS} at the point P. (iv) Join P to Q to complete the ΔPQR . (v) From the vertex P drop $\overline{PL} \perp \overline{RQ}$ produced. (vi) From the vertex Q drop $\overline{QM} \perp \overline{PR}$. These two altitudes meet in the point

intersection O of the first two altitudes. Hence the three altitudes of the ΔPQR

(vii) Now from the third vertex R, drop $\overline{RN} \perp \overline{PQ}$ produced, (viii) We observe that this third altitude also passes through the point of

Mathematics

Mathematics

the point O. (v) Now from the third vertex R drop $RN \perp QP$ produced.

(vi) We observe that the third altitude also passes through the point of

Q3. Construct the following triangles ABC. Draw the perpendicular bisectors of their sides and verify their concurrency. Do you meet inside the triangle?

(vii) Hence the three altitudes of ΔPQR are concurrent at O.

(iv) From the vertex Q drop $\mathit{QM} \perp \mathit{RP}$ produced. These two altitudes meet at

(i) $m \overline{AB} = 5.3 \text{ cm}, m \angle A = 45^{\circ}, m \angle B = 30^{\circ}$

(iv)The terminal sides of these angles meet at C and ABC is the required

(v)Draw perpendicular bisectors of \overline{BC} and \overline{CA} meeting each other at the

(vii) We observe that it also passes through O, the point of intersection of first

(viii) Hence the three perpendicular bisectors of sides of $\triangle ABC$ are concurrent

(vi) Now draw the perpendicular bisector of third side \overline{AB} .

 $m\angle A = 30^{\circ}. \ m\angle B = 60^{\circ}$ $\therefore m \angle C = 180^{\circ} - 30^{\circ} - 60^{\circ} = 90^{\circ}$

(ii)At the end point A make $m \angle BAC = 120^{\circ}$. (iii) With center at the point A and radius 3.2 cm cut $m\overline{CA} = 3.2$ cm. (iv) Join B to C to complete the triangle ABC. (v) Draw perpendicular bisectors of \overline{BC} and \overline{CA} meeting each other at the (vi) Now draw the perpendicular bisector of the third side \overline{AB} . (vii)We observe that it also passes through O, the point of intersection of first two perpendicular bisectors. (viii) Hence the three perpendicular bisectors of $\triangle ABC$ are concurrent at O. Q4. Construct the following Δ 's XYZ. Draw their three medians and show that they are concurrent? (i) $m \overline{YZ} = 4.1 \text{ cm}, m \angle Y = 60^{\circ}, m \angle X = 75^{\circ}.$

(vi) Join X to L to get the median \overline{XL} . (vii) Join Y to M to get the median \overline{YM} . (viii) The medians \overline{XL} and \overline{YM} meet in the point G. (ix) Now draw the third median \overline{ZN} .

(ii) $m \overline{XY} = 4.5 \text{ cm}, m \overline{YZ} = 3.4 \text{ cm}, m \overline{ZX} = 5.6 \text{ cm}$

mark their mid points L, M and N respectively.

(vii) Join Y to midpoint M to get the median \overline{YM} . (viii) The medians \overline{XL} and \overline{YM} meet in the point G. (ix) Now draw the third median \overline{ZN} . (x)We observe that the third median also passes through the point of intersection G of first two medians.

(iv) Join \overline{ZY} and \overline{XY} to get the ΔXYZ .



O inside the ΔPQR .

Solution:

(v) From the vertex P draw $\overline{PL} \perp \overline{QR}$.

(iii) $m \overline{RP} = 3.6 \text{ cm}, m \angle Q = 30^{\circ}, m \angle P = 105^{\circ}$

(iii) From the vertex P drop $PL \perp QR$.

intersection O of the first two altitudes.

(iii) At the point B make $m \angle ABC = 30^{\circ}$.

two perpendicular bisectors.

(ii) $m \, \overline{BC} = 2.9 \, \text{cm}, \, m \angle A = 30^{\circ}, \, m \angle B = 60^{\circ}$

Solution:

triangle.

point O.

at O.

Solution:

Construction:

triangle $\triangle ABC$.

two perpendicular bisectors.

(iii) $m \overline{AB} = 2.4 \text{ cm}, m \overline{CA} = 3.2 \text{ cm}, m \angle A = 120^{\circ}$

point O.

Solution:

Construction:

point O.

Solution:

Construction:

Solution:

Construction:

the first arc at Y.

Solution:

(i) Take $m\overline{ZX} = 5.6$ cm.

(i) Take $m\overline{YZ} = 4.1$ cm.

(ii) At the point Y make $m \angle XYZ = 60^{\circ}$.

(iii) At the point Z make $m \angle YZX = 45^{\circ}$.

 $m\angle X = 75^{\circ}, m\angle Y = 60^{\circ}$

So, $m \angle Z = 180^{\circ} - 135^{\circ} = 45^{\circ}$

(i) Take $m \overline{AB} = 2.4 \text{ cm}$.

Construction: (i) Take $m\overline{RP} = 3.6$ cm. (ii) Draw $m \angle QRS = 45^{\circ}$ and $m \angle RPQ = 105^{\circ}$ to complete ΔPQR .

Construction: (i) Take $m\overline{AB} = 5.3$ cm. (ii) At the point A make $m \angle BAC = 45^{\circ}$.

(i) Take $m \overline{BC} = 2.9 \text{ cm}$. (ii) At the point B make $m \angle ABC = 60^{\circ}$. (iii) At the point C make $m \angle ACB = 90^{\circ}$. (iv)The terminal sides of the two angles meet at A and we get the required

(v)Draw perpendicular bisectors of \overline{BC} and \overline{CA} meeting each other at the

(vii) We observe that it also passes through O, the point of intersection of first

(viii) Hence the three perpendicular bisectors of $\triangle ABC$ are concurrent at O.

(vi) Now draw the perpendicular bisector of third side \overline{AB} .

(x)We observe that the third median also passes through the point of intersection of the first two medians. (xi) Hence the three medians of the ΔXYZ pass through the j same point G i.e. they are concurrent at the point G.

(v) Draw the perpendicular bisectors of the sides \overline{XY} , \overline{YZ} and \overline{ZX} of the ΔXYZ and mark their mid points L, M and N respectively. (vi) Join X to midpoint L to get the median \overline{XL} .

(ii) With center Z and radius $m\overline{YZ}=3.4$ cm draw an arc.

(iii) With center X and radius $m\overline{XY} = 4.5$ cm which intersects

(v) Draw perpendicular bisectors of the sides \overline{YZ} , \overline{ZX} and \overline{XY} of the ΔXYZ (vi) Join X to midpoint L to get the median \overline{XL} . (vii) Join Y to midpoint M to have the median \overline{YM} . (viii) The medians \overline{XL} and \overline{YM} meet in the point G. (ix) Now draw the third median \overline{ZN} .

(xi) Hence the three medians of the ΔXYZ pass through the same point G. That is, they are concurrent at G. (iii) $m\overline{ZX} = 5.6$ cm, $m\angle X = 75^{\circ}$, $m\angle Z = 60^{\circ}$

Construction: (i) Take $m\overline{ZX} = 5.6$ cm. (ii) At the end point Z make $m \angle XYZ = 60^{\circ}$. (iii)At the end point X make $m \angle YXZ = 75^{\circ}$. (iv)The terminal sides of the two angles meet at Y and we get the ΔXYZ . and mark their mid points L, M and N respectively.

intersection G of first two medians. That is, they are concurrent at G.

(x) We observe that the third median also passes through the point of (xi) Hence the three medians of the ΔXYZ pass through the same point G.

Page 11 / 11

11

(iv)The terminal sides of the two angles meet at X and we get the ΔXYZ . (v) Draw perpendicular bisectors of the sides \overline{XY} , \overline{YZ} and \overline{XZ} of the ΔXYZ and Mathematics

8

Mathematics

Mathematics


10

Mathematics

EXERCISE 17.3

Q1. Construct a quadrilateral ABCD, having $m\overline{AB} = m\overline{AC} = 5.3cm$, $m\overline{BC} = m\overline{CD} = 3.8cm$ and $m\overline{AD} = 2.8cm$.

Solution:




Construction:

- (i) With center at A and B radius 5.3 cm draw an arc.
- (ii) Take $\overline{\text{MAB}} = 5.3 \text{ cm}$.
- (iii) With center at B and radius 3.8 cm draw another arc to cut the first arc at D.
- (iv) Join \overline{BC} and \overline{AC} .
- (v) With center at C and radius 3.8 cm draw an arc.
- (vi) With center at A and radius 2.8 c draw another arc to cut the first arc at D.
- (vii) Join \overline{AD} and \overline{DC} to complete the quadrilateral ABCD.
- (viii) Through D draw $\parallel \overline{\text{CA}}$ meeting BA produced at P.
- (ix) Join \overline{PC} .
- (x) The $\triangle PBC$ is the required triangle.

Mathematics

Q2. Construct a Δ equal in area to the quadrilateral PQRS, having $\overline{mQR} = 7cm, \overline{mRS} = 6cm, \overline{mSP} = 2.75cm, \overline{m} \angle QRS = 60^{\circ} \text{ and } m \angle RSP = 90^{\circ} \text{ [Hint: 2. 75 = } 10^{\circ} \text{ Accessor of } 10^{\circ} \text{ Acc$ $\frac{1}{2}$ × 5. 5]

Solution:




Construction:

- (i) Take $m\overline{QR} = 7$ cm.
- (ii) At the point R make $m\angle QRS = 60^{\circ}$
- (iii) With center at R cut off \overline{RS} = 6 cm
- (vi) Join \overline{PQ} to complete the quadrilateral PQRS.
- (vii) Join QS
- (viii) Through P draw PL || QS to meet RQ produced at L.
- (ix) Join SL
- (x) Then LRS is the required triangle

Q3. Construct a Δ equal in area to the quadrilateral ABCD, having $\overline{mAB} = 6cm, \overline{mBC} = 4cm, \overline{mAC} = 7.2cm, \overline{m}\angle BAD = 105^{\circ}$ and $\overline{mBD} = 8cm$.

Solution




2

Mathematics

Construction (i) Take \overline{AB} = 6cm.

- (ii) With center at the end point A and radius 7.2 cm draw an arc.
- (iii) With B as center and radius 4 cm draw another arc to cut AL at the point D.
- (iv) Join AC and BC.
- (v) At the end point A make $m\angle BAL = 105^{\circ}$.
- (vi) With B as center and radius 8 cm draw arc to cut AL at the point D.
- (Vii) Join DC to complete the quadrilateral ABCD. (viii) Draw $\overline{DP} \parallel \overline{CA}$ to meet BA produced at P.
- (ix) Join P to C.
- (x) Then PBC is the required triangle.

Q4. Construct a right-angled triangle equal in area to a given square.



(ii) Mark point E the midpoint of \overline{BC} .

Construction:

Solution:

- (iii) Draw the straight-line DEF to meet AB produced the point F.
- (iv)Then DAF is the required right-angled triangle

Note:

Mathematics

3

= area quadrilateral ABED + area ΔFBE = area quadrilateral ABED + area ΔECD

Right angled triangles DCE and FBE are congruent because mCE = mBE and

= area square ABCD.


So, area ΔDAF

 $m\angle CED = m\angle BEF$.

Page 4 / 4

EXERCISE 17.4

Q1. Construct a Δ with sides 4 cm, 5 cm and 6 cm and construct a rectangle having its area equal to that of the Δ . Measure its diagonals. Are they equal? Solution:



Construction:


- (i) Draw a line segment m \overline{BC} = 6 cm.
- (ii) With center at the point B and radius as 4 cm draw an arc
- (iii) With center at the point C with radius 5 cm draw w another arc cut the first arc at the point A.
- (iv) Join \overline{AC} an \overline{AB} to complete the $\triangle ABC$.
- (v)Bisect \overline{BC} at P.
- (vi)Draw $AL \parallel BC$.
- (vii)Draw perpendicular \overline{DP} to meet \overline{AL} at P.
- (viii) Cut off $\overline{PQ} = \overline{DC}$
- (ix) Join Q to C.

Then PQCD is the required rectangle. Measure the diagonal \overline{DC} =4.5 cm

Q2. Transform isosceles Δ into rectangle.

Mathematics

Solution:




Construction:

- (i)Draw $\overline{AD} \perp \overline{BC}$
- (ii)Draw $\overline{AE} \perp \overline{DC}$
- (iii)Cut off m \overline{AE} = m \overline{DC}
- (iv)Join \overline{EC}

Then ADCE is the required rectangle.

Q3. Construct \triangle ABC such that m \overline{AB} = 3cm, m \overline{BC} = 3.8 cm, m \overline{AC} = 4.8 cm. Construct a rectangle equal in area to the \triangle ABC, and measure its sides.

Solution:



Construction

- (i) Draw a line segment \overline{AC} = 4.8cm
- (ii) With center at A and radius 3 cm draw an arc.
- (iii) With center at C and radius 3.8 cm draw another arc to cut the first arc at B.
- (iv) Join \overline{AB} and \overline{BC} to complete the ΔABC .

2

Mathematics

- (v)Draw $\overline{BL} \parallel \overline{AC}$.
- (vi)Draw \overline{DP} the perpendicular bisector of \overline{AC} to meet \overline{BL} at P.
- (vii)Cut off m \overline{PQ} = m \overline{DC} .
- (viii) Join Q to C.
- (ix) Then PQCD is the required rectangle.
- (x) Measure the sides of the rectangle, m \overline{DC} = 2.4 cm and m \overline{DP} = 2.3 cm.

EXERCISE 17.5

Q1. Construct a rectangle whose adjacent sides are 2.5 cm and 5 cm respectively. Construct a square having area equal to the given rectangle.

Solution:

Construction:

(i)Draw the line segment $m \overline{BC} = 5 \text{cm}$.

(iii)Cut off $m\overline{BA} = 2.5$ cm

(iv)Cut off $m\overline{DE} = m\overline{DC}$.

(v)Produce \overline{AD} to Q.

(vi)Cut off $m\overline{DE} = m\overline{DC}$.

(vii)Bisect \overline{AE} at the point O.

(viii) With O as the center and m \overline{OA} as radius draw semi-circle. (ix) Produce \overline{CD} to meet the semicircle at M.

(x)With $m \overline{DM}$ as a side complete the square DFLM.


(ix)Then DFLM is the required square.

its area and compare with the area of the rectangle.

Q2. Construct a square equal in area to a rectangle whose adjacent sides are 4.5 cm and 2.2 cm respectively. Measure the sides of the square and find

Mathematics

Solution:



(i) Take $m\overline{BC} = 4.5$ cm

Construction:

- (ii)At the end point B draw $\overline{BP} \perp \overline{BC}$.
- (iii) Cut off $m \overline{BA} = 2.2 \text{ cm}$
- (iv)Complete the rectangle ABCD.
- (v)Produce \overline{AD} to E making $m \overline{DE} = m \overline{CD}$.
- (vi)Bisect \overline{AE} at O. (vii)With center O and radius $m \overline{OA}$ describe a semi-circle in M.
- (viii) Produce \overline{CD} to meet the semi-circle in M. (ix)On DM as a side construct a square DFLM. this shall be the required
- square.
- (x) Measure the side of the square $m \overline{DF} = 3.2 \ cm$
- Area of rectangle = $4.5 \times 2.2 = 9.90 \text{ cm}^2$ (approx.).

Q3. In Q2 above verify by measurement that the perimeter of the square is

Area of the square = $3.2 \times 3.2 = 10.24 \text{ cm}^2$ (approx.).

less than that of the rectangle. Solution:

Perimeter of square= $4 \times 3.2 = 12.8 \text{ cm}^2$


Mathematics

2

Perimeter of rectangle= $2(4.5 + 2.2) = 2(6.7) = 13.4cm^2$

Q4. Construct a square equal in area to the sum of two squares having sides 3 cm and 4 cm respectively.

So, perimeter of square is less than that of rectangle.



(iii) \overline{AB} as a side of square complete the square ALMN.

other.

Construction:

Solution:

(iv) \overline{AL} as a side of square complete the square ALMN. (v) Join \overline{BN}

(vi) With \overline{BN} as a side, complete the square BQPN. BQPN is the required

square. Q5. Construct a Δ having base 3.5 cm and other two sides equal to 3.4 cm

and 3.8 cm respectively. Transform it into an equal square.

Solution:

3



Mathematics

(vii) Take the line EFG and cut off \overline{EF} = \overline{DP} and \overline{FG} = \overline{DC} .

Construction:

(i) Take $m \overline{BC} = 3.5 \text{ cm}$.

(ix) With \overline{MF} as side complete the square FMNR. Then FMNR is required square.

(iv)Draw $PAQ \parallel \overline{BC}$.


(v)Draw $\overline{CQ} \perp \overline{PQ}$ meeting it in Q.

Q6. Construct a Δ having base 5 cm and other sides equal to 5 cm and 6 cm. Construct a square equal in area to given Δ . Solution:

(ii) With B as center draw an arc of radius 3.8 cm and with C as center and

radius 3.4 cm draw another arc to meet the first are at C.

(iii) Join A to B and A to C to complete the ΔABC .



(v) Draw perpendicular bisector of \overline{BC} , bisecting it at D and meeting PAQ at

(ix)With O as center and radius $m \overline{OE}$ draw a semi-circle. (x)At F draw $\overline{FM} \perp \overline{EG}$, meeting the semi-circle at M.

(vi) Draw $\overline{CQ} \perp \overline{PQ}$ meeting in Q.

Ρ.

ClassNotes, Inc. © 2021

(iii) Join \overline{AB} and \overline{AC} to get the $\triangle ABC$.

(xi) With \overline{MF} as a side complete required square FMNR.

Mathematics

(viii) Take a line EFG and cut off \overline{EF} = \overline{DP} and \overline{FG} = \overline{DC} .

REVIEW EXERCISE 17

Q1. Fill in the following blanks to make the statement true:

- (i) The side of a right-angled triangle opposite to 90 $^{\circ}$ is called
- (ii) The line segment joining a vertex of a triangle to the mid-point of its opposite side is called a
- (iii) A line drawn from a vertex of a triangle which is to its opposite side is called an altitude of the triangle.
- (iv) The bisectors of the three angles of a triangle are
- (v) The point of concurrency of the right bisectors of the three sides of the triangle is from its vertices.
- (vi) Two or more triangles are said to be similar if they are equiangular and measures of their corresponding sides are
- (vii) The altitudes of a right-angled triangle are concurrent at the of the right angle.

Answers:

- (i) hypotenuse (ii) median
- n (iii) perpendicular
- (iv) concurrent (v) equidistant (vi) proportional (vii) vertex

Q2. Multiple Choice Questions. Choose the correct answer.

(i) A triangle having two sides congruent is called _____

- (a) scalene
- **(b)** right angled
- (c) equilateral (d) isosceles

Mathematics

(ii)A quadrilateral having each angle equal to 90 $^\circ$ is called _____

- (a) parallelogram
- (b) rectangle
- (c) trapezium (d) rhombus

(iii)The right bisectors of the three sides of a triangle are ______ (a) congruent (b) collinear

- (a) congruent (b) colline
 (c) concurrent (d) paralle
- (c) concurrent (d) parallel

(iv)The _____ altitudes of an isosceles triangle are congruent. (a) two (b) three

- (c) four (d) none

(v) A point equidistant from the end points of a line segment is on its _____ (a) bisector (b) right-bisector

- (c) perpendicular (d) median
- (vi) _____ congruent triangles can be made by joining the mid-points of the sides of a triangle.
- (a) three (b) four
- (c) five (d) two
- (c) five (d) two
- (vii)The diagonals of a parallelogram _____ each other.
- (a) bisect(b) trisect(c) bisect at right angle (d) none of these

Mathematics

2

(viii) The medians of a triangle cut each other in the ratio _____

- (a) 4:1 (b) 3:1
- (c) 2:1 (d) 1:1

of its vertical angle? _____

(ix)One angle on the base of an isosceles triangle is 30°. What is the measure

- (a) 30° (b) 60° (c) 90° (d) 120°
- (x)If the three altitudes of a triangle are congruent, then the triangle is ____
- (c) isosceles (d) acute angled

(xi)It two medians of a triangle are congruent then the triangle will be _____ (a) isosceles (b) equilateral

(c) right angled (d) acute angled

(ix) a

(x) a

Answers:

(i) d (ii) b (iii) c (iv) a (v) b

(b) right angled

(xi) a Q3. Define the following (i) Incentre

(viii) c

The internal bisectors of the angle of a triangle meet at a point called the

(vi) b

(a) equilateral

incentre of the triangle.

(ii) Circumcenter

a Δ is called the Circumcenter of the Δ .

(vii) a

Mathematics

3

(iii) Ortho center $\label{eq:center}$ The point of concurrency of three altitudes of a Δ is called its ortho center.

The point of concurrency of the three perpendicular bisectors of the sides of

(iv) Centroid

triangle.

(v) Point of concurrency

Three or more than three lines are said to be concurrent, if they all pass

The point where the three medians of a Δ meet is called the centroid of the

through the same point.

The common point is called point of concurrency of the point of concurrency

of the lines.

Page 4 / 4