



1 UNDER FIRST FLOOR DRAINAGE PLAN  
1/4" = 1'-0"

2 ABOVE FIRST FLOOR DRAINAGE PLAN  
1/4" = 1'-0"



3 DRAINAGE ISOMETRIC TOILET AREA



4 SECTION B  
1/2" = 1'-0"

#### GENERAL NOTES:

- DISCREPANCIES: REFER TO PLUMBING SPECIFICATIONS FOR FURTHER INFORMATION AND REQUIREMENTS FOR PLUMBING CONTRACTOR.
- CONTRACTORS AND SUB-CONTRACTORS SHALL CAREFULLY REVIEW THE CONSTRUCTION DOCUMENTS. INFORMATION REGARDING THE COMPLETE WORK IS DISPERSED THROUGHOUT THE DOCUMENT SET AND CANNOT BE ACCURATELY OBTAINED WITHOUT REFERENCE TO THE COMPLETE DOCUMENT SET.
- COORDINATE WITH THE WORK OF OTHER SECTIONS, EQUIPMENT FURNISHED BY OTHERS, REQUIREMENTS OF THE OWNER, AND WITH THE CONSTRAINTS OF THE EXISTING CONDITIONS OF THE PROJECT SITE. PROVIDE PIPE, RISER, CLOSURE, AND OFFSETS, AS REQUIRED FOR FIELD INSTALLATION AND TRADE COORDINATION. NOTIFY ARCHITECT OF ANY DISCREPANCIES BEFORE STARTING WORK.
- DRAWINGS FOR PLUMBING WORK ARE DIAGNOSTIC, SHOWING THE GENERAL LOCATION, TYPE, LAYOUT AND EQUIPMENT. REQUIREMENTS FOR PLUMBING SHALL NOT BE RELIED ON AS THE EXCLUSIVE BASIS FOR DETERMINING THE EXACT LOCATION, TYPE, SIZE, AND MATERIALS. REFER TO THE PLUMBING SPECIFICATIONS FOR FURTHER INFORMATION AND ALL MATERIALS NECESSARY FOR A COMPLETE SYSTEM. EXCEPT AS NOTED OTHERWISE BY THE SPECIFICATIONS.
- ALL WORK SHALL COMPLY WITH STATE AND LOCAL CODE REQUIREMENTS AS APPROVED AND AMENDED BY THE GOVERNING CITY. INCLUDE APPROPRIATE SECTIONS OF ANY RETAINING AND/OR ELEVATION AT THE TIME OF THE PROPOSAL. FURNISH ALL PERMITS ASSOCIATED WITH THE WORK. OBTAIN ALL INSPECTIONS REQUIRED BY CODE.
- PROVIDE EACH JOINT OR PENETRATION THROUGH EXISTING IN-WALLS, EXISTING PLUMBING FIXTURES AND/OR EQUIPMENT, AS SHOWN ON PLANS AND ELEVATIONS, AS REQUIRED BY LOCAL AUTHORITIES. USE SERVICES OF APPROVED TYPE AND MANUFACTURER, AT THE DISCRETION OF THE CONTRACTOR. PRESSURE INCLUDES EXISTING, EXERCISE, AND REDUCED PRESSURE.
- WATER PRESSURE: PLUMBING CONTRACTOR SHALL VERIFY WATER PRESSURE, PRIOR TO CONSTRUCTION. IF PRESSURE AT SERVICE ENTRY, BASED ON LOCAL CONDITIONS, EXCEEDS 80 PSI, A WATER REDUCING VALVE OR PRESSURE REDUCING VALVE SHALL BE INSTALLED PRIOR TO ANY OTHER WORK. IF PRESSURE IS 80 PSI OR LESS, NO PRESSURE REDUCING VALVE IS REQUIRED.
- WATER HAMMER ARRESTOR SHALL BE INSTALLED THROUGHOUT PLUMBING WATER SYSTEMS AS REQUIRED.

#### PLUMBING KEY NOTES

- EXTEND AND CONNECT NEW 1/2" SANITARY SEWER TO EXISTING 1/2" LANDFILL PROVIDED SANITARY SEWER. EXISTING 1/2" SANITARY SEWER SHALL BE EXTENDED TO EXISTING 1/2" SANITARY SEWER. EXISTING 1/2" SANITARY SEWER SHALL BE EXTENDED TO EXISTING 1/2" SANITARY SEWER. EXISTING 1/2" SANITARY SEWER SHALL BE EXTENDED TO EXISTING 1/2" SANITARY SEWER.
- EXTEND AND CONNECT NEW 3/4" OR 1" PIPING TO EXISTING 3/4" LANDFILL PROVIDED SANITARY SEWER. EXISTING 3/4" SANITARY SEWER SHALL BE EXTENDED TO EXISTING 3/4" SANITARY SEWER. EXISTING 1" SANITARY SEWER SHALL BE EXTENDED TO EXISTING 1" SANITARY SEWER.
- EXTEND AND CONNECT NEW 1/2" VENT TO EXISTING 1/2" LANDFILL PROVIDED VENT. EXISTING 1/2" VENT SHALL BE EXTENDED TO EXISTING 1/2" VENT. EXISTING 1" VENT SHALL BE EXTENDED TO EXISTING 1" VENT.
- PROVIDE 1/2" SANITARY SEWER OR 1" VENT TO EXISTING 1/2" LANDFILL PROVIDED VENT. EXISTING 1/2" VENT SHALL BE EXTENDED TO EXISTING 1/2" VENT. EXISTING 1" VENT SHALL BE EXTENDED TO EXISTING 1" VENT.
- PROVIDE 1/2" SANITARY SEWER OR 1" VENT TO EXISTING 1/2" LANDFILL PROVIDED VENT. EXISTING 1/2" VENT SHALL BE EXTENDED TO EXISTING 1/2" VENT. EXISTING 1" VENT SHALL BE EXTENDED TO EXISTING 1" VENT.
- PROVIDE 1/2" SANITARY SEWER OR 1" VENT TO EXISTING 1/2" LANDFILL PROVIDED VENT. EXISTING 1/2" VENT SHALL BE EXTENDED TO EXISTING 1/2" VENT. EXISTING 1" VENT SHALL BE EXTENDED TO EXISTING 1" VENT.
- PROVIDE 1/2" SANITARY SEWER OR 1" VENT TO EXISTING 1/2" LANDFILL PROVIDED VENT. EXISTING 1/2" VENT SHALL BE EXTENDED TO EXISTING 1/2" VENT. EXISTING 1" VENT SHALL BE EXTENDED TO EXISTING 1" VENT.
- PROVIDE 1/2" SANITARY SEWER OR 1" VENT TO EXISTING 1/2" LANDFILL PROVIDED VENT. EXISTING 1/2" VENT SHALL BE EXTENDED TO EXISTING 1/2" VENT. EXISTING 1" VENT SHALL BE EXTENDED TO EXISTING 1" VENT.