

TESTAR execution sequence report for sequence 7

Reverse order


Test verdict for this sequence: Discovered suspicious widget 'WebName' : 'Exception: Something went wrong'.

Severity: 9.0E-8

State 14


ConcreteIDCustom=SCC27r14s2873302899221

AbstractIDCustom=SAC1exi652032715839438



Selected Action 14 leading to State 14"

ConcreteIDCustom=ACCsz1gu57f1508054377 || Left Click at '+/-'



Set of actions:

- **Left Click at 'C'** || Compound Action = Move mouse to (418.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1rupdb27f4159194877 || AbstractIDCustom=AAce1olsh1c1328074264
- **Left Click at 'cos'** || Compound Action = Move mouse to (818.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1e7cygm7f3769988530 || AbstractIDCustom=AAce1olsi1c3592527778
- **Left Click at '.'** || Compound Action = Move mouse to (718.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ftfeik7f2227914091 || AbstractIDCustom=AAce1olsd1c1212484097
- **Left Click at 'tan'** || Compound Action = Move mouse to (818.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12id6os7f2298359428 || AbstractIDCustom=AAce1olsl1c1184793139

- **Left Click at '+'** || Compound Action = Move mouse to (518.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCSz1gu57f1508054377 || AbstractIDCustom=AAC99iflw1d4103313963
- **Left Click at 'sin'** || Compound Action = Move mouse to (818.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgxri1n7f135560290 || AbstractIDCustom=AACe1olse1c3511442363
- **Left Click at '='** || Compound Action = Move mouse to (718.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2cx16l7f69277581 || AbstractIDCustom=AACe1olsk1c832156325
- **Left Click at '0'** || Compound Action = Move mouse to (468.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1v02j8l7f1182005035 || AbstractIDCustom=AACe1olsj1c2703666996
- **Left Click at '1'** || Compound Action = Move mouse to (418.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1bnsge27f1158069830 || AbstractIDCustom=AACe1olsf1c2789960493
- **Left Click at '+'** || Compound Action = Move mouse to (718.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCe1wsyf7f1818905787 || AbstractIDCustom=AACe1olsg1c942669454
- **Left Click at '/'** || Compound Action = Move mouse to (718.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCu8tpvf7f3733238784 || AbstractIDCustom=AAC99ifly1d446561031
- **Left Click at 'Close Scientific'** || Compound Action = Move mouse to (518.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCycq8ka7f1810349876 || AbstractIDCustom=AAC99iflv1d2207558333
- **Left Click at '%'** || Compound Action = Move mouse to (618.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1t4hmec7f1888479124 || AbstractIDCustom=AAC99iflx1d1838861201
- **Left Click at 'Pi'** || Compound Action = Move mouse to (818.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ue9vdm7f1381731593 || AbstractIDCustom=AAC99iflz1d2230939300

State 13


ConcreteIDCustom=SCC1dbfob728a32251333

AbstractIDCustom=SAC1exi652032715839438

10				
C	+/-	%	/	Pi
7	8	9	x	n!
4	5	6	-	sin
1	2	3	+	cos
0		.	=	tan
Close Scientific				

Selected Action 13 leading to State 13"

ConcreteIDCustom=ACC1boqvsr801503815123 || Left Click at 'Continue to scientific calculator?'




Set of actions:

State 12

ConcreteIDCustom=SCCxqkk3c2772099553419

AbstractIDCustom=SAC1sy9dxl1df970807916



Selected Action 12 leading to State 12"

ConcreteIDCustom=ACCkpl016814199022423 || Left Click at 'Open Scientific'



Set of actions:

- Left Click at '/' || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCglohcb811327821923 || AbstractIDCustom=AAC159c9jr1e3349918021
- Left Click at '-' || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC126a5zg81359335176 || AbstractIDCustom=AAC18v6d4p1d1936949613
- Left Click at 'C' || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1e7k4ry811715996318 || AbstractIDCustom=AAC18v6d4u1d3977712846
- Left Click at 'Open Scientific' || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCkpl016814199022423 || AbstractIDCustom=AAC18v6d4v1d2584749144
- Left Click at '+' || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCerkfb814257877208 || AbstractIDCustom=AAC18v6d4r1d2642272321
- Left Click at '0' || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCrfqyy812044257500 || AbstractIDCustom=AAC18v6d4s1d52000226
- Left Click at '+/-' || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfbw8b1813359855882 || AbstractIDCustom=AAC18v6d4w1d179255753
- Left Click at '% ' || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fhcdt8813777996791 || AbstractIDCustom=AAC18v6d4x1d2108164447
- Left Click at '1' || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCy0n7uy813567713829 || AbstractIDCustom=AAC18v6d4q1d3933917399

- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1nqvuml812508281838 || AbstractIDCustom=AAC18v6d4t1d1948140916

State 11

ConcreteIDCustom=SCC1367lro21b2951408757

AbstractIDCustom=SAC1vz0ls91a91462790301

10			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 11 leading to State 11"

ConcreteIDCustom=ACCa0mvsn81790420559 || Left Click at '0'



Set of actions:


- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCa0mvsn81790420559 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3ae4uv812894317508 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '-'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCkr3at5811135558043 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wxtf3u812659675545 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCy25imx813085672292 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCglgcon812187511478 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1y7lo5481434162928 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwsd9ln81814497293 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16bozga813276107645 || AbstractIDCustom=AAC18v6d4t1d1948140916

- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1i0or84812869834827 || AbstractIDCustom=AAC18v6d4r1d2642272321

State 10

ConcreteIDCustom=SCC16je3sl21b1670324093

AbstractIDCustom=SAC1vz0ls91a91462790301



Selected Action 10 leading to State 10"

ConcreteIDCustom=ACCfcoyda801440691445 || Left Click at '1'



Set of actions:

- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226

State 9

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 9 leading to State 9"

ConcreteIDCustom=ACCjibwhs802484260824 || Left Click at '-'



Set of actions:


- Left Click at '+/-' || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753
- Left Click at '/' || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021
- Left Click at '+' || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- Left Click at '-' || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- Left Click at '0' || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- Left Click at '=' || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- Left Click at 'Open Scientific' || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC18v6d4v1d2584749144
- Left Click at 'C' || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- Left Click at '%' || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447

- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399

State 8

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301



Selected Action 8 leading to State 8"

ConcreteIDCustom=ACC1wyu9tr803462217395 || Left Click at '/'



Set of actions:

- **Left Click at '-'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021

State 7


ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 7 leading to State 7"

ConcreteIDCustom=ACCwte4bk801616276775 || Left Click at '%'



Set of actions:

- Left Click at '%' || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447
- Left Click at '/' || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021
- Left Click at '0' || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- Left Click at 'Open Scientific' || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC18v6d4v1d2584749144
- Left Click at 'C' || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- Left Click at '+' || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- Left Click at '=' || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- Left Click at '1' || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399
- Left Click at '.' || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613

- **Left Click at '+'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753

State 6

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 6 leading to State 6"

ConcreteIDCustom=ACCvjlvaa803878800462 || Left Click at 'C'



Set of actions:

- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '-'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846

- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447

State 5


ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 5 leading to State 5"

ConcreteIDCustom=ACC1vp20sh801228578778 || Left Click at '+/-'



Set of actions:

- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '.'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613

- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399

State 4

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 4 leading to State 4"

ConcreteIDCustom=ACC1grxcwr802092156424 || Left Click at '+'



Set of actions:

- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '-'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021

State 3

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 3 leading to State 3"

ConcreteIDCustom=ACC1wyu9tr803462217395 || Left Click at '/'



Set of actions:

- Left Click at '1' || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399
- Left Click at '+' || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- Left Click at '-' || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- Left Click at '0' || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- Left Click at '/' || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021
- Left Click at '+/-' || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753
- Left Click at '=' || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- Left Click at 'C' || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- Left Click at '%' || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447

State 2

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 2 leading to State 2"

ConcreteIDCustom=ACC8rvhha804171312652 || Left Click at '0'



Set of actions:

- Left Click at '%' || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447
- Left Click at '1' || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399
- Left Click at 'Open Scientific' || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC18v6d4v1d2584749144
- Left Click at '-' || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- Left Click at '+' || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321
- Left Click at '0' || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- Left Click at 'C' || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- Left Click at '+/-' || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753
- Left Click at '/' || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021

- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152x14x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916

State 1

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 1 leading to State 1"

ConcreteIDCustom=ACC1wyu9tr803462217395 || Left Click at '/'



Set of actions:

- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152x14x80351837502 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4w1d179255753

- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4r1d2642272321

State 0

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			