TESTAR execution sequence report for sequence 1

Reverse order

State 0

ConcreteIDCustom=SCC1ya7k462161369305789

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCl6rf4n813754048053 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12ngl2x813930809319 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCarjwe381820953194 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4dlcgz81499030877 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16rd3rs811596483795 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lc7kmu814138649800 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCyhtmyf81730241226 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mya0os81929248229 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmgjo5x811487248220 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmstv6l812573754481 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1886jg813274150170 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCo2m47v81504348952 || AbstractIDCustom=AAC18v6d4q1d3933917399

- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o829q2812953089676 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzrlvzp812900441507 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvxzis8148917047 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11doc1n811831649934 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2i0fkq811145057395 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1k2fblk811909025185 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1yn9sgm812240662366 || AbstractIDCustom=AAC159c9jx1e784864368

Selected Action 1 leading to State 1"

ConcreteIDCustom=ACCmgjo5x811487248220 || Left Click at '+'

State 1

ConcreteIDCustom=SCC1ya7k462161369305789

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvxzis8148917047 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lc7kmu814138649800 || AbstractIDCustom=AAC18v6d4u1d3977712846

- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmgjo5x811487248220 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11doc1n811831649934 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCl6rf4n813754048053 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4dlcgz81499030877 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1yn9sgm812240662366 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mya0os81929248229 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzrlvzp812900441507 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCyhtmyf81730241226 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1k2fblk811909025185 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCarjwe381820953194 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o829q2812953089676 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCo2m47v81504348952 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmstv6l812573754481 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16rd3rs811596483795 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2i0fkq811145057395 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1886jg813274150170 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12ngl2x813930809319 || AbstractIDCustom=AAC159c9jv1e3234231644

Selected Action 2 leading to State 2"

ConcreteIDCustom=ACC1mya0os81929248229 || Left Click at '5'

State 2

ConcreteIDCustom=SCCt76l4121615554881

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lveh2b7e3481174197 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1a6epah7e2106619918 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC160rr5z7e3160245027 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC18wmg977e4210547047 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1m7oo2z7e246643608 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCa0yjsa7e3550161818 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1pd1u0i7e3492442591 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCkg62iu7e3859968584 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACClpybk47e1635111713 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC753up27e307679415 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC17ak0797e993665610 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnc0rm27e2696423436 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vr0dxm7e4252642024 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8ew3qc7e2503045598 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1nhgx497e2312428273 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCsppjc77e2461827665 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACColt0nc7e668961125 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8r6ar07e1425836787 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1klm8117e1209606620 || AbstractIDCustom=AAC159c9jx1e784864368

Selected Action 3 leading to State 3"

ConcreteIDCustom=ACC18wmg977e4210547047 || Left Click at '5'

5

State 3

ConcreteIDCustom=SCC1tfd8eb2171204238440

AbstractIDCustom=SAC1vz0ls91a91462790301

55			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1b6kbm2813420074654 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwlpur0813103338760 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCcn6m5t812753337895 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCm6ic0g811473629015 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1e2f0pa812372954330 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACClwndb813611269553 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vhdr7x81384983708 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCy7sasy814266879820 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1i6bje581940794862 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1csmro081169331123 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCxvi3sa811067356257 || AbstractIDCustom=AAC18v6d4v1d2584749144

- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCdwyv7381595278670 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wr6097812442511349 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCcawf55811708220682 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCb1463v813803627619 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1yd8gb5811347959000 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzhkju8812033502757 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19ws2ks811287492599 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfsjs3c812055573600 || AbstractIDCustom=AAC18v6d4w1d179255753

Selected Action 4 leading to State 4"

ConcreteIDCustom=ACC1vhdr7x81384983708 || Left Click at '1'

State 4

ConcreteIDCustom=SCCg05cvi2173637041592

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9do2t68024625215657 || AbstractIDCustom=AAC18v6d4t1d1948140916

- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnyijo8803789822639 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mu6g55803364415570 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCazqiv4803563930493 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1pq158d80155521919 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCc9irwe801393222164 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1og8w73802384638486 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o3yp6f801341081915 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmoqamy801719909318 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1rlm24m801354479697 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpkkzq680539615618 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19j48bd803148606404 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1b56odb802053509353 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ceyxel804244746624 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1xzkm1q802112611174 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCangbug80362854480 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC189bza3801020021421 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCqud8rg802806923499 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCuy9rgb80304958431 || AbstractIDCustom=AAC159c9js1e2964095443

Selected Action 5 leading to State 5"

ConcreteIDCustom=ACC1xzkm1q802112611174 || Left Click at '='

State 5

ConcreteIDCustom=SCCg05cvi2173637041592

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpkkzq680539615618 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCc9irwe801393222164 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1rlm24m801354479697 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19j48bd803148606404 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC189bza3801020021421 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnyijo8803789822639 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCqud8rg802806923499 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCazqiv4803563930493 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mu6g55803364415570 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ceyxel804244746624 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmoqamy801719909318 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCuy9rgb80304958431 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o3yp6f801341081915 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9do2t6802462521657 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCangbug80362854480 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1xzkm1q802112611174 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1b56odb802053509353 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1og8w73802384638486 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1pq158d80155521919 || AbstractIDCustom=AAC159c9ju1e1587732735

Selected Action 6 leading to State 6"

ConcreteIDCustom=ACCazqiv4803563930493 || Left Click at '4'

4

State 6

ConcreteIDCustom=SCC1to2rop2162579537520

AbstractIDCustom=SAC1vz0ls91a91462790301

4			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o58hyt811753708147 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC17ybl1t813664350920 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmdpweo812150006691 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1jzljub812840235358 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCaoq4mu81852002584 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6j36ic814077222965 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16ojc0j811561210785 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCl3xnde81121757386 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9exvlk813048154737 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7svfjm811952636252 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmq03fc811105953934 || AbstractIDCustom=AAC159c9jr1e3349918021

- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnzscgm813331073511 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mvg8xj814024489754 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1s950no813722739015 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19ke13r812630079628 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCw9bt9z812988627454 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC18als2h81463762917 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1l9dsvl81774712375 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpvd9cv812675085001 || AbstractIDCustom=AAC18v6d4w1d179255753

Selected Action 7 leading to State 7"

ConcreteIDCustom=ACCmdpweo812150006691 || Left Click at 'x'

State 7

ConcreteIDCustom=SCC1to2rop2162579537520

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmq03fc811105953934 || AbstractIDCustom=AAC159c9jr1e3349918021

- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7svfjm811952636252 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1s950no813722739015 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mvg8xj814024489754 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnzscgm813331073511 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1l9dsvl81774712375 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC17ybl1t813664350920 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o58hyt811753708147 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16ojc0j811561210785 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19ke13r812630079628 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9exvlk813048154737 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCaoq4mu81852002584 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6j36ic814077222965 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmdpweo812150006691 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1jzljub812840235358 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC18als2h81463762917 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpvd9cv812675085001 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCl3xnde81121757386 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCw9bt9z812988627454 || AbstractIDCustom=AAC18v6d4x1d2108164447

Selected Action 8 leading to State 8"

ConcreteIDCustom=ACC16ojc0j811561210785 || Left Click at '2'

State 8

ConcreteIDCustom=SCC1ejxvo2173648294047

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCsdr58804208660557 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzo1nm5803552043696 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10xtwnf801422935001 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1atftiq801725229444 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o4i1ci801211492598 || AbstractIDCustom=AAC1o4d4q1d3933917399
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCp8u4vl803862870882 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7s4yxb80152191293 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnz1vub801633229323 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mupsb8803478276511 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1l8nc9a802314736603 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmczfsd802694111526 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC14fh9lm801266987699 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11a43o3802501753076 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1miflak80245346994 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1yjpk32802109518116 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12jwcpd80309991837 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2eg77680991357792 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3o8g8g803161541129 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCl376r380670253135 || AbstractIDCustom=AAC18v6d4s1d52000226

Selected Action 9 leading to State 9"

ConcreteIDCustom=ACCzo1nm5803552043696 || Left Click at '8'

8

State 9

ConcreteIDCustom=SCCbhluh52163284365581

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCh9jliy803468033749 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtatkbg801731419854 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC645fmd802077685217 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ru79rp80150337143 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCsyjdas802801706467 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC195ga7s80336616792 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1qkf0qf802408732446 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7q7vob801031581605 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCavl1lu803823478242 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC14ztc3a803588073077 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1tg9ptn803375893850 || AbstractIDCustom=AAC18v6d4p1d1936949613

- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCukltcq803763666855 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC17vo16i802474114097 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1d9cswn802708690540 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7dxonn804239479944 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC169l4k801387923228 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9004pl803122335436 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1uq1yux801314892851 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCror49i80563676298 || AbstractIDCustom=AAC18v6d4t1d1948140916

Selected Action 10 leading to State 10"

ConcreteIDCustom=ACCror49i80563676298 || Left Click at '2'

2

State 10

ConcreteIDCustom=SCC32i4h92173470075802

AbstractIDCustom=SAC1vz0ls91a91462790301

282			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCluoaks803492699043 || AbstractIDCustom=AAC159c9jr1e3349918021

- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC15t7j5z803435917452 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCp01gib80246895076 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCk8luiu802525233639 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8jm2r080610990428 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCve00ff80602344147 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1j49qzr80948916851 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1m04g2z802116356151 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1n9wp49804181895518 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6xjmp2803852927601 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACClie3k480300130446 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCn4gjm2801464466122 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC172zs79801269584357 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1rdt7t4801277272682 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC5nrdns801656791832 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ke2011803219714842 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC17f9z7x802321656520 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC18p289780218500001 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9tebsa802735560757 || AbstractIDCustom=AAC18v6d4r1d2642272321

Selected Action 11 leading to State 11"

ConcreteIDCustom=ACC6xjmp2803852927601 || Left Click at '3'

State 11

ConcreteIDCustom=SCCjdsd152171709436007

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC15cykpo80840758813 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC83d4ap803669884877 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtnysxu802163347110 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCuxr1z480127250383 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1dmi1j1801186072068 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6hao8r802618795401 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7r2xa180460326112 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCs1wcvw803327677666 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19iliu6804090563888 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1tteyg180788094258 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1s7cie3804013205023 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1v377hb802845768795 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACChmou5c80695512765 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC188t9sw801958128729 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCb8qa888069531018 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9d5dbz801574592164 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1qxk9ct801750271862 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtbolx6801094710667 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16mqtqy803044759412 || AbstractIDCustom=AAC159c9jy1e1506747622

Selected Action 12 leading to State 12"

ConcreteIDCustom=ACCtnysxu802163347110 || Left Click at '4'

4

State 12

ConcreteIDCustom=SCCoqijbz2171967795264

AbstractIDCustom=SAC1vz0ls91a91462790301

28234			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACComgex9802397145137 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCoa67wl801328313116 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lw1vc8801715503585 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2pkj9g80358842999 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC677w7n80171406109 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1orwkfg80552262565 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCn0dyvb803360412277 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fsa86802449744670 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC18kznig801218543763 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC31uqa4803568204122 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC137avsb802057644750 || AbstractIDCustom=AAC159c9jt1e698732649

- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCcl6g4r80661071914 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10bg6p3801007644810 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11l8fqd803144208867 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4bmzbe801405737011 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpw8nyj80159787352 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1n5u4di803777437832 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC14h34tl804257385383 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1q1otgq802811067084 || AbstractIDCustom=AAC18v6d4r1d2642272321

Selected Action 13 leading to State 13"

ConcreteIDCustom=ACCn0dyvb803360412277 || Left Click at '2'

State 13

ConcreteIDCustom=SCC1n3yz6r217281151157

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC15apegj803383783953 || AbstractIDCustom=AAC18v6d4r1d2642272321

- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ilrmab801039454446 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12eupdb802400856149 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC5598yc801740317061 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfkgrow801379039319 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1gzp68d802069793450 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnu08i980647792718 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjq3pte802482996090 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC29ejv4802792807080 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3vgzx2803772547308 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1hbzd91803130225031 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1152gc180142444860 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3j6swe80554793921 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fpwx73804231605187 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgu90q6803579173182 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC140x5f9801322767224 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1khcj6k801678408640 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCigbgs480345514515 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1qvb33o801230643447 || AbstractIDCustom=AAC18v6d4x1d2108164447

Selected Action 14 leading to State 14"

ConcreteIDCustom=ACC12eupdb802400856149 || Left Click at '3'

State 14

ConcreteIDCustom=SCC188apxi2161399519056

AbstractIDCustom=SAC1vz0ls91a91462790301

2823423

C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC18gsnr9811252814603 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwrsvzf814165113776 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCy1l50p812133145305 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19qkwsj813452685922 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9l4rac811673567734 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1d889qq813533651720 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtvy6w7813202928116 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCb777ca812718787291 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vngsgc811447674916 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1jm6tnu814291781695 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1a2v3t781201733455 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCcgzgdk81627754930 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wx91hm813509478733 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8bci92813836165279 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1u1ecee81283352672 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1bcncuh812338427942 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vb6lfo812542026505 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCv5qfxh81965700765 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgkvz2f812416561286 || AbstractIDCustom=AAC159c9js1e2964095443

Selected Action 15 leading to State 15"

ConcreteIDCustom=ACC9l4rac811673567734 || Left Click at '9'

9

State 15

ConcreteIDCustom=SCC1qyaebg2172377731096

AbstractIDCustom=SAC1vz0ls91a91462790301

28234239			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wrkx4r812278821556 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwm4rmk81702504224 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtqa2jc813893536269 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1i6qg9p811938861131 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1favr6h812992461670 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvccila812931358793 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1slxz09811176106393 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vhso3h8111775965 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgf7upk812603722139 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCi1aari811526488758 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCyhpoit811881273870 || AbstractIDCustom=AAC18v6d4w1d179255753

- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1tvq81j813246281968 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCf5floa81475399410 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC14vo8fx811567731001 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1uddui81850855296 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1gko07r81893056527 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1gwy78f814109831458 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCv02bkm811869940580 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjb2jss813717988319 || AbstractIDCustom=AAC18v6d4r1d2642272321

Selected Action 16 leading to State 16"

ConcreteIDCustom=ACC14vo8fx811567731001 || Left Click at '='

=

State 16

ConcreteIDCustom=SCC2jp0l720e3684550832

AbstractIDCustom=SAC1vz0ls91a91462790301

Test verdict for this sequence: Discovered suspicious widget 'Desc' : 'Exception: Something went wrong'.

Severity: 9.0E-8