

TESTAR execution sequence report for sequence 50

Reverse order

Test verdict for this sequence: Discovered suspicious widget 'WebName' : 'Faulty input'.

Severity: 9.0E-8

State 5

ConcreteIDCustom=SCC15hftlm21c4255534307

AbstractIDCustom=SAC1vz0ls91a91462790301

Faulty input			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 5 leading to State 5"

ConcreteIDCustom=ACC1lnksjf803433898371 || Left Click at '='



Set of actions:

- **Left Click at '.'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC102z3wa801279751013 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lnksjf803433898371 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ai6mmu802043554487 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCim9xy0802741733690 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCbmiq5x801352849482 || AbstractIDCustom=AAC159c9js1e2964095443

- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1xckkb9802766568117 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1c492os801063547123 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCD8l67v802439979879 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1de1bq2803087258010 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpciovs80552899249 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCeidf9580369656334 || AbstractIDCustom=AAC18v6d4x1d2108164447

State 4

ConcreteIDCustom=SCC1nn22r321b789671318

AbstractIDCustom=SAC1vz0ls91a91462790301

-72			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 4 leading to State 4"

ConcreteIDCustom=ACC102z3wa801279751013 || Left Click at '-'



Set of actions:

- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCeidf9580369656334 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpciovs80552899249 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1de1bq2803087258010 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1xckkb9802766568117 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lnksjf803433898371 || AbstractIDCustom=AAC18v6d4s1d52000226

- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCim9xy0802741733690 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ai6mmu802043554487 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCD8l67v802439979879 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '.'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC102z3wa801279751013 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCbmiq5x801352849482 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1c492os801063547123 || AbstractIDCustom=AAC18v6d4t1d1948140916

State 3

ConcreteIDCustom=SCC1nn22r321b789671318

AbstractIDCustom=SAC1vz0ls91a91462790301

-72			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 3 leading to State 3"

ConcreteIDCustom=ACCs7nntx813570900806 || Left Click at '8'



Set of actions:

- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC13d1tqi811639224434 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCv3icx581354051179 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '.'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACChsg53d813781084820 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC71zq2v812381129536 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1sd3tc4814256918971 || AbstractIDCustom=AAC159c9js1e2964095443

- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1f21lic81167759684 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCttq3vv812457715970 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCbqz5381242367691 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1v8yifc813138467839 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1tz69e2811014404758 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCs7nntx813570900806 || AbstractIDCustom=AAC159c9jr1e3349918021

State 2


ConcreteIDCustom=SCC1x6c9kn21c2341810997

AbstractIDCustom=SAC1vz0ls91a91462790301

-8			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 2 leading to State 2"

ConcreteIDCustom=ACCq5mmbe811241560098 || Left Click at '+/-'



Set of actions:

- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCojk69g812345488143 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCq5mmbe811241560098 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC129k4zb814221240820 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1p1aisb813825985462 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCrfevco813446084939 || AbstractIDCustom=AAC18v6d4x1d2108164447

- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ykm8my81398636742 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1qb2rtl811668040415 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '-'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1d00jzt812536039456 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCb8hyfo812139745776 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjbe1j812013535871 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1nf82qd812728508914 || AbstractIDCustom=AAC159c9jr1e3349918021

State 1

ConcreteIDCustom=SCC1cfe61h21c4037252166

AbstractIDCustom=SAC1vz0ls91a91462790301

8			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 1 leading to State 1"

ConcreteIDCustom=ACCtxjf8c802711328266 || Left Click at '8'



Set of actions:

- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1u2zkqj802297914615 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '-'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC18v6d4u1d3977712846

- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtjxf8c802711328266 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152xl4x80351837502 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4q1d3933917399

State 0

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			