TESTAR execution sequence report for sequence 3

Reverse order

State 0

ConcreteIDCustom=SCC1ya7k462161369305789

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o829q2812953089676 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1k2fblk811909025185 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12ngl2x813930809319 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16rd3rs811596483795 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2i0fkq811145057395 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCl6rf4n813754048053 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lc7kmu814138649800 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCo2m47v81504348952 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1886jg813274150170 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmgjo5x811487248220 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11doc1n811831649934 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCyhtmyf81730241226 || AbstractIDCustom=AAC159c9jw1e3082896842

- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1yn9sgm812240662366 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4dlcgz81499030877 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvxzis8148917047 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mya0os81929248229 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCarjwe381820953194 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmstv6l812573754481 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzrlvzp812900441507 || AbstractIDCustom=AAC159c9jy1e1506747622

Selected Action 1 leading to State 1"

ConcreteIDCustom=ACCl6rf4n813754048053 || Left Click at '2'

State 1

ConcreteIDCustom=SCC1ejxvo2173648294047

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1miflak80245346994 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mupsb8803478276511 || AbstractIDCustom=AAC159c9k01e3195472353

- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11a43o3802501753076 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1yjpk32802109518116 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCsdr58804208660557 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10xtwnf801422935001 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12jwcpd80309991837 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1l8nc9a802314736603 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCl376r380670253135 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3o8g8g803161541129 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzo1nm5803552043696 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmczfsd802694111526 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnz1vub801633229323 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2eg77680991357792 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCp8u4vl803862870882 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o4i1ci801211492598 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC14fh9lm801266987699 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1atftiq801725229444 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7s4yxb80152191293 || AbstractIDCustom=AAC159c9js1e2964095443

Selected Action 2 leading to State 2"

ConcreteIDCustom=ACC1mupsb8803478276511 || Left Click at '4'

State 2

ConcreteIDCustom=SCC11nso6c2142795839208

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCc5tbr881374789099 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1b1h885811060774166 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10m9phl813491158857 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1cnjoa3812039511890 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1pmbp37811276715648 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCqqnsma813792859412 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1cb9h9f813093135487 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1si6e6f81179534020 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCf1o0ug811358727599 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCu8b5kh814249256062 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ocjg1x813414066153 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCscq8o8812763533136 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wm2wva813218109424 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCr2xzmy81601852473 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpgvjl0811702219901 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCdrvrt6813617269958 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1r8e555812379536813 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1dxbxbd814277656123 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCaw12py812435936898 || AbstractIDCustom=AAC18v6d4s1d52000226

Selected Action 3 leading to State 3"

ConcreteIDCustom=ACC1ocjg1x813414066153 || Left Click at '7'

7

State 3

ConcreteIDCustom=SCCvoo6912163115738698

AbstractIDCustom=SAC1vz0ls91a91462790301

247			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC31xojl803740576888 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCi8kt9m801934534057 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCeqxgbf801813664963 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgczwdd80716181127 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1cct3r2801165403710 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCf37nc3802916593646 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCz1qvxa802972845249 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10bj4yk80911582632 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1xxese780523851605 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1kmckkf80836261415 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1f8nsua8064814202 || AbstractIDCustom=AAC159c9jt1e698732649

- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1gig1vk802226871571 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1dmlcsc803255895895 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10ntbz8804153958021 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC62zgd802556360252 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11xll0i801895825388 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCdh57a5803950900650 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACComjd6q801579089566 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1s5fib801502809361 || AbstractIDCustom=AAC18v6d4p1d1936949613

Selected Action 4 leading to State 4"

ConcreteIDCustom=ACC1xxese780523851605 || Left Click at '1'

State 4

ConcreteIDCustom=SCC1x8ng102163363753313

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1xt1q181757948478 || AbstractIDCustom=AAC18v6d4q1d3933917399

- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCdmsthv812680395909 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1h9wby981781990523 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1cigpys813064949368 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1e4j60q814026871868 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1febf20812002948437 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCxxm93q811122748551 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCf8v9jt811578001320 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCbqlo3811804024442 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10tgy6y8171406275 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCcd0kgl81413415916 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1nnuvvd8163725900 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCkmk19y811812646389 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1239788812200318890 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCo0sor812857025879 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCz7ei50813314313710 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ds8z0281835242769 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCginil3813647587009 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1y32elx813974142739 || AbstractIDCustom=AAC18v6d4t1d1948140916

Selected Action 5 leading to State 5"

ConcreteIDCustom=ACC1cigpys813064949368 || Left Click at '8'

State 5

ConcreteIDCustom=SCCigv6c82172509815984

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wycggh804019092906 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACChvrn2k804083930757 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC126l2of804108723466 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grfjjh801566606609 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwswaya803336736599 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtx1lv2802152256787 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCv6tuwc80120550522 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fhnai7803657901176 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1u2hrd980776177287 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCglze1a801946974188 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjhu34i803049360577 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCy2ojzk801099247166 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1idhzlf802628615740 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ytxdcq803060848260 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCi81u3880849751464 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vok7f7801760156867 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1jna8mp80466280277 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vca0ej802837719022 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC66rvaq802602601907 || AbstractIDCustom=AAC18v6d4x1d2108164447

Selected Action 6 leading to State 6"

ConcreteIDCustom=ACCglze1a801946974188 || Left Click at '2'

2

State 6

ConcreteIDCustom=SCC86rtn2171822289187

AbstractIDCustom=SAC1vz0ls91a91462790301

247182			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvlnmca7f3777640247 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1t7j9rx7f3360081354 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1d0mcux7f2057846129 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCh0t5h87f359568840 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1sv92r97f160120551 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCspsx927f2810211699 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1eaelw77f4258241560 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCrg0o7s7f552061978 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCubvdb07f1716360798 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfr0wfy7f2450076833 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fwh1y57f1006790453 || AbstractIDCustom=AAC18v6d4p1d1936949613

- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCe4yge07f3567480549 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1uhbit77f1327588515 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1rlgtpz7f2397872014 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wcwfpg7f383766413 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3pqxng7f999265466 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzpk5157f1414085635 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1h69azf7f3144009308 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfeqpfa7f1405407116 || AbstractIDCustom=AAC18v6d4v1d2584749144

Selected Action 7 leading to State 7"

ConcreteIDCustom=ACCspsx927f2810211699 || Left Click at '9'

State 7

ConcreteIDCustom=SCC12cxyfv2153465257774

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16r54nl81679089139 || AbstractIDCustom=AAC18v6d4x1d2108164447

- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1h6cne5813344361900 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwvj7sa81444512686 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10d6kqh8186657220 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvlqyr0812635667655 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3pua26811203551050 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCx7tesy813685958275 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1xd9kb5811974997271 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCl6jg0g812828026133 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCyhlnu8811557455850 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjwr6z681804774012 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ig4wff811076971717 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCiaoqx8813996785489 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1yn1tcf814074745982 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1isf3g3812180821992 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1uhev7x81856836947 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vr7497813027626554 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1k27chd81110826113 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCh0whvy811767750200 || AbstractIDCustom=AAC18v6d4s1d52000226

Selected Action 8 leading to State 8"

ConcreteIDCustom=ACCvlqyr0812635667655 || Left Click at '8'

State 8

ConcreteIDCustom=SCC1sbluai215816343608

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCr2qdk9801373824824 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC5i4ox480195892819 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1u4185o801042567041 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16xd3gl80583132334 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9nrn1m803395349886 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC15nkufb802779137479 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC179nah9803809222531 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCscimlj803599058513 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1gsz0bw80281366259 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCdro5qh802130961994 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1su8z4e803108237032 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCv8dbor802419006485 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1r86j2g804293506220 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1af0ges801033180612 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6rwxye802362095418 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1shys3q802022577605 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtyl2nh80390643068 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8dze0c801292323863 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC18jfjij801684782826 || AbstractIDCustom=AAC159c9ju1e1587732735

Selected Action 9 leading to State 9"

ConcreteIDCustom=ACC6rwxye802362095418 || Left Click at '9'

9

State 9

ConcreteIDCustom=SCCpo60m3216648489079

AbstractIDCustom=SAC1vz0ls91a91462790301

247182989			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCdvh70p7f2350445935 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fmzsku7f1689910463 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCf59g1z7f192893958 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzg2vnu7f3596026884 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC26hf8v7f1056312788 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1p6bifh7f2540744143 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1faplk67f2775844754 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1e0xciw7f571713275 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1gws1m47f3823001046 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12bxkr27f2432523840 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1u78877f4282119929 || AbstractIDCustom=AAC18v6d4v1d2584749144

- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC13lptsc7f396033833 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3g9oa57f3113331901 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1iscyid7f3122722552 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10pv4p47f1362142573 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCkez6x7f2019317648 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCm50nu27f4172678518 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgrbw3x7f3400707883 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCi145577f1305808450 || AbstractIDCustom=AAC159c9jv1e3234231644

Selected Action 10 leading to State 10"

ConcreteIDCustom=ACC10pv4p47f1362142573 || Left Click at '3'

State 10

ConcreteIDCustom=SCC2virod217933399497

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19axlan7f2733146236 || AbstractIDCustom=AAC18v6d4r1d2642272321

- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjkoyj07f963283514 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1815c9d7f630137109 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCkuh7ka7f3188534099 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnqbwni7f4171723031 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1kzxd2h7f268859591 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lc7k357f3519775722 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mlzt4f7f1454121603 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC155an657f1663400785 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC95hfsg7f216257512 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1jq54177f2539772334 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmgjnm87f2143342718 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1uvj9xs7f570610330 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCru8fcd7f1304721955 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7vp6r67f2340713089 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC69mqp87f3442354373 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16f2w7f7f3829586488 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7jezqi7f1246333356 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1ohkq0o7f257067437 || AbstractIDCustom=AAC18v6d4w1d179255753

Selected Action 11 leading to State 11"

ConcreteIDCustom=ACC1jq54177f2539772334 || Left Click at '8'

State 11

ConcreteIDCustom=SCCsnlduv2152680201357

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1kwf0xc802827081388 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC5kbqp4802872085737 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1hr1uzt801981340907 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC15prw7b8087809917 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCo92q91803927385378 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1j0u413804051664258 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCh9bigy80434009170 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfzj9fo802662978875 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3y9an6803986347693 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1radkug802245103003 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1g4zexv80817006255 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11k4y2t803304465488 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCk567k6801601449494 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4ajhnu80743910784 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCivdyiw803625160575 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1hernz5803084199878 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12tx743801133610297 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2oh1lw801794996164 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC14fzn61802187099668 || AbstractIDCustom=AAC18v6d4p1d1936949613

Selected Action 12 leading to State 12"

ConcreteIDCustom=ACC4ajhnu80743910784 || Left Click at '4'

4

State 12

ConcreteIDCustom=SCChfjlxf2162374294854

AbstractIDCustom=SAC1vz0ls91a91462790301

Set of actions:

- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1gxhnei801865230800 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC13mffkq802607385391 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3gza2j80895670459 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC10qkqhi803720597867 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgfravn8015434089 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4qrj3t802986703314 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnfiinq804079144985 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1i79wfs803897198777 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCi1tqxl803240524356 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1k2utc1802981372823 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjblzyv801178721069 || AbstractIDCustom=AAC159c9jv1e3234231644

- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1gl7gdu802933969661 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1qgtd95802632218784 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC34p31v804105118614 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1uwu0l801942520575 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fbf7ck80696742804 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC14w7om080470690374 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCf5z1ud802274107392 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC120czis801520726018 || AbstractIDCustom=AAC18v6d4u1d3977712846

Selected Action 13 leading to State 13"

ConcreteIDCustom=ACC120czis801520726018 || Left Click at '3'

State 13

ConcreteIDCustom=SCC17yd1722143621137202

**AbstractIDCustom=SAC1vz0ls91a91462790301**

Set of actions:

- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCs8avcb81466868888 || AbstractIDCustom=AAC159c9k01e3195472353

- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1tnj9vs81851388517 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCg70wjt812991946371 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCti34dl812629073905 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1572w5f81777683786 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1c6u3xi813717452346 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7xhfqg813338373786 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1sdr0ui813050866956 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9t2cmp812667913652 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC13xan45812839355939 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1qroksk811947562529 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6bezoi812152845534 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16t5c7d814019681383 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCrw0obn813659407797 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC51mqn881121008567 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1phwbra814084388680 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCqm8fad811568243932 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6np6p6811100753907 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC182xl8n811760614670 || AbstractIDCustom=AAC159c9jv1e3234231644

Selected Action 14 leading to State 14"

ConcreteIDCustom=ACC16t5c7d814019681383 || Left Click at '+/-'

State 14

ConcreteIDCustom=SCC5ql0np2154275588064

AbstractIDCustom=SAC1vz0ls91a91462790301

-2471829893843

C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Set of actions:

- **Left Click at '9'** || Compound Action = Move mouse to (626.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC114tvpn802812593253 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '='** || Compound Action = Move mouse to (726.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCc4rw41801001078188 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+'** || Compound Action = Move mouse to (726.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCntrnvv801407215258 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '%'** || Compound Action = Move mouse to (626.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3v8fao801325780405 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '8'** || Compound Action = Move mouse to (526.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzdq7g802395485848 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '5'** || Compound Action = Move mouse to (526.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1obi0eq801009176099 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '7'** || Compound Action = Move mouse to (426.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCzv1mod80549676300 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '2'** || Compound Action = Move mouse to (526.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmjzeul803565668339 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '4'** || Compound Action = Move mouse to (426.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCo61uwj802452463031 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '+/-'** || Compound Action = Move mouse to (526.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12qwbrl801718173512 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at 'C'** || Compound Action = Move mouse to (426.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC2lg69e803361893596 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at 'x'** || Compound Action = Move mouse to (726.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC295z8q80162502641 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '1'** || Compound Action = Move mouse to (426.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1lfnbbi802056033383 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (526.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC184l3hq801416467733 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '6'** || Compound Action = Move mouse to (626.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpfu3xt80357186782 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '-'** || Compound Action = Move mouse to (726.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1pla9g0803141627722 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '0'** || Compound Action = Move mouse to (476.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC5qtc6x80385574555 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '/'** || Compound Action = Move mouse to (726.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC140oksv803775831585 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '3'** || Compound Action = Move mouse to (626.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mpfkcs804260050190 || AbstractIDCustom=AAC18v6d4u1d3977712846

Selected Action 15 leading to State 15"

ConcreteIDCustom=ACC184l3hq801416467733 || Left Click at 'Open Scientific'

Open Scientific

State 15

ConcreteIDCustom=SCC1spj04g2693278899953

AbstractIDCustom=SAC1sy9dxl1df970807916

Set of actions:

- **Left Click at 'Continue to scientific calculator?'** || Compound Action = Move mouse to (623.0, 574.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1j683jw812146216107 || AbstractIDCustom=AAC1sm0fv01c2564358788

Selected Action 16 leading to State 16"

ConcreteIDCustom=ACC1j683jw812146216107 || Left Click at 'Continue to scientific calculator?'

State 16

ConcreteIDCustom=SCC138fhya2874119672346

AbstractIDCustom=SAC1exi652032715839438

Set of actions:

- **Left Click at 'Close Scientific'** || Compound Action = Move mouse to (476.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCuvsmuj811331104699 || AbstractIDCustom=AAC99ifm11d1794576264
- **Left Click at '+/-'** || Compound Action = Move mouse to (476.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCpi3v4e812102632934 || AbstractIDCustom=AAC99ifm21d502284062
- **Left Click at '8'** || Compound Action = Move mouse to (476.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1mrpbjd812515707958 || AbstractIDCustom=AAC99ifms1d1186437202
- **Left Click at '6'** || Compound Action = Move mouse to (576.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCc71nam812299986713 || AbstractIDCustom=AACe1olsg1c942669454
- **Left Click at 'x'** || Compound Action = Move mouse to (676.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1o1hkkn81311757151 || AbstractIDCustom=AAC99ifmu1d2949922151
- **Left Click at '-'** || Compound Action = Move mouse to (676.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1cchsst812692477412 || AbstractIDCustom=AACe1olsh1c1328074264
- **Left Click at '0'** || Compound Action = Move mouse to (426.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11m1dsb812747968417 || AbstractIDCustom=AAC99ifly1d446561031
- **Left Click at '4'** || Compound Action = Move mouse to (376.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCax9e9c813687769827 || AbstractIDCustom=AACe1olse1c3511442363
- **Left Click at '9'** || Compound Action = Move mouse to (576.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCnw1f2g811006238626 || AbstractIDCustom=AAC99ifmt1d833661124
- **Left Click at '5'** || Compound Action = Move mouse to (476.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1b2pjrj81656167053 || AbstractIDCustom=AACe1olsf1c2789960493
- **Left Click at '1'** || Compound Action = Move mouse to (376.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC186uuob81862973747 || AbstractIDCustom=AACe1olsj1c2703666996
- **Left Click at '+'** || Compound Action = Move mouse to (676.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCakz78o811222309940 || AbstractIDCustom=AAC99iflv1d2207558333
- **Left Click at 'tan'** || Compound Action = Move mouse to (776.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCz1fkz1812392518806 || AbstractIDCustom=AAC99ifm01d4093533746
- **Left Click at '/'** || Compound Action = Move mouse to (676.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCqrw45o814197712015 || AbstractIDCustom=AAC99ifm41d4199027225
- **Left Click at 'C'** || Compound Action = Move mouse to (376.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1odrrlb812172721032 || AbstractIDCustom=AAC99iflw1d4103313963
- **Left Click at 'sin'** || Compound Action = Move mouse to (776.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCdgtwbw81242262640 || AbstractIDCustom=AACe1olsi1c3592527778
- **Left Click at '%'** || Compound Action = Move mouse to (576.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1pnk0ml813545821810 || AbstractIDCustom=AAC99ifm31d2370773647
- **Left Click at 'Pi'** || Compound Action = Move mouse to (776.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1qxc9nv811413436187 || AbstractIDCustom=AAC99ifmq1d2830760318
- **Left Click at 'cos'** || Compound Action = Move mouse to (776.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1aqfcqv813872500640 || AbstractIDCustom=AAC99iflx1d1838861201

- **Left Click at '='** || Compound Action = Move mouse to (676.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1xx3hfy81546415362 || AbstractIDCustom=AAC99iflz1d2230939300
- **Left Click at 'n!'** || Compound Action = Move mouse to (776.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCp5to3q813164494539 || AbstractIDCustom=AACe1olsd1c1212484097
- **Left Click at '7'** || Compound Action = Move mouse to (376.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmm9616811763712600 || AbstractIDCustom=AAC99ifmr1d3753822696
- **Left Click at '2'** || Compound Action = Move mouse to (476.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC9b6y7e813485292893 || AbstractIDCustom=AACe1olsk1c832156325
- **Left Click at '3'** || Compound Action = Move mouse to (576.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19gn3pl811639320265 || AbstractIDCustom=AACe1olsl1c1184793139

Selected Action 17 leading to State 17"

ConcreteIDCustom=ACCp5to3q813164494539 || Left Click at 'n!'

State 17

ConcreteIDCustom=SCCdwn4a27b610524926

AbstractIDCustom=SAC1exi652032715839438

Test verdict for this sequence: Discovered suspicious widget 'Desc' : 'Exception: Something went wrong'.

Severity: 9.0E-8