

TESTAR execution sequence report for sequence 9

Reverse order


Test verdict for this sequence: Discovered suspicious widget 'WebName' : 'Exception: Something went wrong'.

Severity: 9.0E-8

State 4

ConcreteIDCustom=SCC1dns7l72153148046172

AbstractIDCustom=SAC1vz0ls91a91462790301



Selected Action 4 leading to State 4"

ConcreteIDCustom=ACCF1tnlt7f2298913933 || Left Click at '='



Set of actions:

- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC3wfhp87f1013297081 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1oep2ta7f3357609286 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'x'** || Compound Action = Move mouse to (768.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC567qqi7f3137474256 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '2'** || Compound Action = Move mouse to (568.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCph16cd7f1714052818 || AbstractIDCustom=AAC18v6d4t1d1948140916

- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC141vn7f7f352935236 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at '3'** || Compound Action = Move mouse to (668.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1pmhbuk7f1330031663 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '4'** || Compound Action = Move mouse to (468.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCr33meb7f545260694 || AbstractIDCustom=AAC159c9km1e3968262790
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1b1muzi7f3871345716 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '7'** || Compound Action = Move mouse to (468.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC12s3e657f2456747053 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCf1tnlt7f2298913933 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC15ny39d7f3569657449 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '.'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1sic0xs7f166524523 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1hrvlxa7f1700730815 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '5'** || Compound Action = Move mouse to (568.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1r8jrwi7f2391496450 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16xqcan7f1403193088 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC5ihxr67f2060449277 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6sa6sg7f4255667348 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '6'** || Compound Action = Move mouse to (668.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCscvvf17f2816976383 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '.'** || Compound Action = Move mouse to (668.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1dxhk2q7f655226649 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCqqtfdn7f3779985339 || AbstractIDCustom=AAC18v6d4v1d2584749144

State 3

ConcreteIDCustom=SCCu0i1jq21b690748547

AbstractIDCustom=SAC1vz0ls91a91462790301

76			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 3 leading to State 3"

ConcreteIDCustom=ACC7u8ze080296774538 || Left Click at '6'

6

Set of actions:

- **Left Click at '6'** || Compound Action = Move mouse to (668.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC7u8ze080296774538 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1iewnmr802318557644 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC13u26rp802121712435 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1tkatjc801062300408 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '4'** || Compound Action = Move mouse to (468.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC6kgqcq802530724579 || AbstractIDCustom=AAC159c9km1e3968262790
- **Left Click at '5'** || Compound Action = Move mouse to (568.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC16pwwux80953981303 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '7'** || Compound Action = Move mouse to (468.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC19gi4k80607728216 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1k0z3op803432528776 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC15b77s801653827612 || AbstractIDCustom=AAC159c9ju1e1587732735
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC11arcpz801275042529 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '3'** || Compound Action = Move mouse to (668.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC153ufsz804178666074 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC686jc2801461334478 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCmf3g92803858024821 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '.'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC17zp4w7803216717854 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjj8r5u802740884273 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at 'x'** || Compound Action = Move mouse to (768.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1joowo180223723685 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '2'** || Compound Action = Move mouse to (568.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4yeaas803497889959 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCx98pvp803540572618 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '.'** || Compound Action = Move mouse to (668.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCteuo15802438609260 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCqizyxx801352122945 || AbstractIDCustom=AAC159c9jt1e698732649

State 2**ConcreteIDCustom=SCC8l1cm821a1025765809****AbstractIDCustom=SAC1vz0ls91a91462790301**

7			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 2 leading to State 2"

ConcreteIDCustom=ACC1st7bp980261146014 || Left Click at '7'



Set of actions:

- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC159c9jtl1e698732649
- **Left Click at '2'** || Compound Action = Move mouse to (568.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fi53vh804225001313 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC159c9jule1587732735
- **Left Click at '7'** || Compound Action = Move mouse to (468.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1st7bp980261146014 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '.'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1u2zkqj802297914615 || AbstractIDCustom=AAC159c9jz1e3379575159
- **Left Click at ','** || Compound Action = Move mouse to (668.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4xhfmq803136540330 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at 'x'** || Compound Action = Move mouse to (768.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCv7bo9m80654063459 || AbstractIDCustom=AAC159c9k01e3195472353
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152x14x80351837502 || AbstractIDCustom=AAC159c9jrl1e3349918021
- **Left Click at '4'** || Compound Action = Move mouse to (468.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1h47jxf803179167013 || AbstractIDCustom=AAC159c9km1e3968262790
- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtxjf8c802711328266 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at 'C'** || Compound Action = Move mouse to (468.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '5'** || Compound Action = Move mouse to (568.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCi8jngi80326463153 || AbstractIDCustom=AAC18v6d4p1d1936949613

- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '6'** || Compound Action = Move mouse to (668.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1idzsy80974756940 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '3'** || Compound Action = Move mouse to (668.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgmn7ek803535312284 || AbstractIDCustom=AAC18v6d4u1d3977712846

State 1

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			

Selected Action 1 leading to State 1"

ConcreteIDCustom=ACCv7bo9m80654063459 || Left Click at 'x'



Set of actions:

- **Left Click at 'Open Scientific'** || Compound Action = Move mouse to (568.0, 385.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC21mqji802067674503 || AbstractIDCustom=AAC159c9jt1e698732649
- **Left Click at '1'** || Compound Action = Move mouse to (468.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCfcoyda801440691445 || AbstractIDCustom=AAC18v6d4s1d52000226
- **Left Click at 'C'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCvjlvaa803878800462 || AbstractIDCustom=AAC159c9js1e2964095443
- **Left Click at '8'** || Compound Action = Move mouse to (568.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCtxjf8c802711328266 || AbstractIDCustom=AAC159c9jy1e1506747622
- **Left Click at '/'** || Compound Action = Move mouse to (768.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1wyu9tr803462217395 || AbstractIDCustom=AAC159c9jw1e3082896842
- **Left Click at '+'** || Compound Action = Move mouse to (768.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCjibwhs802484260824 || AbstractIDCustom=AAC18v6d4r1d2642272321
- **Left Click at '*'** || Compound Action = Move mouse to (768.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1grxcwr802092156424 || AbstractIDCustom=AAC18v6d4v1d2584749144
- **Left Click at 'x'** || Compound Action = Move mouse to (768.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCv7bo9m80654063459 || AbstractIDCustom=AAC159c9k01e3195472353

- **Left Click at '6'** || Compound Action = Move mouse to (668.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1idzsy80974756940 || AbstractIDCustom=AAC18v6d4q1d3933917399
- **Left Click at '5'** || Compound Action = Move mouse to (568.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCi8jngi80326463153 || AbstractIDCustom=AAC18v6d4p1d1936949613
- **Left Click at '7'** || Compound Action = Move mouse to (468.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1st7bp980261146014 || AbstractIDCustom=AAC159c9jx1e784864368
- **Left Click at '2'** || Compound Action = Move mouse to (568.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1fi53vh804225001313 || AbstractIDCustom=AAC18v6d4t1d1948140916
- **Left Click at '0'** || Compound Action = Move mouse to (518.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC8rvhha804171312652 || AbstractIDCustom=AAC18v6d4w1d179255753
- **Left Click at '.'** || Compound Action = Move mouse to (668.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC4xhfmq803136540330 || AbstractIDCustom=AAC18v6d4x1d2108164447
- **Left Click at '+/-'** || Compound Action = Move mouse to (568.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1vp20sh801228578778 || AbstractIDCustom=AAC159c9jule1587732735
- **Left Click at '='** || Compound Action = Move mouse to (768.0, 335.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC152x14x80351837502 || AbstractIDCustom=AAC159c9jr1e3349918021
- **Left Click at '%'** || Compound Action = Move mouse to (668.0, 135.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCwte4bk801616276775 || AbstractIDCustom=AAC159c9jv1e3234231644
- **Left Click at '4'** || Compound Action = Move mouse to (468.0, 235.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1h47jxf803179167013 || AbstractIDCustom=AAC159c9km1e3968262790
- **Left Click at '3'** || Compound Action = Move mouse to (668.0, 285.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACCgmh7ek803535312284 || AbstractIDCustom=AAC18v6d4u1d3977712846
- **Left Click at '9'** || Compound Action = Move mouse to (668.0, 185.0). Press Mouse Button BUTTON1 Release Mouse Button BUTTON1 || ConcreteIDCustom=ACC1u2zkqj802297914615 || AbstractIDCustom=AAC159c9jz1e3379575159

State 0

ConcreteIDCustom=SCChkya6y21a3839547473

AbstractIDCustom=SAC1vz0ls91a91462790301

0			
C	+/-	%	/
7	8	9	x
4	5	6	-
1	2	3	+
0		.	=
Open Scientific			