Tokyo metropolitan area PT survey

2008 / Tokyo metropolitan area

Overview

Data from a PT survey conducted in the Tokyo metropolitan area.

License

Data Column Specification

Column Name	Data Type	Description
TripID	`Int64`	An ID that identifies each trip from an origin to a destination.
TripChainID	`Int64`	An ID that identifies a series of trips made b y the same person.
Sex	`Enum`	1: Male, 2: Female
Age	`Int64`	Represents age groups in 5-year intervals. For $1 \leqq n \leqq 17$, it means from 5n-5 to 5n-1 years old . For n=18, it means 85 years and older.
TripNumber	`Int64`	The total number of trips in the trip chain.
TripOrder	`Int64`	The order of the trip in the trip chain.
Ozone	`Int64`	The zone code of the small zone of the origin.
Dzone	`Int64`	The zone code of the small zone of the destina tion.

Column Name	Data Type	Description
Purpose	`Int64`	1: To work, 2: To school, 3: To home, 4: For s hopping, 5: For dining/socializing/entertainme nt, 6: For sightseeing/leisure, 7: For medical visits, 8: For other personal matters, 9: For pick-up/drop-off, 10: For sales/delivery/purch ase, 11: For meetings/conferences/gatherings/h ouse calls, 12: For work/repair, 13: For agric ultural/forestry/fishing work, 14: For other b usiness, 99: Unknown
EnlargeCoefficient	`Int64`	An expansion factor used to estimate the actua l population size from the PT survey sample.
Transportation	`Int64`	1: Train, 2: Bus, 3: Car, 4: Motorcycle, 5: Bi cycle, 6: Walking, 7: Other, 8: Unknown
Stime	`Int64`	Departure time, expressed as the number of sec onds elapsed since 00:00 JST.
Gtime	`Int64`	Arrival time, expressed as the number of secon ds elapsed since 00:00 JST.
StayTime	`Int64`	Duration of stay at the destination, expressed in seconds.

Hash Value (BLAKE3)

```
4c28c685ab47213e6f767fb88a4a2332e3bec0de707a5165b70e85dd277797c0
```

Last Updated: see Git history