20-year panel data on individual states and transitions (disaster-affected)

2024 / Tohoku

Overview

This dataset contains 20 years of panel data for disaster-affected individuals, including life events (marriage, divorce, childbirth, employment, retirement, interregional migration, etc.) and residential choice information for each year.

License

Use is permitted only for the 2025 Summer Course on Behavior Modeling in Transportation Networks.

Data Column Specification

Column Name	Data Type	Description
no	`Int64`	Record number (row index in the dataset)
time	`Int64`	Observation year (Gregorian calendar)
ev_married	`Int64`	Marriage event indicator (1 = occurred, 0 = not occurred)
ev_divorced	`Int64`	Divorce or bereavement event indicator
ev_birth	`Int64`	Childbirth event indicator
ev_independent	`Int64`	Child’s independence from the household indicator
Jokyo	`Int64`	Migration from Tohoku to the Tokyo metropolitan area indicator
U-turn	`Int64`	Migration from the Tokyo metropolitan area back to Tohoku indicator
to-Sendai	`Int64`	Migration from non-Sendai Tohoku to Sendai indicator
own_house	`Float64`	Home ownership status
Shushoku	`Int64`	

Column Name	Data Type	Description
		First employment or re-employment after long-term unemployment indicator
quit_tomobataraki	`Int64`	Transition from dual-earner to single-earner household indicator
start_tomobataraki	`Int64`	Transition from single-earner to dual-earner household indicator
retirement	`Int64`	Retirement event indicator
individual_id	`Int64`	Unique identifier for the individual
target	`Int64`	ID of the chosen residential alternative (correct label in analysis). Represents the actual residence selected from the set of spatial alternatives. Alternatives are coded as 0=Stay (remain in current residence), 1=Iwate, 2=Sendai City, 3=Miyagi Prefecture (excluding Sendai), 4=Fukushima, 5=Ibaraki, 6=Saitama, 7=Chiba, 8=Tokyo Special Wards, 9=Tokyo, 10=Kanagawa.
choice	`Int64`	ID of a residential alternative in the choice set. Used to represent each possible spatial alternative evaluated in the model. Alternatives are coded as 0=Stay (remain in current residence), 1=Iwate, 2=Sendai City, 3=Miyagi Prefecture (excluding Sendai), 4=Fukushima, 5=Ibaraki, 6=Saitama, 7=Chiba, 8=Tokyo Special Wards, 9=Tokyo, 10=Kanagawa.
residence	`Int64`	ID of the current residence at the time of observation. Indicates the municipality or zone where the individual resided. Alternatives are coded as 0=Stay (remain in current residence), 1=Iwate, 2=Sendai City, 3=Miyagi Prefecture (excluding Sendai), 4=Fukushima, 5=Ibaraki, 6=Saitama, 7=Chiba, 8=Tokyo Special Wards, 9=Tokyo, 10=Kanagawa.

Hash Value

`6361c1e7193a3f6ad0c62067ad84a5b3cc3afc5bc778d91d71b9f16e9984d926`

Last Updated : 2025-09-02 14:44:18