

# Matsuyama PP Trip Data

2007 / Matsuyama

## Overview

This dataset contains PP (Probe Person) data collected in Matsuyama City in 2007, comprising 7,810 trips gathered between February 19 and March 23, 2007.

## License

Use is permitted only for the 2026 Summer Course on Behavior Modeling in Transportation Networks.

## Data Column Specification

| Column Name         | Data Type | Description                                                                                                                                |
|---------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| tripID              | Int64     |                                                                                                                                            |
| monitorID           | String    |                                                                                                                                            |
| purposeID           | Int64     | Purpose code: 0=--, 100=Work/School, 200=Home, 300=After work/school, 310=Working, 400=Shopping, 410=Eating, 420=Entertainment, 499=Other. |
| purpose             | String    |                                                                                                                                            |
| DepartureTime       | Datetime  | Date and time in Japan Standard Time (JST, UTC +09:00).                                                                                    |
| ArrivalTime         | Datetime  | Date and time in Japan Standard Time (JST, UTC +09:00).                                                                                    |
| time(second)        | Int64     | Trip duration in seconds.                                                                                                                  |
| DepartureCode       | Int64     |                                                                                                                                            |
| DepartureName       | String    |                                                                                                                                            |
| User'sDepartureName | String    |                                                                                                                                            |

| Column Name                | Data Type | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DepartureCode_duplicated_0 | Int64     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| DepartureAttribute         | String    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| DepartureLat(JGS)          | Float64   | Latitude in decimal degrees using the Japanese geodetic datum indicated by the column name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| DepartureLon(JGS)          | Float64   | Longitude in decimal degrees using the Japanese geodetic datum indicated by the column name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| DepartureLat(WGS)          | Float64   | Latitude in decimal degrees using the World Geodetic System (WGS 84).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| DepartureLon(WGS)          | Float64   | Longitude in decimal degrees using the World Geodetic System (WGS 84).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| GoalCode                   | Int64     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Goal                       | String    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| User'sGoalName             | String    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| GoalAttributeCode          | Int64     | Destination attribute code: 110=Home, 120=Office/School, 130=Office/Company, 140=Private home, 150=Department store/Mall, 160=Supermarket/Grocery store, 170=Convenience store, 180=Entertainment facility, 190=Restaurant/Cafe, 200=Book/Stationery/CD store, 210=Clothing/Goods/Sports store, 220=Electronics/Home center, 230=Barber/Hair salon, 240=Hotel/Spa/Inn, 250=Other commercial facility, 260=Financial institution/Post office, 270=Hospital, 280=Public facility, 290=Park/Roadside station, 300=Station, 310=Bus stop, 320=Airport/Ferry terminal, 999=Other. |
| GoalAttribute              | String    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| GoalLat(JGS)               | Float64   | Latitude in decimal degrees using the Japanese geodetic datum indicated by the column name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| GoalLon(JGS)               | Float64   | Longitude in decimal degrees using the Japanese geodetic datum indicated by the column name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| Column Name              | Data Type | Description                                                                                                                                                        |
|--------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GoalLat(WGS)             | Float64   | Latitude in decimal degrees using the World Geodetic System (WGS 84).                                                                                              |
| GoalLon(WGS)             | Float64   | Longitude in decimal degrees using the World Geodetic System (WGS 84).                                                                                             |
| ArrivalCode              | Int64     |                                                                                                                                                                    |
| ArrivalName              | String    |                                                                                                                                                                    |
| User'sArrivalName        | String    |                                                                                                                                                                    |
| ArrivalCode_duplicated_0 | Int64     |                                                                                                                                                                    |
| ArrivalAttribute         | String    |                                                                                                                                                                    |
| ArrivalLat(JGS)          | Float64   | Latitude in decimal degrees using the Japanese geodetic datum indicated by the column name.                                                                        |
| ArrivalLon(JGS)          | Float64   | Longitude in decimal degrees using the Japanese geodetic datum indicated by the column name.                                                                       |
| ArrivalLat(WGS)          | Float64   | Latitude in decimal degrees using the World Geodetic System (WGS 84).                                                                                              |
| ArrivalLon(WGS)          | Float64   | Longitude in decimal degrees using the World Geodetic System (WGS 84).                                                                                             |
| compatibility            | Int64     |                                                                                                                                                                    |
| CreationFlag             | Int64     |                                                                                                                                                                    |
| ArrivalFlag              | Int64     |                                                                                                                                                                    |
| validity                 | Int64     |                                                                                                                                                                    |
| TransportationCode       | Int64     | Transportation mode code: 0=--, 100=Car, 200=Train, 240=Bus, 300=Motorcycle, 410=Bicycle, 420=Walk, 500=Taxi, 600=Airplane, 700=Ship, 800=Waiting time, 999=Other. |
| Transportation           | String    |                                                                                                                                                                    |

| Column Name                | Data Type | Description                                                                                        |
|----------------------------|-----------|----------------------------------------------------------------------------------------------------|
| TransportationChange1_CD   | Int64     | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange1_Name | String    |                                                                                                    |
| TransportationChange1_Time | Datetime  | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange2_CD   | Int64     | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange2_Name | String    |                                                                                                    |
| TransportationChange2_Time | Datetime  | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange3_CD   | Int64     | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange3_Name | String    |                                                                                                    |
| TransportationChange3_Time | Datetime  | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange4_CD   | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange4_Name | String    |                                                                                                    |
| TransportationChange4_Time | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange5_CD   | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange5_Name | String    |                                                                                                    |
| TransportationChange5_Time | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |

| Column Name                 | Data Type | Description                                                                                        |
|-----------------------------|-----------|----------------------------------------------------------------------------------------------------|
| TransportationChange6_CD    | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange6_Name  | String    |                                                                                                    |
| TransportationChange6_Time  | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange7_CD    | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange7_Name  | String    |                                                                                                    |
| TransportationChange7_Time  | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange8_CD    | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange8_Name  | String    |                                                                                                    |
| TransportationChange8_Time  | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange9_CD    | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange9_Name  | String    |                                                                                                    |
| TransportationChange9_Time  | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange10_CD   | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange10_Name | String    |                                                                                                    |
| TransportationChange10_Time | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |

| Column Name                 | Data Type | Description                                                                                        |
|-----------------------------|-----------|----------------------------------------------------------------------------------------------------|
| TransportationChange11_CD   | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange11_Name | String    |                                                                                                    |
| TransportationChange11_Time | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange12_CD   | string    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange12_Name | String    |                                                                                                    |
| TransportationChange12_Time | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange13_CD   | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange13_Name | String    |                                                                                                    |
| TransportationChange13_Time | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| TransportationChange14_CD   | String    | Transportation mode code at this transfer. Use s the same code definitions as TransportationC ode. |
| TransportationChange14_Name | String    |                                                                                                    |
| TransportationChange14_Time | String    | Date and time in Japan Standard Time (JST, UTC +09:00).                                            |
| Mesh3_Departure             | String    |                                                                                                    |
| Mesh3_Goal                  | String    |                                                                                                    |
| Mesh3_Arrival               | String    |                                                                                                    |

---

### Hash Value (BLAKE3)

bd517f04b2fda9e79526efced70f647affd53dfafd57486c3773ab9624e332a2

Last Updated: see Git history  
©BinN, UTokyo