

Toyosu_2018_rail_path

2018 / Toyosu

Overview

Path data for unlinked trip.

License

Use is permitted only for the 2026 Summer Course on Behavior Modeling in Transportation Networks.

Data Column Specification

Column Name	Data Type	Description
MonitorID	Int64	Identifier for the individual.
DiaryID	String	Identifier for the trip date.
TripID	Int64	Identifier for the trip.
Mode	Int64	Transportation mode code. Values: 100 = rail, 101 = subway, 103 = monorail, 200 = streetcar, 201 = bus, 300 = car, 301 = truck, 302 = taxi, 303 = motorcycle, 400 = bicycle, 401 = shared bicycle, 402 = velotaxi, 500 = walking, 600 = airplane, 601 = ship, 602 = other; 999 = unknown.
Purpose	Int64	Trip purpose code. Values: 100 = commuting or schooling, 200 = business, 201 = returning to workplace or school, 300 = returning home, 400 = shopping, 401 = dining, 402 = lessons, 403 = hospital visit, 404 = leisure, 405 = sightseeing, 406 = strolling, 407 = escorting, 500 = waiting, 501 = other; 999 = unknown.
Path-Origin_nodeID	Int64	ID of the origin node of the path.
Path-Destination_nodeID	Int64	ID of the destination node of the path.

Column Name	Data Type	Description
Path_Length(m)	Float64	Length of the path in meters.
Travel_Time(s)	Float64	Travel time in seconds.
Speed(km/h)	Float64	Average speed in kilometers per hour.

Hash Value (BLAKE3)

78750cde63aeaf8cfac354fb719e581aae3e3d6a508d799b806d6ef903c913d0

Last Updated: see Git history

©BinN, UTokyo