

Toyosu2018_trip

2018 / Toyosu2018

Overview

Trips of 244 individuals from 08/27 to 11/19

License

Use is permitted only for the 2026 Summer Course on Behavior Modeling in Transportation Networks.

Data Column Specification

Column Name	Data Type	Description
TripID	Int64	Trip identifier.
UserID	Int64	User identifier.
PurposeID	Int64	Purpose code: 100=Commuting/School, 200=Business, 201=Returning to office/school, 300=Returning home, 400=Shopping, 401=Dining, 402=Lessons, 403=Medical, 404=Leisure, 405=Tourism, 406=Strolling, 407=Pickup/Drop-off, 500=Waiting, 501=Other, 999=Unknown.
Purpose	String	Trip-purpose name corresponding to the purpose code.
DepartureTime	Datetime	Date and time in Japan Standard Time (JST, UTC +09:00).
ArrivalTime	Datetime	Date and time in Japan Standard Time (JST, UTC +09:00).
TripTime	Int64	Trip duration in seconds.

Column Name	Data Type	Description
MainTransportationCode	Int64	Transportation mode code: 100=Train, 101=Subway, 103=Monorail, 200=Tram, 201=Bus, 300=Car, 301=Freight car, 302=Taxi, 303=Motorcycle, 400=Bicycle, 401=Shared bicycle, 402=Velotaxi, 500=Walk, 600=Airplane, 601=Ship, 602=Other, 999=Unknown.
MainTransportationName	String	Name of the main transportation mode corresponding to the mode code.
ODDirectDistance	Float64	Straight-line distance between origin and destination in metres.
LonO	Float64	Longitude in decimal degrees using the World Geodetic System (WGS 84).
LatO	Float64	Latitude in decimal degrees using the World Geodetic System (WGS 84).
Node_nameO	Int64	Network node identifier assigned to the trip origin.
LonD	Float64	Longitude in decimal degrees using the World Geodetic System (WGS 84).
LatD	Float64	Latitude in decimal degrees using the World Geodetic System (WGS 84).
Node_nameD	Int64	Network node identifier assigned to the trip destination.
Whether_alternatives_can_be_generated_Car	Float64	Indicator of whether a car-route alternative can be generated.
Distance_Car	Float64	Route distance for the indicated mode in kilometres.
Time_Car	Float64	Travel time for the indicated mode in hours.
Whether_alternatives_can_be_generated_Train	Float64	Indicator of whether a rail-route alternative can be generated.
Distance_Train	Float64	Route distance for the indicated mode in kilometres.

Column Name	Data Type	Description
Time_Train	Float64	Travel time for the indicated mode in hours.
Fare_Train	Float64	Rail fare.
Number_of_Change_Transportation_Train	Float64	Number of rail transfers.
Access_Distance_Train	Float64	Route distance for the indicated mode in kilometres.
Access_Time_Train	Float64	Travel time for the indicated mode in hours.
Egress_Distance_Train	Float64	Route distance for the indicated mode in kilometres.
Egress_Time_Train	Float64	Travel time for the indicated mode in hours.
Total_Time_Train	Float64	Travel time for the indicated mode in hours.
Whether_alternatives_can_be_generated_Walk	Float64	Indicator of whether a walking-route alternative can be generated.
Distance_Walk	Float64	Route distance for the indicated mode in kilometres.
Time_Walk	Float64	Travel time for the indicated mode in hours.
Whether_alternatives_can_be_generated_Bus	Float64	Indicator of whether a bus-route alternative can be generated.
Distance_Bus	Float64	Route distance for the indicated mode in kilometres.
Time_Bus	Float64	Travel time for the indicated mode in hours.
Fare_Bus	Float64	Bus fare.
Number_of_Change_Transportation_Bus	Float64	Number of bus transfers.
Access_Distance_Bus	Float64	Route distance for the indicated mode in kilometres.
Access_Time_Bus	Float64	Travel time for the indicated mode in hours.
Egress_Distance_Bus	Float64	Route distance for the indicated mode in kilometres.

Column Name	Data Type	Description
Egress_Time_Bus	Float64	Travel time for the indicated mode in hours.
Total_Time_Bus	Float64	Travel time for the indicated mode in hours.
Mesh3_O	Int64	Third-level Japanese standard grid-square code of the trip origin.
Mesh3_D	Int64	Third-level Japanese standard grid-square code of the trip destination.

Hash Value (BLAKE3)

0ca4c7db511b2b23346f24fa1d7f31e269426f0c723840303f262e73c2acc501

Last Updated: see Git history
©BinN, UTokyo