

Shibuya_2021_bike_path

2021 / Shibuya

Overview

Path data for unlinked trip.

License

Use is permitted only for the 2026 Summer Course on Behavior Modeling in Transportation Networks.

Data Column Specification

Column Name	Data Type	Description
MonitorID	Int64	Identifier for the individual.
DiaryID	String	Identifier for the trip date.
TripID	Float64	Identifier for the trip.
Mode	Float64	Transportation mode code. Values: 100=Rail, 101=Subway, 103=Monorail, 200=Tram, 201=Bus, 300=Car, 301=Freight car, 302=Taxi, 303=Motorcycle, 400=Bicycle, 401=Shared bicycle, 402=Velotaxi, 500=Walk, 600=Airplane, 601=Ship, 602=Other, 999=Unknown.
Purpose	Float64	Trip purpose code. Values: 0=Not assigned in this route dataset, 100=Commuting or schooling, 200=Business, 201=Returning to workplace or school, 300=Returning home, 400=Shopping, 401=Dining, 402=Lessons, 403=Hospital visit, 404=Leisure, 405=Sightseeing, 406=Strolling, 407=Escorting, 500=Waiting, 501=Other, 999=Unknown.
Path-Origin_nodeID	Float64	Identifier of the origin node of the path; corresponds to a node ID in the relevant network dataset.

Column Name	Data Type	Description
Path_Destination_nodeID	Float64	Identifier of the destination node of the path ; corresponds to a node ID in the relevant network dataset.
Path_Length(m)	Float64	Total length of the path in meters.
Travel_Time(s)	Float64	Travel time in seconds.
Speed(km/h)	Float64	Average speed in kilometers per hour.

Hash Value (BLAKE3)

17c475b12c1de9c16028499afe751ff291701ef6f6b338e238baac87d2c5d52a

Last Updated: see Git history
©BinN, UTokyo