

Ojima_6chome_walk_path

2020 / Ojima 6-chome, Koto-ku

Overview

Path data for unlinked trip.

License

Use is permitted only for the 2026 Summer Course on Behavior Modeling in Transportation Networks.

Data Column Specification

Column Name	Data Type	Description
MonitorID	Int64	Identifier for the individual.
DiaryID	String	Identifier for the trip date.
TripID	Int64	Identifier for the trip.
Mode	Int64	Transportation mode code. Values: 100=Rail, 101=Subway, 103=Monorail, 200=Tram, 201=Bus, 300=Car, 301=Freight car, 302=Taxi, 303=Motorcycle, 400=Bicycle, 401=Shared bicycle, 402=Velotaxi, 500=Walk, 600=Airplane, 601=Ship, 602=Other, 999=Unknown.
Purpose	Int64	Trip purpose code. Values: 0=Not assigned in this route dataset, 100=Commuting or schooling, 200=Business, 201=Returning to workplace or school, 300=Returning home, 400=Shopping, 401=Dining, 402=Lessons, 403=Hospital visit, 404=Leisure, 405=Sightseeing, 406=Strolling, 407=Escorting, 500=Waiting, 501=Other, 999=Unknown.
Path-Origin_nodeID	Int64	Identifier of the origin node of the path; corresponds to a node ID in the relevant network dataset.

Column Name	Data Type	Description
Path_Destination_nodeID	Int64	Identifier of the destination node of the path ; corresponds to a node ID in the relevant network dataset.
Path_Length(m)	Float64	Total length of the path in meters.
Travel_Time(s)	Float64	Travel time in seconds.
Speed(km/h)	Float64	Average speed in kilometers per hour.

Hash Value (BLAKE3)

b19c3a4a2378167eaca3e4b80290add4da251857697e57ae38fcfbca98af76aa

Last Updated: see Git history
©BinN, UTokyo