
Asymptotic Notation

What is a good code?

Good codes can be describe in two points

- 1. Readability: can others understand it
- 2. Scalable: As things grow larger and larger, does it scale. Big-O allows us to measure the idea of scalability. It is the language we use for talking about how long an algorithm takes to run. We can compare two algorithms and say which one is better when it comes to scale.



In summary, when we talk about big O and scalability of code, we simply mean when we grow bigger and bigger with out input, how much does the algorithm slow down. The less it slows or the slower it slows down, the better it is.

When we write code, we need to have three things in mind:

- 1. Is the code readable
- 2. Speed Time complexity
- 3. Memory Space complexity

When the program runs, it has two ways of remembering things:


- 1. Heap: Where we usually store our variables
- 2. Stack: where we keep track of our function calls

Things that causes space complexity

1. Adding variables

- 2. Adding data structures like arrays, objects and hash table
- 3. Function calls
- 4. Allocations

Summary: Big-O tells which function or algorithm is the best



Array Sorting Algorithms

Algorithm	Time Complexity			Space Complexity
	Best	Average	Worst	Worst
Quicksort	$\Omega(n \log(n))$	θ(n log(n))	0(n^2)	O(log(n))
<u>Mergesort</u>	$\Omega(n \log(n))$	θ(n log(n))	0(n log(n))	0(n)
Timsort	<u>Ω(n)</u>	θ(n log(n))	0(n log(n))	0(n)
<u>Heapsort</u>	$\Omega(n \log(n))$	θ(n log(n))	0(n log(n))	0(1)
Bubble Sort	<u>Ω(n)</u>	Θ(n^2)	0(n^2)	0(1)
Insertion Sort	<u>Ω(n)</u>	Θ(n^2)	0(n^2)	0(1)
Selection Sort	Ω(n^2)	Θ(n^2)	0(n^2)	0(1)
Tree Sort	Ω(n log(n))	θ(n log(n))	0(n^2)	0(n)
Shell Sort	$\Omega(n \log(n))$	$\theta(n(\log(n))^2)$	0(n(log(n))^2)	0(1)
Bucket Sort	$\Omega(n+k)$	Θ(n+k)	0(n^2)	0(n)
Radix Sort	$\Omega(nk)$	θ(nk)	0(nk)	0(n+k)
Counting Sort	$\Omega(n+k)$	θ(n+k)	0(n+k)	0(k)
Cubesort	$\Omega(n)$	$\theta(n \log(n))$	O(n log(n))	0(n)