

JOINT SET AND OPERATIONS

Name: Bindhu Madhavi

Roll Number: 2520030077

Step 1: Create Database


The screenshot displays the SQL Developer interface for a local instance named 'Bindhu Madhavi Local instance...'. The left-hand 'Navigator' pane is expanded to show the 'SCHEMAS' section, which currently displays 'No object selected'. The main workspace shows a SQL script with the following commands:

```
1 2520030077- P.Bindhu Madhavi
2 CREATE DATABASE IF NOT EXISTS joins_db;
3 USE joins_db;
```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message
1	17:52:35	CREATE DATABASE IF NOT EXISTS joins_db	1 row(s) affected, 1 v
2	17:52:35	USE joins_db	0 row(s) affected

STEP 2: Create Tables



The screenshot shows the MySQL Workbench interface. The left sidebar contains the 'Navigator' pane with sections for MANAGEMENT, INSTANCE, and PERFORMANCE. The main editor displays a SQL script in the 'Query 1' tab. The script creates a database named 'joins_db', uses it, and then creates two tables: 'class' and 'class_info'. The 'class' table has columns 'id' (INT) and 'name' (VARCHAR(30)). The 'class_info' table has columns 'id' (INT) and 'address' (VARCHAR(30)). The output pane at the bottom shows the execution results of these queries.

```
1 CREATE DATABASE IF NOT EXISTS joins_db;
2
3 USE joins_db;
4
5 CREATE TABLE class (
6   id INT,
7   name VARCHAR(30)
8 );
9
10 CREATE TABLE class_info (
11   id INT,
12   address VARCHAR(30)
13 );
```

Output:

#	Time	Action	Message	Duration / Fetch
1	17:52:35	CREATE DATABASE IF NOT EX...	1 row(s) affected, 1 warning(s): 100...	0.015 sec
2	17:52:35	USE joins_db	0 row(s) affected	0.000 sec
3	17:58:54	CREATE TABLE class (id INT, ...	Error Code: 1050. Table 'class' alre...	0.047 sec
4	17:58:54	CREATE TABLE class_info (id I...	Error Code: 1050. Table 'class_info'...	0.016 sec

STEP 3: Insert Data

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Com

```

6      name VARCHAR(30)
7    );
8
9  CREATE TABLE class_info (
10     id INT,
11     address VARCHAR(30)
12  );
13  INSERT INTO class VALUES
14  (1, 'Bindhu Madhavi'),
15  (2, 'Bindhu Madhavi'),
16  (4, 'alex');
17
18  INSERT INTO class_info VALUES
19  (1, 'DELHI'),
20  (2, 'MUMBAI'),
21  (3, 'CHENNAI');

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:52:35	CREATE DATABASE IF NOT EXI...	1 row(s) affected, 1 warning(s): 100...	0.015 sec
2	17:52:35	USE joins_db	0 row(s) affected	0.000 sec
3	17:58:54	CREATE TABLE class (id INT, ...	Error Code: 1050. Table 'class' alre...	0.047 sec
4	17:58:54	CREATE TABLE class_info (id I...	Error Code: 1050. Table 'class_info'...	0.016 sec
5	18:01:20	INSERT INTO class VALUES (1, Bi...	3 row(s) affected Records: 3 Dupli...	0.031 sec
6	18:01:20	INSERT INTO class_info VALUES ...	3 row(s) affected Records: 3 Dupli...	0.016 sec

STEP 4: CROSS JOIN

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Com...

```

19 (1, 'DELHI'),
20 (2, 'MUMBAI'),
21 (3, 'CHENNAI');
22
23 SELECT *
24 FROM class
25 CROSS JOIN class_info;

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

	id	name	id	address
1	1	Bindhu Madhavi	1	DELHI
2	1	Bindhu Madhavi	1	DELHI
3	1	alex	1	DELHI
4	1	anu	1	DELHI
5	1	ashish	1	DELHI
6	1	Bindhu	1	DELHI
7	1	Bindhu Madhavi	1	DELHI
8	1	Bindhu Madhavi	1	DELHI

Result 1 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:52:35	CREATE DATABASE IF NOT EXI...	1 row(s) affected, 1 warning(s): 10...	0.015 sec
2	17:52:35	USE joins_db	0 row(s) affected	0.000 sec
3	17:58:54	CREATE TABLE class (id INT,...	Error Code: 1050. Table 'class' alr...	0.047 sec
4	17:58:54	CREATE TABLE class_info (id ...	Error Code: 1050. Table 'class_inf...	0.016 sec
5	18:01:20	INSERT INTO class VALUES (1,...	3 row(s) affected Records: 3 Dupl...	0.031 sec
6	18:01:20	INSERT INTO class_info VALUE...	3 row(s) affected Records: 3 Dupl...	0.016 sec
7	18:02:20	SELECT * FROM class CROSS J...	90 row(s) returned	0.015 sec / 0.000 sec

STEP 5: Reset Tables

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Comr SQLAdditions

```

12  };
13  • INSERT INTO class VALUES
14  (1, 'Bindhu Madhavi'),
15  (2, 'Bindhu Madhavi'),
16  (4, 'alex');
17
18  • INSERT INTO class_info VALUES
19  (1, 'DELHI'),
20  (2, 'MUMBAI'),
21  (3, 'CHENNAI');
22
23  • SELECT *
24  FROM class
25  CROSS JOIN class_info;
26  • DROP TABLE class;
27  • DROP TABLE class_info;

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:52:35	CREATE DATABASE IF NOT EXI...	1 row(s) affected, 1 warning(s); 10...	0.015 sec
2	17:52:35	USE joins_db	0 row(s) affected	0.000 sec
3	17:58:54	CREATE TABLE class (id INT,...	Error Code: 1050. Table 'class' alr...	0.047 sec
4	17:58:54	CREATE TABLE class_info (id,...	Error Code: 1050. Table 'class_inf...	0.016 sec
5	18:01:20	INSERT INTO class VALUES (1,...	3 row(s) affected Records: 3 Dupl...	0.031 sec
6	18:01:20	INSERT INTO class_info VALUE...	3 row(s) affected Records: 3 Dupl...	0.016 sec
7	18:02:20	SELECT * FROM class CROSS J...	90 row(s) returned	0.015 sec / 0.000 sec
8	18:03:10	DROP TABLE class	0 row(s) affected	0.203 sec
9	18:03:10	DROP TABLE class_info	0 row(s) affected	0.031 sec

Object Info Session

STEP 6: Create Tables Again

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information: No object selected

Query 1 Week2 Week2 (DDL)* DCL Contr

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

22
23 SELECT *
24 FROM class
25 CROSS JOIN class_info;
26 DROP TABLE class;
27 DROP TABLE class_info;
28 25288388ZZ - Bindhu Madhavi
29 CREATE TABLE class (
30     id INT,
31     name VARCHAR(30)
32 );
33
34 CREATE TABLE class_info (
35     id INT,
36     address VARCHAR(30)
37 );

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	17:58:54	CREATE TABLE class (id IN...	Error Code: 1050. Table 'class' a...	0.047 sec
4	17:58:54	CREATE TABLE class_info (i...	Error Code: 1050. Table 'class_...	0.016 sec
5	18:01:20	INSERT INTO class VALUES (1...	3 row(s) affected Records: 3 D...	0.031 sec
6	18:01:20	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.016 sec
7	18:02:20	SELECT * FROM class CROSS ...	90 row(s) returned	0.015 sec / 0.000 sec
8	18:03:10	DROP TABLE class	0 row(s) affected	0.203 sec
9	18:03:10	DROP TABLE class_info	0 row(s) affected	0.031 sec
10	18:03:51	CREATE TABLE class (id IN...	0 row(s) affected	0.094 sec
11	18:03:51	CREATE TABLE class_info (i...	0 row(s) affected	0.047 sec

STEP 7: Insert New Data

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Comr

```

32 );
33
34 CREATE TABLE class_info (
35     id INT,
36     address VARCHAR(30)
37 );
38 INSERT INTO class VALUES
39 (1, 'Bindhu Madhavi'),
40 (2, 'Bindhu Madhavi'),
41 (3, 'alex'),
42 (4, 'anu');
43
44 INSERT INTO class_info VALUES
45 (1, 'DELHI'),
46 (2, 'MUMBAI'),
47 (3, 'CHENNAI');

```

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	18:01:20	INSERT INTO class VALUES (1...	3 row(s) affected Records: 3 D...	0.031 sec
6	18:01:20	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.016 sec
7	18:02:20	SELECT * FROM class CROSS ...	90 row(s) returned	0.015 sec / 0.000 sec
8	18:03:10	DROP TABLE class	0 row(s) affected	0.203 sec
9	18:03:10	DROP TABLE class_info	0 row(s) affected	0.031 sec
10	18:03:51	CREATE TABLE class (id IN...	0 row(s) affected	0.094 sec
11	18:03:51	CREATE TABLE class_info (i...	0 row(s) affected	0.047 sec
12	18:05:08	INSERT INTO class VALUES (1...	4 row(s) affected Records: 4 D...	0.031 sec
13	18:05:08	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.015 sec

Object Info Session

STEP 8: INNER JOIN

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Com SQLAdditions

45 (1, 'DELHI'),

46 (2, 'MUMBAI'),

47 (3, 'CHENNAI');

48 SELECT *

49 FROM class

50 INNER JOIN class_info

51 ON class.id=class_info.id;

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help

Result Grid

	id	name	id	address
1	Bindhu Madhavi	1	DELHI	
2	Bindhu Madhavi	2	MUMBAI	
3	alex	3	CHENNAI	

Result 2 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	18:01:20	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.016 sec
7	18:02:20	SELECT * FROM class CROSS ...	90 row(s) returned	0.015 sec / 0.000 sec
8	18:03:10	DROP TABLE class	0 row(s) affected	0.203 sec
9	18:03:10	DROP TABLE class_info	0 row(s) affected	0.031 sec
10	18:03:51	CREATE TABLE class (id IN...	0 row(s) affected	0.094 sec
11	18:03:51	CREATE TABLE class_info (i...	0 row(s) affected	0.047 sec
12	18:05:08	INSERT INTO class VALUES (1...	4 row(s) affected Records: 4 D...	0.031 sec
13	18:05:08	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.015 sec
14	18:06:01	SELECT * FROM class INNER ...	3 row(s) returned	0.000 sec / 0.000 sec

STEP 9: INNER JOIN (Name & Address)

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Com

```

51 ON class.id=class_info.id;
52
53 SELECT class.name,
54        class_info.address
55 FROM class
56 INNER JOIN class_info
57 ON class.id=class_info.id;

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

	name	address
▶	Bindhu Madhavi	DELHI
	Bindhu Madhavi	MUMBAI
	alex	CHENNAI

Result 3 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 7	18:02:20	SELECT * FROM class CROSS ...	90 row(s) returned	0.015 sec / 0.000 sec
✓ 8	18:03:10	DROP TABLE class	0 row(s) affected	0.203 sec
✓ 9	18:03:10	DROP TABLE class_info	0 row(s) affected	0.031 sec
✓ 10	18:03:51	CREATE TABLE class (id IN...	0 row(s) affected	0.094 sec
✓ 11	18:03:51	CREATE TABLE class_info (i...	0 row(s) affected	0.047 sec
✓ 12	18:05:08	INSERT INTO class VALUES (1...	4 row(s) affected Records: 4 D...	0.031 sec
✓ 13	18:05:08	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.015 sec
✓ 14	18:06:01	SELECT * FROM class INNER ...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 15	18:06:43	SELECT class.name, class...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

STEP 10: NATURAL JOIN

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

- MANAGEMENT
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore
- INSTANCE
 - Startup / Shutdown
 - Server Logs
 - Options File
- PERFORMANCE
 - Dashboard
 - Performance Reports
- Administration Schemas
- Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Comr

```

54      class_info.address
55  FROM class
56  INNER JOIN class_info
57  ON class.id=class_info.id;
58  • SELECT *
59  FROM class
60  NATURAL JOIN class_info;

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

	id	name	address
1	1	Bindhu Madhavi	DELHI
2	2	Bindhu Madhavi	MUMBAI
3	3	alex	CHENNAI

Form Editor

Result 4 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	18:03:10	DROP TABLE class	0 row(s) affected	0.203 sec
9	18:03:10	DROP TABLE class_info	0 row(s) affected	0.031 sec
10	18:03:51	CREATE TABLE class (id IN...	0 row(s) affected	0.094 sec
11	18:03:51	CREATE TABLE class_info (i...	0 row(s) affected	0.047 sec
12	18:05:08	INSERT INTO class VALUES (1...	4 row(s) affected Records: 4 D...	0.031 sec
13	18:05:08	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.015 sec
14	18:06:01	SELECT * FROM class INNER ...	3 row(s) returned	0.000 sec / 0.000 sec
15	18:06:43	SELECT class.name, class...	3 row(s) returned	0.000 sec / 0.000 sec
16	18:07:32	SELECT * FROM class NATUR...	3 row(s) returned	0.000 sec / 0.000 sec

STEP 11: Insert Extra Data

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Comr SQLAdditions

51 ON class.id=class_info.id;
52
53 • SELECT class.name,
54 class_info.address
55 FROM class
56 INNER JOIN class_info
57 ON class.id=class_info.id;
58 • SELECT *
59 FROM class
60 NATURAL JOIN class_info;
61 • INSERT INTO class VALUES
62 (5, 'Bindhu Madhavi');
63
64 • INSERT INTO class_info VALUES
65 (7, 'NOIDA'),
66 (8, 'PAMIPAT');

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 10	18:03:51	CREATE TABLE class (id IN...	0 row(s) affected	0.094 sec
✓ 11	18:03:51	CREATE TABLE class_info (i...	0 row(s) affected	0.047 sec
✓ 12	18:05:08	INSERT INTO class VALUES (1...	4 row(s) affected Records: 4 D...	0.031 sec
✓ 13	18:05:08	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.015 sec
✓ 14	18:06:01	SELECT * FROM class INNER ...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 15	18:06:43	SELECT class.name, class...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 16	18:07:32	SELECT * FROM class NATUR...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 17	18:08:15	INSERT INTO class VALUES (5...	1 row(s) affected	0.000 sec
✓ 18	18:08:15	INSERT INTO class_info VALU...	2 row(s) affected Records: 2 D...	0.015 sec

Object Info Session

STEP 12: LEFT JOIN

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Com SQLAdditions

```

64 • INSERT INTO class_info VALUES
65 (7, 'NOIDA'),
66 (8, 'PANIPAT');
67 • SELECT *
68 FROM class
69 LEFT JOIN class_info
70 ON class.id=class_info.id;

```

Automatic disabled. U manually current can toggle a

Result Grid

	id	name	id	address
1	1	Bindhu Madhavi	1	DELHI
2	2	Bindhu Madhavi	2	MUMBAI
3	3	alex	3	CHENNAI
4	4	anu	NULL	NULL
5	5	Bindhu Madhavi	NULL	NULL

Result 5 x Read Only Context Help Sn

Output

Action Output

#	Time	Action	Message
11	18:03:51	CREATE TABLE class_info (i...	0 row(s) affected
12	18:05:08	INSERT INTO class VALUES (1...	4 row(s) affected Records: 4 D...
13	18:05:08	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...
14	18:06:01	SELECT * FROM class INNER ...	3 row(s) returned
15	18:06:43	SELECT class.name, class...	3 row(s) returned
16	18:07:32	SELECT * FROM class NATUR...	3 row(s) returned
17	18:08:15	INSERT INTO class VALUES (5...	1 row(s) affected
18	18:08:15	INSERT INTO class_info VALU...	2 row(s) affected Records: 2 D...
19	18:08:50	SELECT * FROM class LEFT J...	5 row(s) returned

Object Info Session

STEP 13: LEFT JOIN with NULL

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Com SQLAdditions

```

69 LEFT JOIN class_info
70 ON class.id=class_info.id;
71 • SELECT *
72 FROM class
73 LEFT JOIN class_info
74 ON class.id=class_info.id
75 WHERE class_info.id IS NULL;

```

Automatic disabled. U manually current ca toggle a

Result Grid

	id	name	id	address
4	anu		NULL	NULL
5	Bindhu Madhavi		NULL	NULL

Result 6 x Read Only Context Help Sn

Output

Action Output

#	Time	Action	Message
✓ 12	18:05:08	INSERT INTO class VALUES (1...	4 row(s) affected Records: 4 D...
✓ 13	18:05:08	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...
✓ 14	18:06:01	SELECT * FROM class INNER ...	3 row(s) returned
✓ 15	18:06:43	SELECT class.name, class...	3 row(s) returned
✓ 16	18:07:32	SELECT * FROM class NATUR...	3 row(s) returned
✓ 17	18:08:15	INSERT INTO class VALUES (5...	1 row(s) affected
✓ 18	18:08:15	INSERT INTO class_info VALU...	2 row(s) affected Records: 2 D...
✓ 19	18:08:50	SELECT * FROM class LEFT J...	5 row(s) returned
✓ 20	18:09:42	SELECT * FROM class LEFT J...	2 row(s) returned

Object Info Session

STEP 14: RIGHT JOIN

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Com SQLAdditions

```

73 LEFT JOIN class_info
74 ON class.id=class_info.id
75 WHERE class_info.id IS NULL;
76 SELECT *
77 FROM class
78 RIGHT JOIN class_info
79 ON class.id=class_info.id;

```

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help.

Result Grid

	id	name	id	address
1	1	Bindhu Madhavi	1	DELHI
2	2	Bindhu Madhavi	2	MUMBAI
3	3	alex	3	CHENNAI
4	4	alex	7	NOIDA
5	5	alex	8	PANIPAT

Result 7

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	18:05:08	INSERT INTO class_info VALU...	3 row(s) affected Records: 3 D...	0.015 sec
14	18:06:01	SELECT * FROM class INNER ...	3 row(s) returned	0.000 sec / 0.000 sec
15	18:06:43	SELECT class.name, class...	3 row(s) returned	0.000 sec / 0.000 sec
16	18:07:32	SELECT * FROM class NATUR...	3 row(s) returned	0.000 sec / 0.000 sec
17	18:08:15	INSERT INTO class VALUES (5...	1 row(s) affected	0.000 sec
18	18:08:15	INSERT INTO class_info VALU...	2 row(s) affected Records: 2 D...	0.015 sec
19	18:08:50	SELECT * FROM class LEFT J...	5 row(s) returned	0.000 sec / 0.000 sec
20	18:09:42	SELECT * FROM class LEFT J...	2 row(s) returned	0.000 sec / 0.000 sec
21	18:10:21	SELECT * FROM class RIGHT ...	5 row(s) returned	0.000 sec / 0.000 sec

STEP 15: RIGHT JOIN with NULL

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Comr

```

78 RIGHT JOIN class_info
79 ON class.id=class_info.id;
80 SELECT *
81 FROM class
82 RIGHT JOIN class_info
83 ON class.id=class_info.id
84 WHERE class.id IS NULL;

```

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help

Result Grid

id	name	id	address
NULL	NULL	7	NOIDA
NULL	NULL	8	PANIPAT

Result 8 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 14	18:06:01	SELECT * FROM class INNER ...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 15	18:06:43	SELECT class.name, class...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 16	18:07:32	SELECT * FROM class NATUR...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 17	18:08:15	INSERT INTO class VALUES (5...	1 row(s) affected	0.000 sec
✓ 18	18:08:15	INSERT INTO class_info VALU...	2 row(s) affected Records: 2 D...	0.015 sec
✓ 19	18:08:50	SELECT * FROM class LEFT J...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 20	18:09:42	SELECT * FROM class LEFT J...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 21	18:10:21	SELECT * FROM class RIGHT ...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 22	18:10:59	SELECT * FROM class RIGHT ...	2 row(s) returned	0.000 sec / 0.000 sec

STEP 16: FULL OUTER JOIN (MySQL Alternative)

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Comr SQLAdditions

```

90
91 UNION
92
93 SELECT *
94 FROM class
95 RIGHT JOIN class_info
96 ON class.id=class_info.id;

```

Result Grid

	id	name	id	address
1	1	Bindhu Madhavi	1	DELHI
2	2	Bindhu Madhavi	2	MUMBAI
3	3	alex	3	CHENNAI
4	4	anu	NULL	NULL
5	5	Bindhu Madhavi	NULL	NULL
6	6	NULL	7	NOIDA
7	7	NULL	8	PANIPAT

Result 9 x Read Only Context Help

Output

Action Output

#	Time	Action	Message
15	18:06:43	SELECT class name, class...	3 row(s) returned
16	18:07:32	SELECT * FROM class NATUR...	3 row(s) returned
17	18:08:15	INSERT INTO class VALUES (5...	1 row(s) affected
18	18:08:15	INSERT INTO class_info VALU...	2 row(s) affected Records: 2 D...
19	18:08:50	SELECT * FROM class LEFT J...	5 row(s) returned
20	18:09:42	SELECT * FROM class LEFT J...	2 row(s) returned
21	18:10:21	SELECT * FROM class RIGHT ...	5 row(s) returned
22	18:10:59	SELECT * FROM class RIGHT ...	2 row(s) returned
23	18:11:38	SELECT * FROM class LEFT J...	7 row(s) returned

Object Info Session

Automat disabled. manual current c toggle

STEP 17: Unmatched Records (MySQL)

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Comr SQLAdditions

```

104 UNION
105
106 SELECT *
107 FROM class
108 RIGHT JOIN class_info
109 ON class.id=class_info.id
110 WHERE class.id IS NULL;

```

Result Grid

	id	name	id	address
4	anu		NULL	NULL
5	Bindhu Madhavi		NULL	NULL
7			7	NOIDA
8			8	PANIPAT

Result 10 x Read Only Context Help

Output

Action Output

#	Time	Action	Message
16	18:07:32	SELECT * FROM class NATUR...	3 row(s) returned
17	18:08:15	INSERT INTO class VALUES (5...	1 row(s) affected
18	18:08:15	INSERT INTO class_info VALU...	2 row(s) affected Records: 2 D...
19	18:08:50	SELECT * FROM class LEFT J...	5 row(s) returned
20	18:09:42	SELECT * FROM class LEFT J...	2 row(s) returned
21	18:10:21	SELECT * FROM class RIGHT ...	5 row(s) returned
22	18:10:59	SELECT * FROM class RIGHT ...	2 row(s) returned
23	18:11:38	SELECT * FROM class LEFT J...	7 row(s) returned
24	18:12:17	SELECT * FROM class LEFT J...	4 row(s) returned

Object Info Session

Automal disabled. manual current c toggle

STEP 18: Create New Tables

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Comr SQLAdditions

```
104 UNION
105
106 SELECT *
107 FROM class
108 RIGHT JOIN class_info
109 ON class.id=class_info.id
110 WHERE class.id IS NULL;
111 CREATE TABLE first_table(
112 id INT,
113 name VARCHAR(30)
114 );
115
116 CREATE TABLE second_table(
117 id INT,
118 name VARCHAR(30)
119 );
```

Automat disabled. manually current c toggle

Context Help


Output

Action Output

#	Time	Action	Message
✓ 18	18:08:15	INSERT INTO class_info VALU...	2 row(s) affected Records: 2 D...
✓ 19	18:08:50	SELECT * FROM class LEFT J...	5 row(s) returned
✓ 20	18:09:42	SELECT * FROM class LEFT J...	2 row(s) returned
✓ 21	18:10:21	SELECT * FROM class RIGHT ...	5 row(s) returned
✓ 22	18:10:59	SELECT * FROM class RIGHT ...	2 row(s) returned
✓ 23	18:11:38	SELECT * FROM class LEFT J...	7 row(s) returned
✓ 24	18:12:17	SELECT * FROM class LEFT J...	4 row(s) returned
✗ 25	18:12:56	CREATE TABLE first_table(id I...	Error Code: 1050. Table first_ta...
✗ 26	18:12:56	CREATE TABLE second_table(...	Error Code: 1050. Table 'second..

Object Info Session

STEP 19: Insert Data



The screenshot shows the MySQL Workbench interface. The left sidebar contains a 'Navigator' pane with sections for 'MANAGEMENT' (Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore), 'INSTANCE' (Startup / Shutdown, Server Logs, Options File), and 'PERFORMANCE' (Dashboard, Performance Reports). The 'Administration' tab is selected. The main editor displays SQL code for creating two tables and inserting data. The code is as follows:

```
111 CREATE TABLE first_table(  
112     id INT,  
113     name VARCHAR(30)  
114 );  
115  
116 CREATE TABLE second_table(  
117     id INT,  
118     name VARCHAR(30)  
119 );  
120 INSERT INTO first_table VALUES  
121 (1, 'Bindhu Madhavi'),  
122 (2, 'Bindhu Madhavi');  
123  
124 INSERT INTO second_table VALUES  
125 (2, 'adam'),  
126 (3, 'chester');
```

The right sidebar shows a 'Context Help' pane with the text: 'Automat disabled. manually current c toggle'. The bottom pane shows the 'Output' window with a table of execution results:

#	Time	Action	Message
20	18:09:42	SELECT * FROM class LEFT J...	2 row(s) returned
21	18:10:21	SELECT * FROM class RIGHT ...	5 row(s) returned
22	18:10:59	SELECT * FROM class RIGHT ...	2 row(s) returned
23	18:11:38	SELECT * FROM class LEFT J...	7 row(s) returned
24	18:12:17	SELECT * FROM class LEFT J...	4 row(s) returned
25	18:12:56	CREATE TABLE first_table(id I...	Error Code: 1050. Table 'first_ta...
26	18:12:56	CREATE TABLE second_table(...	Error Code: 1050. Table 'second...
27	18:14:17	INSERT INTO first_table VALU...	2 row(s) affected Records: 2 D...
28	18:14:17	INSERT INTO second_table VA...	2 row(s) affected Records: 2 D...

STEP 20: UNION

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: /eeks2(TCL)* Joint and Operations* Administration SQLAdditions

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information: No object selected

Result Grid

	id	name
1	P.Binahu Madhavi	
2	adam	
1	Bindhu Madhavi	
2	Bindhu Madhavi	
3	P.Bindhu Madhavi	
3	chester	

Result 11 x Read Only Context Help

Output

Action Output

#	Time	Action	Message
21	18:10:21	SELECT * FROM class RIGHT ...	5 row(s) returned
22	18:10:59	SELECT * FROM class RIGHT ...	2 row(s) returned
23	18:11:38	SELECT * FROM class LEFT J...	7 row(s) returned
24	18:12:17	SELECT * FROM class LEFT J...	4 row(s) returned
25	18:12:56	CREATE TABLE first_table(id I...	Error Code: 1050. Table first_ta
26	18:12:56	CREATE TABLE second_table(...	Error Code: 1050. Table 'secon
27	18:14:17	INSERT INTO first_table VALU...	2 row(s) affected Records: 2 D
28	18:14:17	INSERT INTO second_table VA...	2 row(s) affected Records: 2 D
29	18:14:52	SELECT * FROM first_table UN...	6 row(s) returned

Object Info Session

Automatically disabled manual current toggle

STEP 21: UNION (Names)

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information: No object selected

leeks2(TCL)* Joint and Operations* Administration SQLAdditions

```

136 SELECT name
137 FROM first_table
138
139 UNION
140
141 SELECT name
142 FROM second_table;

```

Result Grid

name
P.Binahu Madhavi
adam
Bindhu Madhavi
P.Bindhu Madhavi
chester

Result Grid

Form Editor

Result 12 x Read Only Context Help

Output

Action Output

#	Time	Action	Message
22	18:10:59	SELECT * FROM class RIGHT ...	2 row(s) returned
23	18:11:38	SELECT * FROM class LEFT J...	7 row(s) returned
24	18:12:17	SELECT * FROM class LEFT J...	4 row(s) returned
25	18:12:56	CREATE TABLE first_table(id I...	Error Code: 1050. Table first_ta...
26	18:12:56	CREATE TABLE second_table(...	Error Code: 1050. Table 'second...
27	18:14:17	INSERT INTO first_table VALU...	2 row(s) affected Records: 2 D...
28	18:14:17	INSERT INTO second_table VA...	2 row(s) affected Records: 2 D...
29	18:14:52	SELECT * FROM first_table UN...	6 row(s) returned
30	18:15:37	SELECT name FROM first_table...	5 row(s) returned

STEP 22: UNION ALL

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Object Info Session

Weeks2(TCL)* Joint and Operations* Administration SQLAdditions

```

143 SELECT *
144 FROM first_table
145
146 UNION ALL
147
148 SELECT *
149 FROM second_table;

```

Result Grid

	id	name
1	P.Binahu Madhavi	
2	adam	
1	Bindhu Madhavi	
2	Bindhu Madhavi	
2	adam	
3	P.Binahu Madhavi	
2	adam	
3	chester	

Result 13 x Read Only Context Help


Output

Action Output

#	Time	Action	Message
23	18:11:38	SELECT * FROM class LEFT J...	7 row(s) returned
24	18:12:17	SELECT * FROM class LEFT J...	4 row(s) returned
25	18:12:56	CREATE TABLE first_table(id I...	Error Code: 1050. Table 'first_ta...
26	18:12:56	CREATE TABLE second_table(...	Error Code: 1050. Table 'second
27	18:14:17	INSERT INTO first_table VALU...	2 row(s) affected Records: 2 D..
28	18:14:17	INSERT INTO second_table VA...	2 row(s) affected Records: 2 D..
29	18:14:52	SELECT * FROM first_table UN...	6 row(s) returned
30	18:15:37	SELECT name FROM first_table...	5 row(s) returned
31	18:16:08	SELECT * FROM first_table UN...	8 row(s) returned

Automa disabled. manually current c toggle

STEP 23: COUNT



STEP 24: INTERSECT (MySQL)

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

leeks2(TCL)* Joint and Operations* Administration SQLAdditions

162 SELECT *

163 FROM first_table

164 WHERE id IN

165 (

166 SELECT id

167 FROM second_table

168);

Result Grid

id	name
2	adam
2	Bindhu Madhavi

Form Editor

first_table 15 x Read Only Context Help Snip

Output

Action Output

#	Time	Action	Message
25	18:12:56	CREATE TABLE first_table(id I...	Error Code: 1050. Table first_ta...
26	18:12:56	CREATE TABLE second_table(...	Error Code: 1050. Table 'second...
27	18:14:17	INSERT INTO first_table VALU...	2 row(s) affected Records: 2 D...
28	18:14:17	INSERT INTO second_table VA...	2 row(s) affected Records: 2 D...
29	18:14:52	SELECT * FROM first_table UN...	6 row(s) returned
30	18:15:37	SELECT name FROM first_table...	5 row(s) returned
31	18:16:08	SELECT * FROM first_table UN...	8 row(s) returned
32	18:16:49	SELECT COUNT(*) FROM (SE...	1 row(s) returned
33	18:17:20	SELECT * FROM first_table WH...	2 row(s) returned

STEP 25: MINUS (MySQL)

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Weeks2(TCL)* Joint and Operations* Administration SQLAdditions

163 FROM first_table

164 WHERE id IN

165 (

166 SELECT id

167 FROM second_table

168)

169 SELECT *

Result Grid

id	name
1	P.Binshu Madhavi
1	Bindhu Madhavi

Form Editor

first_table 16 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration
26	18:12:56	CREATE TABLE second_table(...	Error Code: 1050. Table 'second...	0.000 sec
27	18:14:17	INSERT INTO first_table VALU...	2 row(s) affected Records: 2 D...	0.000 sec
28	18:14:17	INSERT INTO second_table VA...	2 row(s) affected Records: 2 D...	0.015 sec
29	18:14:52	SELECT * FROM first_table UN...	6 row(s) returned	0.015 sec
30	18:15:37	SELECT name FROM first_table...	5 row(s) returned	0.000 sec
31	18:16:08	SELECT * FROM first_table UN...	8 row(s) returned	0.000 sec
32	18:16:49	SELECT COUNT(*) FROM (SE...	1 row(s) returned	0.015 sec
33	18:17:20	SELECT * FROM first_table WH...	2 row(s) returned	0.000 sec
34	18:17:58	SELECT * FROM first_table WH...	2 row(s) returned	0.016 sec

Object Info Session

Automatic control is disabled. Use the manually get the current caret position to toggle automatic.

STEP 26: Names Only

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

leeks2(TCL)* Joint and Operations* Administration SQLAdditions

```

176 SELECT name
177 FROM first_table
178 WHERE name NOT IN
179 (
180 SELECT name
181 FROM second_table
182 );

```

Automatic commit disabled. Use toggle button to manually get current caret position or toggle auto commit.

Result Grid

name
P.Binahu Madhavi
Bindhu Madhavi
Bindhu Madhavi

Form Editor

first_table 17 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration
27	18:14:17	INSERT INTO first_table VALU...	2 row(s) affected Records: 2 D...	0.000
28	18:14:17	INSERT INTO second_table VA...	2 row(s) affected Records: 2 D...	0.015
29	18:14:52	SELECT * FROM first_table UN...	6 row(s) returned	0.015
30	18:15:37	SELECT name FROM first_table...	5 row(s) returned	0.000
31	18:16:08	SELECT * FROM first_table UN...	8 row(s) returned	0.000
32	18:16:49	SELECT COUNT(*) FROM (SE...	1 row(s) returned	0.015
33	18:17:20	SELECT * FROM first_table WH...	2 row(s) returned	0.000
34	18:17:58	SELECT * FROM first_table WH...	2 row(s) returned	0.016
35	18:18:24	SELECT name FROM first_table...	3 row(s) returned	0.000

Object Info Session

STEP 27: Interview Question

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

leeks2(TCL)* Joint and Operations* Administration SQLAdditions

```

182 );
183 SELECT c.id,
184        c.name,
185        ci.address
186 FROM class c
187 INNER JOIN class_info ci
188 ON c.id=ci.id;

```

Automatic updates disabled. Use manually to toggle auto updates.

Result Grid

	id	name	address
1	1	Bindhu Madhavi	DELHI
2	2	Bindhu Madhavi	MUMBAI
3	3	alex	CHENNAI

Result 18 x Read Only Context Help Snippet

Output

Action Output

#	Time	Action	Message	D
28	18:14:17	INSERT INTO second_table VA...	2 row(s) affected Records: 2 D...	0.1
29	18:14:52	SELECT * FROM first_table UN...	6 row(s) returned	0.1
30	18:15:37	SELECT name FROM first_table...	5 row(s) returned	0.1
31	18:16:08	SELECT * FROM first_table UN...	8 row(s) returned	0.1
32	18:16:49	SELECT COUNT(*) FROM (SE...	1 row(s) returned	0.1
33	18:17:20	SELECT * FROM first_table WH...	2 row(s) returned	0.1
34	18:17:58	SELECT * FROM first_table WH...	2 row(s) returned	0.1
35	18:18:24	SELECT name FROM first_table...	3 row(s) returned	0.1
36	18:18:57	SELECT c.id, c.name, ...	3 row(s) returned	0.1

Object Info Session

STEP 28: CASE Statement

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Administration Schemas

Information

No object selected

/leeks2(TCL)*

Joint and Operations*

Administration

SQLAdditions

Limit to

192

193

194

195

196

197

198

WHEN ci.address IS NULL

THEN 'Address Missing'

ELSE 'Address Available'

END AS Status

FROM class c

LEFT JOIN class_info ci

ON c.id=ci.id;

Result Grid

Filter Rows:

	id	name	Status
1	1	Bindhu Madhavi	Address Available
2	2	Bindhu Madhavi	Address Available
3	3	alex	Address Available
4	4	anu	Address Missing
5	5	Bindhu Madhavi	Address Missing

Result Grid

Form Editor

Result 19 x

Read Only

Context Help

Output

Action Output

#	Time	Action	Message
29	18:14:52	SELECT * FROM first_table UN...	6 row(s) returned
30	18:15:37	SELECT name FROM first_table...	5 row(s) returned
31	18:16:08	SELECT * FROM first_table UN...	8 row(s) returned
32	18:16:49	SELECT COUNT(*) FROM (SE...	1 row(s) returned
33	18:17:20	SELECT * FROM first_table WH...	2 row(s) returned
34	18:17:58	SELECT * FROM first_table WH...	2 row(s) returned
35	18:18:24	SELECT name FROM first_table...	3 row(s) returned
36	18:18:57	SELECT c.id, c.name, ...	3 row(s) returned
37	18:19:38	SELECT c.id, c.name, ...	5 row(s) returned

Object Info

Session

Automa
disabled.
manual
current c
toggle