

PRACTICAL EXAMPLES(WEEK-2)

Name: P.Bindhu Madhavi

Roll Number: 2520030077

Step 1: Create Database

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Open SQL

```
1 • CREATE DATABASE IF NOT EXISTS joins_db;
2 • USE joins_db;
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected

MySQL Workbench

The screenshot shows the MySQL Workbench interface with the following components:

- Navigator:** A sidebar on the left with sections for MANAGEMENT (Server Status, Client Connections, Users and Privileges, Status and System, Data Export, Data Import/Restore), INSTANCE (Startup / Shutdown, Server Logs, Options File), PERFORMANCE (Dashboard, Performance Report), and Administration.
- SQL Editor:** The main window displays two SQL queries:

```
1 • CREATE DATABASE IF NOT EXISTS orders_db;  
2 • USE orders_db;
```
- Output:** A table at the bottom showing the execution results of the queries.

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected

Step 2: Create Orders Table

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)*** SQLAdditi

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration Administration

Information

No object selected

```

1 • CREATE DATABASE IF NOT EXISTS orders_db;
2 • USE orders_db;
3 • CREATE TABLE orders (
4     ord_no INT PRIMARY KEY,
5     purch_amt DECIMAL(10,2),
6     ord_date DATE,
7     customer_id INT,
8     salesman_id INT
9 );
10

```

Auto disabl
mani
curre
tog

Context H

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, p...	0 row(s) affected

Step 3: Insert Data Into Orders

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)*** SQLA

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration Administration Information

No object selected

```

9  );
10  2520030077-Bindhu Madhavi
11  INSERT INTO orders VALUES
12  (70001,150.50,'2012-10-05',3005,5002),
13  (70009,270.65,'2012-09-10',3001,5005),
14  (70002,65.26,'2012-10-05',3002,5001),
15  (70004,110.50,'2012-08-17',3009,5003),
16  (70007,948.50,'2012-09-10',3005,5002),
17  (70005,2400.60,'2012-07-27',3007,5001),
18  (70008,5760.00,'2012-09-10',3002,5001),
19  (70010,1983.43,'2012-10-10',3004,5006),
20  (70003,2480.40,'2012-10-10',3009,5003),
21  (70012,250.45,'2012-06-27',3008,5002),
22  (70011,75.29,'2012-08-17',3003,5007),
23  (70013,3045.60,'2012-04-25',3002,5001);
24

```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, p...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3...	12 row(s) affected Records: 12 Duplicates:

Step 4: Where Clause

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* Praticse Example(Week2)* x

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

21 (70012,250.45,'2012-06-27',3008,5002),
22 (70011,75.29,'2012-08-17',3003,5007),
23 (70013,3045.60,'2012-04-25',3002,5001);
24 2520030077-Bindhu Madhavi
25 SELECT *
26 FROM orders
27 WHERE purch_amt > 2000;

```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
*	NULL	NULL	NULL	NULL	NULL

orders 1 x

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Duplicates:
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned

Step 5: Where Clause

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)*** x SQLAdditions:

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration Information

No object selected

```

25 SELECT *
26 FROM orders
27 WHERE purch_amt > 2000;
28 2520030077-Bindhu Madhavi
29 SELECT *
30 FROM orders
31 WHERE ord_date='2012-09-10';

```

Limit to 1000 rows

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005
*	NULL	NULL	NULL	NULL	NULL

Filter Rows: Edit: Export/Import: Result Grid Form Editor

orders 2 x Apply Revert Context Help

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Duplicates: 0 Warnings
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned
✓ 6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' LI...	3 row(s) returned

Automa disabled. manuall current c toggle

Step 6: Where Clause

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)***

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

28 2520030077-Bindhu Madhavi
29 SELECT *
30 FROM orders
31 WHERE ord_date='2012-09-10';
32 SELECT *
33 FROM orders
34 WHERE salesman_id=5001;

```

Limit to 1000 rows

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70002	65.26	2012-10-05	3002	5001
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
*	NULL	NULL	NULL	NULL	NULL

orders 3 x

Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Du
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned
✓ 6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' LI...	3 row(s) returned
✓ 7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIMIT ...	4 row(s) returned

Step 7: Order By

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)***

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information: No object selected

```

32 SELECT *
33 FROM orders
34 WHERE salesman_id=5001;
35 2520030077-Bindhu Madhavi
36 SELECT *
37 FROM orders
38 ORDER BY purch_amt DESC;

```

Limit to 1000 rows

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70010	1983.43	2012-10-10	3004	5006
	70007	948.50	2012-09-10	3005	5002
	70009	270.65	2012-09-10	3001	5005
	70012	250.45	2012-06-27	3008	5002

orders 4 x

Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Duplicat
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned
✓ 6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' LI...	3 row(s) returned
✓ 7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIMIT ...	4 row(s) returned
✓ 8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LIM...	12 row(s) returned

Step 8: Order By

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

Weeks2(TCL)* Joint and Operations* My Example* Praticse Example(Week2)*

Limit to 1000 rows

```

35 2520030077-Bindhu Madhavi
36 SELECT *
37 FROM orders
38 ORDER BY purch_amt DESC;
39 SELECT *
40 FROM orders
41 ORDER BY ord_date;

```

Result Grid

ord_no	purch_amt	ord_date	customer_id	salesman_id
70013	3045.60	2012-04-25	3002	5001
70012	250.45	2012-06-27	3008	5002
70005	2400.60	2012-07-27	3007	5001
70004	110.50	2012-08-17	3009	5003
70011	75.29	2012-08-17	3003	5007
70007	948.50	2012-09-10	3005	5002
70008	5760.00	2012-09-10	3002	5001
70009	270.65	2012-09-10	3001	5005

orders 5 x

Apply Revert

Output

Action Output

#	Time	Action	Message
1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
2	11:39:45	USE orders_db	0 row(s) affected
3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Duplicat
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' LI...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIMIT...	4 row(s) returned
8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LIM...	12 row(s) returned
9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned

Object Info

Step 9: Sum()

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)***

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

38 ORDER BY purch_amt DESC;
39 SELECT *
40 FROM orders
41 ORDER BY ord_date;
42 2520030077-Bindhu Madhavi
43 SELECT SUM(purch_amt) AS total_revenue
44 FROM orders;

```

Result Grid

total_revenue
17541.18

Result 6 x Read Only

Output

Action Output

#	Time	Action	Message
2	11:39:45	USE orders_db	0 row(s) affected
3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-0...	12 row(s) affected Records: 12 Duplicate
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIM...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' ...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIM...	4 row(s) returned
8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LI...	12 row(s) returned
9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1...	12 row(s) returned
10	11:46:35	SELECT SUM(purch_amt) AS total_revenue FROM order...	1 row(s) returned

Object Info

Step 10: Avg()

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)***

MANAGEMENT

- Server Status
- Client Connection
- Users and Privileges
- Status and System
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

```

40 FROM orders
41 ORDER BY ord_date;
42 2520030077-Bindhu Madhavi
43 SELECT SUM(purch_amt) AS total_revenue
44 FROM orders;
45 SELECT AVG(purch_amt) AS average_order
46 FROM orders;
  
```

Result Grid

average_order
1461.765000

Result 7 x Read Only

Output

Action Output

#	Time	Action	Message
3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-0...	12 row(s) affected Records: 12 Duplicate
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMI...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' ...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIMI...	4 row(s) returned
8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LI...	12 row(s) returned
9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1...	12 row(s) returned
10	11:46:35	SELECT SUM(purch_amt) AS total_revenue FROM order...	1 row(s) returned
11	11:47:24	SELECT AVG(purch_amt) AS average_order FROM order...	1 row(s) returned

Step 11: Max()

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* Practise Example(Week2)* x SQLAddit

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

41 ORDER BY ord_date;
42 2520030077-Bindhu Madhavi
43 SELECT SUM(purch_amt) AS total_revenue
44 FROM orders;
45 SELECT AVG(purch_amt) AS average_order
46 FROM orders;
47 SELECT MAX(purch_amt) AS highest_order

```

Result Grid

highest_order
5760.00

Result 8 x Read Only Context H

Output

Action Output

#	Time	Action	Message
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-0...	12 row(s) affected Records: 12 Duplicates: 0 Wami
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIM...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' ...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIM...	4 row(s) returned
8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LI...	12 row(s) returned
9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1...	12 row(s) returned
10	11:46:35	SELECT SUM(purch_amt) AS total_revenue FROM order...	1 row(s) returned
11	11:47:24	SELECT AVG(purch_amt) AS average_order FROM order...	1 row(s) returned
12	11:48:08	SELECT MAX(purch_amt) AS highest_order FROM orders...	1 row(s) returned

Object Info

Step 12: Min()

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* Praticse Example(Week2)* x

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

43 • SELECT SUM(purch_amt) AS total_revenue
44 FROM orders;
45 • SELECT AVG(purch_amt) AS average_order
46 FROM orders;
47 • SELECT MAX(purch_amt) AS highest_order
48 FROM orders;
49 • SELECT MIN(purch_amt) AS lowest_order

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	lowest_order
▶	65.26

Result 9 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIM...	4 row(s) returned
✓ 6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' ...	3 row(s) returned
✓ 7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIM...	4 row(s) returned
✓ 8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LI...	12 row(s) returned
✓ 9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1...	12 row(s) returned
✓ 10	11:46:35	SELECT SUM(purch_amt) AS total_revenue FROM order...	1 row(s) returned
✓ 11	11:47:24	SELECT AVG(purch_amt) AS average_order FROM order...	1 row(s) returned
✓ 12	11:48:08	SELECT MAX(purch_amt) AS highest_order FROM orders...	1 row(s) returned
✓ 13	11:48:52	SELECT MIN(purch_amt) AS lowest_order FROM orders ...	1 row(s) returned

Step 13: Count()

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Ope

Limit to 1000 rows

```
45 • SELECT MAX(purch_amt) AS highest_order
46 FROM orders;
47 • SELECT MIN(purch_amt) AS lowest_order
48 FROM orders;
49 ✖ 2520030077-Bindhu Madhavi
50 SELECT COUNT(*) AS total_orders
51 FROM orders;
```

Result Grid

	total_orders
▶	12

Export: | Wrap Cell Content: |

Result Grid

Form Editor

Field Types

Query Stats

Result 10 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 11	15:12:30	SELECT AVG(purch_amt) AS average_order FROM order...	1 row(s) returned
✓ 12	15:12:46	SELECT MAX(purch_amt) AS highest_order FROM orders...	1 row(s) returned
✓ 13	15:13:00	SELECT MIN(purch_amt) AS lowest_order FROM orders ...	1 row(s) returned
✓ 14	15:13:13	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0...	1 row(s) returned

Step 14: Group By

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

49 2520030077-Bindhu Madhavi
50 SELECT COUNT(*) AS total_orders
51 FROM orders;
52 SELECT salesman_id,
53        SUM(purch_amt) AS total_sales
54 FROM orders
55 GROUP BY salesman_id;

```

Result Grid

salesman_id	total_sales
5002	1349.45
5001	11271.46
5003	2590.90
5005	270.65
5006	1983.43
5007	75.29

Result 11 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 12	15:12:46	SELECT MAX(purch_amt) AS highest_order FROM orders...	1 row(s) returned
✓ 13	15:13:00	SELECT MIN(purch_amt) AS lowest_order FROM orders ...	1 row(s) returned
✓ 14	15:13:13	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0...	1 row(s) returned
✓ 15	15:14:44	SELECT salesman_id, SUM(purch_amt) AS total_sale...	6 row(s) returned

Object Info

Step 15: Group By

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Open

Limit to 1000 rows

```

55 GROUP BY salesman_id;
56 2520030077-Bindhu Madhavi
57 SELECT customer_id,
58     SUM(purch_amt) AS total_purchase
59 FROM orders
60 GROUP BY customer_id;
61

```

Result Grid

	customer_id	total_purchase
▶	3005	1099.00
	3002	8870.86
	3009	2590.90
	3007	2400.60
	3001	270.65
	3004	1983.43
	3003	75.29
	3008	250.45

Result 12 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 13	15:13:00	SELECT MIN(purch_amt) AS lowest_order FROM orders ...	1 row(s) returned
✓ 14	15:13:13	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0...	1 row(s) returned
✓ 15	15:14:44	SELECT salesman_id, SUM(purch_amt) AS total_sale...	6 row(s) returned
✓ 16	15:15:38	SELECT customer_id, SUM(purch_amt) AS total_pur...	8 row(s) returned

Step 16: Group By + Max()

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

55 GROUP BY salesman_id;
56 2520030077-Bindhu Madhavi
57 SELECT customer_id,
58 SUM(purch_amt) AS total_purchase
59 FROM orders
60 GROUP BY customer_id;
61 SELECT customer_id,

```

Limit to 1000 rows

Result Grid

customer_id	highest_purchase
3005	948.50
3002	5760.00
3009	2480.40
3007	2400.60
3001	270.65
3004	1983.43
3003	75.29
3008	250.45

Result 13 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 14	15:13:13	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0...	1 row(s) returned
✓ 15	15:14:44	SELECT salesman_id, SUM(purch_amt) AS total_sale...	6 row(s) returned
✓ 16	15:15:38	SELECT customer_id, SUM(purch_amt) AS total_pur...	8 row(s) returned
✓ 17	15:16:14	SELECT customer_id, MAX(purch_amt) AS highest_p...	8 row(s) returned

Step 17: Group By + Having

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

64 GROUP BY customer_id;
65 2520030077-Bindhu Madhavi
66 SELECT salesman_id,
67     SUM(purch_amt) AS total_sales
68 FROM orders
69 GROUP BY salesman_id
70 HAVING SUM(purch_amt) > 3000;

```

Result Grid

salesman_id	total_sales
5001	11271.46

Result 14 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 15	15:14:44	SELECT salesman_id, SUM(purch_amt) AS total_sale...	6 row(s) returned
✓ 16	15:15:38	SELECT customer_id, SUM(purch_amt) AS total_pur...	8 row(s) returned
✓ 17	15:16:14	SELECT customer_id, MAX(purch_amt) AS highest_p...	8 row(s) returned
✓ 18	15:17:16	SELECT salesman_id, SUM(purch_amt) AS total_sale...	1 row(s) returned

Step 18: Group By + Having

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Open

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration Information

No object selected

```

70  HAVING SUM(purch_amt) > 3000;
71  2520030077-Bindhu Madhavi
72  SELECT customer_id,
73         COUNT(*) AS total_orders
74  FROM orders
75  GROUP BY customer_id
76  HAVING COUNT(*) > 1;

```

Result Grid

	customer_id	total_orders
▶	3005	2
	3002	3
	3009	2

Result 15 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 16	15:15:38	SELECT customer_id, SUM(purch_amt) AS total_pur...	8 row(s) returned
✓ 17	15:16:14	SELECT customer_id, MAX(purch_amt) AS highest_p...	8 row(s) returned
✓ 18	15:17:16	SELECT salesman_id, SUM(purch_amt) AS total_sale...	1 row(s) returned
✓ 19	15:18:23	SELECT customer_id, COUNT(*) AS total_orders FR...	3 row(s) returned

Step 19: Group By + Having + Order By

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

```

72 • SELECT customer_id,
73       COUNT(*) AS total_orders
74 FROM orders
75 GROUP BY customer_id
76 HAVING COUNT(*) > 1;
77 2520030077-Bindhu Madhavi
78 SELECT customer_id,

```

Limit to 1000 rows

Result Grid

customer_id	total_purchase
3002	8870.86
3009	2590.90
3007	2400.60
3004	1983.43
3005	1099.00

Result 16 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 17	15:16:14	SELECT customer_id, MAX(purch_amt) AS highest_p...	8 row(s) returned
✓ 18	15:17:16	SELECT salesman_id, SUM(purch_amt) AS total_sale...	1 row(s) returned
✓ 19	15:18:23	SELECT customer_id, COUNT(*) AS total_orders FR...	3 row(s) returned
✓ 20	15:19:23	SELECT customer_id, SUM(purch_amt) AS total_pur...	5 row(s) returned

Step 20: Between + Having

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and (

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

83 ORDER BY total_purchase DESC;
84 2520030077-Bindhu Madhavi
85 SELECT customer_id,
86        MAX(purch_amt) AS max_purchase
87 FROM orders
88 GROUP BY customer_id
89 HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;

```

Result Grid

	customer_id	max_purchase
▶	3002	5760.00
	3009	2480.40
	3007	2400.60

Filter Rows: Export: Wrap Cell Content:

Result 17 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 18	15:17:16	SELECT salesman_id, SUM(purch_amt) AS total_sale...	1 row(s) returned
✓ 19	15:18:23	SELECT customer_id, COUNT(*) AS total_orders FR...	3 row(s) returned
✓ 20	15:19:23	SELECT customer_id, SUM(purch_amt) AS total_pur...	5 row(s) returned
✓ 21	15:20:24	SELECT customer_id, MAX(purch_amt) AS max_purc...	3 row(s) returned

Step 21: Count() + Having

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Open

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

```

89  HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
90  2520030077-Bindhu Madhavi
91  SELECT salesman_id,
92         COUNT(*) AS total_orders
93  FROM orders
94  GROUP BY salesman_id
95  HAVING COUNT(*) >= 2;

```

Result Grid

	salesman_id	total_orders
▶	5002	3
	5001	4
	5003	2

Result 18 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 19	15:18:23	SELECT customer_id, COUNT(*) AS total_orders FR...	3 row(s) returned
✓ 20	15:19:23	SELECT customer_id, SUM(purch_amt) AS total_pur...	5 row(s) returned
✓ 21	15:20:24	SELECT customer_id, MAX(purch_amt) AS max_purc...	3 row(s) returned
✓ 22	15:21:12	SELECT salesman_id, COUNT(*) AS total_orders FR...	3 row(s) returned

Step 22: Max() + Group By + Having

Bindhu Madhavi Local instance... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

```
2520030077-Bindhu Madhavi
SELECT ord_date,
       MAX(purch_amt) AS highest_purchase
FROM orders
GROUP BY ord_date
HAVING MAX(purch_amt) > 2000;
```

Result Grid

	ord_date	highest_purchase
▶	2012-10-10	2480.40
	2012-07-27	2400.60
	2012-09-10	5760.00
	2012-04-25	3045.60

Result 19 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 20	15:19:23	SELECT customer_id, SUM(purch_amt) AS total_pur...	5 row(s) returned
✓ 21	15:20:24	SELECT customer_id, MAX(purch_amt) AS max_purc...	3 row(s) returned
✓ 22	15:21:12	SELECT salesman_id, COUNT(*) AS total_orders FR...	3 row(s) returned
✓ 23	15:22:01	SELECT ord_date, MAX(purch_amt) AS highest_purc...	4 row(s) returned