

TRIGGERS AND STORED PROCEDURES(WEEK-2)

Name: P.Bindhu Madhavi

Roll Number: 2520030077

Step 1: Create Database

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Bindhu Madhavi Local instance... x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Example(Week2)*

```
1 • CREATE DATABASE IF NOT EXISTS BankDB;  
2 • USE BankDB;  
3  
4
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
1	14:03:30	CREATE DATABASE IF NOT EXISTS BankDB	1 row(s) affected, 1 warning(s): 1007 Car
2	14:03:30	USE BankDB	0 row(s) affected

STEP 2: CREATE CUSTOMER TABLE

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa SQLAd

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Par
- Administration

Information

No object selected

```
1 • CREATE DATABASE IF NOT EXISTS BankDB;
2 • USE BankDB;
3 • CREATE TABLE Customer (
4     Customer_ID INT PRIMARY KEY,
5     Customer_Name VARCHAR(100) NOT NULL,
6     Phone VARCHAR(15),
7     Email VARCHAR(100),
8     City VARCHAR(50)
9 );
10
11
```

Output

Action Output

#	Time	Action	Message
✓ 1	17:09:19	CREATE TABLE Customer (Customer_ID INT PRIMARY ...	0 row(s) affected

STEP 3: CREATE ACCOUNT TABLE

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Par
- Administration

Information

No object selected

DCL Commands*

```

1 • CREATE DATABASE IF NOT EXISTS BankDB;
2 • USE BankDB;
3 • CREATE TABLE Customer (
4     Customer_ID INT PRIMARY KEY,
5     Customer_Name VARCHAR(100) NOT NULL,
6     Phone VARCHAR(15),
7     Email VARCHAR(100),
8     City VARCHAR(50)
9 );
10 • CREATE TABLE Account (
11     Account_No INT PRIMARY KEY,
12     Customer_ID INT,
13     Account_Type VARCHAR(20),
14     Balance DECIMAL(12,2) DEFAULT 0,
15     Branch VARCHAR(50),
16
17     FOREIGN KEY (Customer_ID)
18     REFERENCES Customer(Customer_ID)
19 );
20
21

```

Output

Action Output

#	Time	Action	Message
1	17:09:19	CREATE TABLE Customer (Customer_ID INT PRIMARY ...	0 row(s) affected
2	17:10:20	CREATE TABLE Account (Account_No INT PRIMARY K...	0 row(s) affected

STEP 4: CREATE TRANSACTION TABLE

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Bar
- Administration

Information

No object selected

DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa

Limit to 1000 rows

```

10 CREATE TABLE Account (
11     Account_No INT PRIMARY KEY,
12     Customer_ID INT,
13     Account_Type VARCHAR(20),
14     Balance DECIMAL(12,2) DEFAULT 0,
15     Branch VARCHAR(50),
16
17     FOREIGN KEY (Customer_ID)
18     REFERENCES Customer(Customer_ID)
19 );
20 CREATE TABLE Bank_Transaction (
21     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
22     Account_No INT,
23     Transaction_Type VARCHAR(20),
24     Amount DECIMAL(12,2),
25     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
26
27     FOREIGN KEY (Account_No)
28     REFERENCES Account(Account_No)
29 );
30
31

```

Output

Action Output

#	Time	Action	Message
✓ 1	17:09:19	CREATE TABLE Customer (Customer_ID INT PRIMARY ...	0 row(s) affected
✓ 2	17:10:20	CREATE TABLE Account (Account_No INT PRIMARY K...	0 row(s) affected
✓ 3	17:11:02	CREATE TABLE Bank_Transaction (Transaction_ID INT ...	0 row(s) affected

STEP 5: CREATE LOAN TABLE

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report
- Administration

Information

No object selected

DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practice Example* SQLA

```

21 Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
22 Account_No INT,
23 Transaction_Type VARCHAR(20),
24 Amount DECIMAL(12,2),
25 Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
26
27 FOREIGN KEY (Account_No)
28 REFERENCES Account(Account_No)
29 );
30
31 CREATE TABLE Loan (
32 Loan_ID INT PRIMARY KEY,
33 Customer_ID INT,
34 Loan_Type VARCHAR(30),
35 Loan_Amount DECIMAL(12,2),
36 Interest_Rate DECIMAL(5,2),
37
38 FOREIGN KEY (Customer_ID)
39 REFERENCES Customer(Customer_ID)
40 );
41
42

```

Output

Action Output

#	Time	Action	Message
✓ 1	17:09:19	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, ...	0 row(s) affected
✓ 2	17:10:20	CREATE TABLE Account (Account_No INT PRIMARY KEY, ...	0 row(s) affected
✓ 3	17:11:02	CREATE TABLE Bank_Transaction (Transaction_ID INT ...	0 row(s) affected
✓ 4	17:11:37	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, ...	0 row(s) affected

STEP 6: INSERT CUSTOMER DATA

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQLAdditions

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Dar
- Administration

Information

No object selected

```

34 Loan_Type VARCHAR(30),
35 Loan_Amount DECIMAL(12,2),
36 Interest_Rate DECIMAL(5,2),
37
38 FOREIGN KEY (Customer_ID)
39 REFERENCES Customer(Customer_ID)
40 );
41
42 INSERT INTO Customer
43 (Customer_ID, Customer_Name, Phone, Email, City)
44 VALUES
45 (101, 'P.Bindhu Madhavi', '9876543210', 'ravi@gmail.com', 'Hyderabad'),
46 (102, 'P.Bindhu Madhavi', '9876543211', 'priya@gmail.com', 'Vijayawada'),
47 (103, 'Arjun Reddy', '9876543212', 'arjun@gmail.com', 'Bangalore'),
48 (104, 'Sneha Rao', '9876543213', 'sneha@gmail.com', 'Chennai'),
49 (105, 'Kiran Kumar', '9876543214', 'kiran@gmail.com', 'Hyderabad');
50
51
52
53
54

```

Automatic disabled. Use manually current car toggle at

Context Help Sni

Output

Action Output

#	Time	Action	Message
✓ 2	17:10:20	CREATE TABLE Account (Account_No INT PRIMARY...	0 row(s) affected
✓ 3	17:11:02	CREATE TABLE Bank_Transaction (Transaction_ID IN...	0 row(s) affected
✓ 4	17:11:37	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, ...	0 row(s) affected
✓ 5	17:12:48	INSERT INTO Customer (Customer_ID, Customer_Name, ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0

Object Info

STEP 7: INSERT ACCOUNT DATA

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa SQLAdditions

MANAGEMENT

- Server Status
- Client Connectic
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Bar
- Administration

Information

No object selected

```

43 (Customer_ID, Customer_Name, Phone, Email, City)
44 VALUES
45 (101, 'P.Bindhu Madhavi', '9876543210', 'ravi@gmail.com', 'Hyderabad'),
46 (102, 'P.Bindhu Madhavi', '9876543211', 'priya@gmail.com', 'Vijayawada'),
47 (103, 'Arjun Reddy', '9876543212', 'arjun@gmail.com', 'Bangalore'),
48 (104, 'Sneha Rao', '9876543213', 'sneha@gmail.com', 'Chennai'),
49 (105, 'Kiran Kumar', '9876543214', 'kiran@gmail.com', 'Hyderabad');
50
51 INSERT INTO Account
52 (Account_No, Customer_ID, Account_Type, Balance, Branch)
53 VALUES
54 (10001, 101, 'Savings', 50000, 'Hyderabad'),
55 (10002, 102, 'Savings', 75000, 'Vijayawada'),
56 (10003, 103, 'Current', 120000, 'Bangalore'),
57 (10004, 104, 'Savings', 45000, 'Chennai'),
58 (10005, 105, 'Current', 90000, 'Hyderabad');
59
60
61
62
63

```

Automatic co disabled. Use manually get current caret toggle auto

Context Help Snippet

Output

Action Output

#	Time	Action	Message	D.
3	17:11:02	CREATE TABLE Bank_Transaction (Transaction_ID IN...	0 row(s) affected	0.0
4	17:11:37	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, ...	0 row(s) affected	0.0
5	17:12:48	INSERT INTO Customer (Customer_ID, Customer_Name, ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.0
6	17:14:09	INSERT INTO Account (Account_No, Customer_ID, Acco...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.0

STEP 8: INSERT TRANSACTION DATA

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQLAdd

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Par
- Administration

Information

No object selected

```

51 • INSERT INTO Account
52   (Account_No, Customer_ID, Account_Type, Balance, Branch)
53   VALUES
54   (10001, 101, 'Savings', 50000, 'Hyderabad'),
55   (10002, 102, 'Savings', 75000, 'Vijayawada'),
56   (10003, 103, 'Current', 120000, 'Bangalore'),
57   (10004, 104, 'Savings', 45000, 'Chennai'),
58   (10005, 105, 'Current', 90000, 'Hyderabad');
59
60 • INSERT INTO Bank_Transaction
61   (Account_No, Transaction_Type, Amount)
62   VALUES
63   (10001, 'DEPOSIT', 10000),
64   (10002, 'DEPOSIT', 15000),
65   (10003, 'WITHDRAW', 20000),
66   (10004, 'DEPOSIT', 5000),
67   (10005, 'WITHDRAW', 10000);
68
69
70
71
72

```

Output

Action Output

#	Time	Action	Message
4	17:11:37	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, ...	0 row(s) affected
5	17:12:48	INSERT INTO Customer (Customer_ID, Customer_Name, ...	5 row(s) affected Records: 5 Duplicates: 0 Warni
6	17:14:09	INSERT INTO Account (Account_No, Customer_ID, Acco...	5 row(s) affected Records: 5 Duplicates: 0 Warni
7	17:15:11	INSERT INTO Bank_Transaction (Account_No, Transacti...	5 row(s) affected Records: 5 Duplicates: 0 Warni

STEP 9: INSERT LOAN DATA

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQLAddit

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Par
- Administration

Information

No object selected

```

59
60 • INSERT INTO Bank_Transaction
61 (Account_No, Transaction_Type, Amount)
62 VALUES
63 (10001, 'DEPOSIT', 10000),
64 (10002, 'DEPOSIT', 15000),
65 (10003, 'WITHDRAW', 20000),
66 (10004, 'DEPOSIT', 5000),
67 (10005, 'WITHDRAW', 10000);
68
69 • INSERT INTO Loan
70 (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)
71 VALUES
72 (501, 101, 'Home Loan', 5000000, 7.5),
73 (502, 102, 'Education Loan', 1000000, 6.5),
74 (503, 103, 'Car Loan', 800000, 8.2),
75 (504, 104, 'Personal Loan', 500000, 10.5);
76
77
78
79
80

```

Auto disabl
man
curre
tog

Context H

Output

Action Output

#	Time	Action	Message
5	17:12:48	INSERT INTO Customer (Customer_ID, Customer_Name, ...	5 row(s) affected Records: 5 Duplicates: 0 Wamin
6	17:14:09	INSERT INTO Account (Account_No, Customer_ID, Acco...	5 row(s) affected Records: 5 Duplicates: 0 Wamin
7	17:15:11	INSERT INTO Bank_Transaction (Account_No, Transacti...	5 row(s) affected Records: 5 Duplicates: 0 Wamin
8	17:15:45	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, ...	4 row(s) affected Records: 4 Duplicates: 0 Wamin

STEP 10: DISPLAY TABLE DATA

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa SQL Additi

MANAGEMENT

- Server Status
- Client Connecti
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Bar
- Administration

Information

No object selected

72 (501, 101, 'Home Loan', 5000000, 7.5),
73 (502, 102, 'Education Loan', 1000000, 6.5),
74 (503, 103, 'Car Loan', 800000, 8.2),
75 (504, 104, 'Personal Loan', 500000, 10.5);
76
77 • SELECT * FROM Customer;
78

Limit to 1000 rows

Result Grid Filter Rows: Edit: Export/Import:

	Customer_ID	Customer_Name	Phone	Email	City
▶	101	P.Bindhu Madhavi	9876543210	ravi@gmail.com	Hyderabad
	102	P.Bindhu Madhavi	9876543211	priya@gmail.com	Vijayawada
	103	Arjun Reddy	9876543212	arjun@gmail.com	Bangalore
	104	Sneha Rao	9876543213	sneha@gmail.com	Chennai
	105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad
*	NULL	NULL	NULL	NULL	NULL

Result Grid
Form Editor
Field Types
Query Stats

Customer 1 x Apply Revert Context H

Output

Action Output

#	Time	Action	Message
✓ 6	17:14:09	INSERT INTO Account (Account_No, Customer_ID, Acc...	5 row(s) affected Records: 5 Duplicates: 0 Warnings
✓ 7	17:15:11	INSERT INTO Bank_Transaction (Account_No, Transact...	5 row(s) affected Records: 5 Duplicates: 0 Warnings
✓ 8	17:15:45	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type,....	4 row(s) affected Records: 4 Duplicates: 0 Warnings
✓ 9	17:16:52	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQLAd

MANAGEMENT

- Server Status
- Client Connection
- Users and Privileges
- Status and System
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report
- Administration

Information: No object selected

Limit to 1000 rows

```
72 (501, 101, 'Home Loan', 5000000, 7.5),
73 (502, 102, 'Education Loan', 1000000, 6.5),
74 (503, 103, 'Car Loan', 800000, 8.2),
75 (504, 104, 'Personal Loan', 500000, 10.5);
76
77 • SELECT * FROM Customer;
78 • SELECT * FROM Account;
```

Result Grid

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	50000.00	Hyderabad
	10002	102	Savings	75000.00	Vijayawada
	10003	103	Current	120000.00	Bangalore
	10004	104	Savings	45000.00	Chennai
	10005	105	Current	90000.00	Hyderabad
*	NULL	NULL	NULL	NULL	NULL

Account 2 x Apply Revert Context

Output: Action Output

#	Time	Action	Message
✓ 7	17:15:11	INSERT INTO Bank_Transaction (Account_No, Transact...	5 row(s) affected Records: 5 Duplicates: 0 Warni
✓ 8	17:15:45	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type....	4 row(s) affected Records: 4 Duplicates: 0 Warni
✓ 9	17:16:52	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned
✓ 10	17:17:28	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned



MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per
- Administration

No object
selected



Limit to 1000 rows

```
73 (502, 102, 'Education Loan', 1000000, 6.5),
74 (503, 103, 'Car Loan', 800000, 8.2),
75 (504, 104, 'Personal Loan', 500000, 10.5);
76
77 • SELECT * FROM Customer;
78 • SELECT * FROM Account;
79 • SELECT * FROM Bank_Transaction;
```

	Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
▶	1	10001	DEPOSIT	10000.00	2026-08-12 17:15:11
	2	10002	DEPOSIT	15000.00	2026-08-12 17:15:11
	3	10003	WITHDRAW	20000.00	2026-08-12 17:15:11
	4	10004	DEPOSIT	5000.00	2026-08-12 17:15:11
	5	10005	WITHDRAW	10000.00	2026-08-12 17:15:11
*	NULL	NULL	NULL	NULL	NULL

#	Time	Action	Message
✓ 8	17:15:45	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type,....	4 row(s) affected Records: 4 Duplicates: 0
✓ 9	17:16:52	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned
✓ 10	17:17:28	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned
✓ 11	17:18:13	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQLAddi

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per
- Administration

Information

No object selected

74 (503, 103, 'Car Loan', 800000, 8.2),

75 (504, 104, 'Personal Loan', 500000, 10.5);

76

77 • SELECT * FROM Customer;

78 • SELECT * FROM Account;

79 • SELECT * FROM Bank_Transaction;

80 • SELECT * FROM Loan;

Result Grid

	Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate
▶	501	101	Home Loan	5000000.00	7.50
	502	102	Education Loan	1000000.00	6.50
	503	103	Car Loan	800000.00	8.20
	504	104	Personal Loan	500000.00	10.50
*	NULL	NULL	NULL	NULL	NULL

Form Editor

Field Types

Query Stats

Loan 4 x Apply Revert Context

Output

Action Output

#	Time	Action	Message
9	17:16:52	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned
10	17:17:28	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned
11	17:18:13	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned
12	17:18:37	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned

STEP 11: PROCEDURE TO DISPLAY ALL CUSTOMERS

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa SQLA

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Par
- Administration

Information

No object selected

```

79 • SELECT * FROM Bank_Transaction;
80 • SELECT * FROM Loan;
81
82 DELIMITER //
83 • CREATE PROCEDURE GetAllCustomers()
84 BEGIN
85     SELECT * FROM Customer;
86 END //
87 DELIMITER ;
88 EXECUTION:
89 CALL GetAllCustomers();
90
91
92
93
94
95
96
97
98
99

```

Output

Action Output

#	Time	Action	Message
✓ 11	17:18:13	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned
✓ 12	17:18:37	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned
✓ 13	17:19:48	CREATE PROCEDURE GetAllCustomers() BEGIN SEL...	0 row(s) affected
✗ 14	17:19:48	EXECUTION: CALL GetAllCustomers()	Error Code: 1064. You have an error in your SQL

STEP 12: PROCEDURE TO DISPLAY ACCOUNT DETAILS FOR A GIVEN ACCOUNT NUMBER

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa SQLAdditi

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per
- Administration

Information

No object selected

```

89 DELIMITER //
90 CREATE PROCEDURE GetAccountDetails(
91     IN p_Account_No INT
92 )
93 BEGIN
94     SELECT *
95     FROM Account
96     WHERE Account_No = p_Account_No;
97 END //
98 DELIMITER ;
99
100
101
102
103
104
105
106
107
108
109

```

Output

Action Output

#	Time	Action	Message
✓ 13	17:19:48	CREATE PROCEDURE GetAllCustomers() BEGIN SEL...	0 row(s) affected
✗ 14	17:19:48	EXECUTION: CALL GetAllCustomers()	Error Code: 1064. You have an error in your SQL synt
✗ 15	17:20:17	CREATE PROCEDURE GetAllCustomers() BEGIN SEL...	Error Code: 1304. PROCEDURE GetAllCustomers alre
✓ 16	17:20:52	CREATE PROCEDURE GetAccountDetails(IN p_Acc...	0 row(s) affected

STEP 13: PROCEDURE TO FIND CUSTOMER ACCOUNTS

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa SQLAddit

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per
- Administration

Information

No object selected

```

109      A.Account_Type,
110      A.Balance,
111      A.Branch
112  FROM Customer C
113  JOIN Account A
114  ON C.Customer_ID = A.Customer_ID
115  WHERE C.Customer_ID = p_Customer_ID;
116  END //
117  DELIMITER ;
118
119
120
121
122
123
124
125
126
127
128
129

```

Auto disabl
man curre
tog

Context H

Output

Action Output

#	Time	Action	Message
14	17:19:48	EXECUTION: CALL GetAllCustomers()	Error Code: 1064. You have an error in your SQL syn
15	17:20:17	CREATE PROCEDURE GetAllCustomers() BEGIN SEL...	Error Code: 1304. PROCEDURE GetAllCustomers al
16	17:20:52	CREATE PROCEDURE GetAccountDetails(IN p_Acc...	0 row(s) affected
17	17:22:32	CREATE PROCEDURE GetCustomerAccounts(IN p_C...	0 row(s) affected

STEP 14: PROCEDURE TO DEPOSIT MONEY

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Dashboard
- Administration

Information

No object selected

DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa

```

115 WHERE C.Customer_ID = p_Customer_ID;
116 END //
117 DELIMITER ;
118
119
120 DELIMITER //
121 CREATE PROCEDURE DepositMoney(
122     IN p_Account_No INT,
123     IN p_Amount DECIMAL(12,2)
124 )
125 BEGIN
126     UPDATE Account
127     SET Balance = Balance + p_Amount
128     WHERE Account_No = p_Account_No;
129 END //
130 DELIMITER ;
131
132
133
134
135
136

```

Output

Action Output

#	Time	Action	Message
15	17:20:17	CREATE PROCEDURE GetAllCustomers() BEGIN SELECT...	Error Code: 1304. PROCEDURE GetAllCustor
16	17:20:52	CREATE PROCEDURE GetAccountDetails(IN p_Acc...	0 row(s) affected
17	17:22:32	CREATE PROCEDURE GetCustomerAccounts(IN p_C...	0 row(s) affected
18	17:23:20	CREATE PROCEDURE DepositMoney(IN p_Account...	0 row(s) affected

STEP 15: PROCEDURE TO WITHDRAW MONEY

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Dashboard

Administration

Information

No object selected

DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa

Limit to 1000 rows

```

127     SET Balance = Balance + p_Amount
128     WHERE Account_No = p_Account_No;
129 END //
130 DELIMITER ;
131
132 DELIMITER //
133 CREATE PROCEDURE WithdrawMoney(
134     IN p_Account_No INT,
135     IN p_Amount DECIMAL(12,2)
136 )
137 BEGIN
138     UPDATE Account
139     SET Balance = Balance - p_Amount
140     WHERE Account_No = p_Account_No;
141 END //
142 DELIMITER ;
143
144
145
146
147
148

```

Output

Action Output

#	Time	Action	Message
✓ 16	17:20:52	CREATE PROCEDURE GetAccountDetails(IN p_Acc...	0 row(s) affected
✓ 17	17:22:32	CREATE PROCEDURE GetCustomerAccounts(IN p_C...	0 row(s) affected
✓ 18	17:23:20	CREATE PROCEDURE DepositMoney(IN p_Account...	0 row(s) affected
✓ 19	17:24:09	CREATE PROCEDURE WithdrawMoney(IN p_Accou...	0 row(s) affected

STEP 16: TRIGGER – PREVENT NEGATIVE BALANCE

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connecti...
- Users and Privile...
- Status and Syste...
- Data Export
- Data Import/Res...

INSTANCE

- Startup / Shutdc...
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per...
- Administration

Information

No object selected

DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa

Limit to 1000 rows

```

143
144 DELIMITER //
145 CREATE TRIGGER CheckBalance
146 BEFORE UPDATE ON Account
147 FOR EACH ROW
148 BEGIN
149     IF NEW.Balance < 0 THEN
150         SIGNAL SQLSTATE '45000'
151         SET MESSAGE_TEXT =
152             'Transaction failed: Insufficient balance';
153     END IF;
154 END //
155 DELIMITER ;
156
157
158
159
160
161
162
163
164

```

Output

Action Output

#	Time	Action	Message
✓ 17	17:22:32	CREATE PROCEDURE GetCustomerAccounts(IN p_C...	0 row(s) affected
✓ 18	17:23:20	CREATE PROCEDURE DepositMoney(IN p_Account...	0 row(s) affected
✓ 19	17:24:09	CREATE PROCEDURE WithdrawMoney(IN p_Accou...	0 row(s) affected
✓ 20	17:25:04	CREATE TRIGGER CheckBalance BEFORE UPDATE O...	0 row(s) affected

STEP 17: TRIGGER – PREVENT NEGATIVE DEPOSIT

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQLA

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per

Administration

Information

No object selected

```

157
158 DELIMITER //
159
160 CREATE TRIGGER CheckTransactionAmount
161 BEFORE INSERT ON Bank_Transaction
162 FOR EACH ROW
163 BEGIN
164
165     IF NEW.Amount <= 0 THEN
166
167         SIGNAL SQLSTATE '45000'
168         SET MESSAGE_TEXT =
169             'Transaction amount must be greater than zero';
170
171     END IF;
172
173 END //
174
175 DELIMITER ;
176
177
178

```

Output

Action Output

#	Time	Action	Message
✓ 19	17:24:09	CREATE PROCEDURE WithdrawMoney(IN p_Accou...	0 row(s) affected
✓ 20	17:25:04	CREATE TRIGGER CheckBalance BEFORE UPDATE O...	0 row(s) affected
✗ 21	17:25:34	UPDATE Account SET Balance = Balance - 60000 WHE...	Error Code: 1644. Transaction failed: Insufficient
✓ 22	17:25:55	CREATE TRIGGER CheckTransactionAmount BEFORE I...	0 row(s) affected

Object Info

STEP 18: CREATE TRANSACTION AUDIT TABLE

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Dashboard
- Administration

Information

No object selected

DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practice Example*

Limit to 1000 rows

```

168 SET MESSAGE_TEXT =
169 'Transaction amount must be greater than zero';
170
171 END IF;
172
173 END //
174
175 DELIMITER ;
176
177 CREATE TABLE Transaction_Audit (
178     Audit_ID INT PRIMARY KEY AUTO_INCREMENT,
179     Transaction_ID INT,
180     Account_No INT,
181     Transaction_Type VARCHAR(20),
182     Amount DECIMAL(12,2),
183     Audit_Date DATETIME DEFAULT CURRENT_TIMESTAMP
184 );
185
186
187
188
189

```

Output

Action Output

#	Time	Action	Message
20	17:25:04	CREATE TRIGGER CheckBalance BEFORE UPDATE O...	0 row(s) affected
21	17:25:34	UPDATE Account SET Balance = Balance - 60000 WHE...	Error Code: 1644. Transaction failed: Insuffici
22	17:25:55	CREATE TRIGGER CheckTransactionAmount BEFORE I...	0 row(s) affected
23	17:26:43	CREATE TABLE Transaction_Audit (Audit_ID INT PRI...	0 row(s) affected

STEP 19: TRIGGER – TRANSACTION AUDIT

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQLAdd

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per
- Administration

Information: No object selected

```

191 INSERT INTO Transaction_Audit
192 (
193     Transaction_ID,
194     Account_No,
195     Transaction_Type,
196     Amount
197 )
198 VALUES
199 (
200     NEW.Transaction_ID,
201     NEW.Account_No,
202     NEW.Transaction_Type,
203     NEW.Amount
204 );
205
206 END //
207
208 DELIMITER ;
209
210
211
212

```

Aut disal ma curr to

Context

Output

Action Output

#	Time	Action	Message
21	17:25:34	UPDATE Account SET Balance = Balance - 60000 WHE...	Error Code: 1644. Transaction failed: Insufficient b...
22	17:25:55	CREATE TRIGGER CheckTransactionAmount BEFORE I...	0 row(s) affected
23	17:26:43	CREATE TABLE Transaction_Audit (Audit_ID INT PRI...	0 row(s) affected
24	17:29:52	CREATE TRIGGER TransactionAudit AFTER INSERT O...	0 row(s) affected

STEP 20: TRIGGER – AUTOMATICALLY UPDATE ACCOUNT BALANCE

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQL

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Dashboard
- Administration

Information: No object selected

```

209
210 DELIMITER //
211 CREATE TRIGGER UpdateBalanceAfterTransaction
212 AFTER INSERT ON Bank_Transaction
213 FOR EACH ROW
214 BEGIN
215     IF NEW.Transaction_Type = 'DEPOSIT' THEN
216
217         UPDATE Account
218         SET Balance = Balance + NEW.Amount
219         WHERE Account_No = NEW.Account_No;
220
221     ELSEIF NEW.Transaction_Type = 'WITHDRAW' THEN
222
223         UPDATE Account
224         SET Balance = Balance - NEW.Amount
225         WHERE Account_No = NEW.Account_No;
226
227     END IF;
228
229 END //
230

```

Output: Action Output

#	Time	Action	Message
✓ 22	17:25:55	CREATE TRIGGER CheckTransactionAmount BEFORE I...	0 row(s) affected
✓ 23	17:26:43	CREATE TABLE Transaction_Audit (Audit_ID INT PRI...	0 row(s) affected
✓ 24	17:29:52	CREATE TRIGGER TransactionAudit AFTER INSERT O...	0 row(s) affected
✓ 25	17:30:38	CREATE TRIGGER UpdateBalanceAfterTransaction AFT...	0 row(s) affected

STEP 21: TRIGGER – PREVENT WITHDRAWAL ABOVE BALANCE

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Dar
- Administration

Information

No object selected

DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa

Limit to 1000 rows

```

251 SET MESSAGE_TEXT =
252 'Withdrawal failed: Insufficient balance';
253
254 END IF;
255
256 END //
257
258 DELIMITER ;
259
260
261
262
263
264
265
266
267
268
269
270
271

```

Output

Action Output

#	Time	Action	Message
23	17:26:43	CREATE TABLE Transaction_Audit (Audit_ID INT PRI...	0 row(s) affected
24	17:29:52	CREATE TRIGGER TransactionAudit AFTER INSERT O...	0 row(s) affected
25	17:30:38	CREATE TRIGGER UpdateBalanceAfterTransaction AFT...	0 row(s) affected
26	17:31:23	CREATE TRIGGER PreventInsufficientWithdrawal BEFO...	0 row(s) affected

STEP 22: PROCEDURE – ACCOUNT TRANSFER

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per
- Administration

Information

No object selected

```

274 FROM Account
275 WHERE Account_No = SenderAccount;
276
277 IF SenderBalance < TransferAmount THEN
278
279     SIGNAL SQLSTATE '45000'
280     SET MESSAGE_TEXT =
281     'Transfer failed: Insufficient balance';
282
283 ELSE
284
285     UPDATE Account
286     SET Balance = Balance - TransferAmount
287     WHERE Account_No = SenderAccount;
288
289     UPDATE Account
290     SET Balance = Balance + TransferAmount
291     WHERE Account_No = ReceiverAccount;
292
293 END IF;
294
295 END //

```

Output

Action Output

#	Time	Action	Message
✓ 24	17:29:52	CREATE TRIGGER TransactionAudit AFTER INSERT O...	0 row(s) affected
✓ 25	17:30:38	CREATE TRIGGER UpdateBalanceAfterTransaction AFT...	0 row(s) affected
✓ 26	17:31:23	CREATE TRIGGER PreventInsufficientWithdrawal BEFO...	0 row(s) affected
✓ 27	17:32:21	CREATE PROCEDURE TransferMoney(IN SenderAcc...	0 row(s) affected

STEP 23: PROCEDURE – CUSTOMER LOAN DETAILS

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa SQL

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per
- Administration

Information: No object selected

```

298
299 DELIMITER //
300
301 CREATE PROCEDURE GetCustomerLoans(
302     IN p_Customer_ID INT
303 )
304 BEGIN
305
306     SELECT
307         C.Customer_Name,
308         L.Loan_ID,
309         L.Loan_Type,
310         L.Loan_Amount,
311         L.Interest_Rate
312     FROM Customer C
313     JOIN Loan L
314     ON C.Customer_ID = L.Customer_ID
315     WHERE C.Customer_ID = p_Customer_ID;
316
317 END //
318
319 DELIMITER ;

```

Output: Action Output

#	Time	Action	Message
✓ 25	17:30:38	CREATE TRIGGER UpdateBalanceAfterTransaction AFT...	0 row(s) affected
✓ 26	17:31:23	CREATE TRIGGER PreventInsufficientWithdrawal BEFO...	0 row(s) affected
✓ 27	17:32:21	CREATE PROCEDURE TransferMoney(IN SenderAcc...	0 row(s) affected
✓ 28	17:33:03	CREATE PROCEDURE GetCustomerLoans(IN p_Cust...	0 row(s) affected

STEP 24: PROCEDURE – HIGH BALANCE ACCOUNTS

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Per
- Administration

Information

No object selected

```

318
319 DELIMITER ;
320
321 DELIMITER //
322
323 CREATE PROCEDURE HighBalanceAccounts(
324     IN MinimumBalance DECIMAL(12,2)
325 )
326 BEGIN
327
328     SELECT *
329     FROM Account
330     WHERE Balance >= MinimumBalance
331     ORDER BY Balance DESC;
332
333 END //
334
335 DELIMITER ;
336
337
338
339

```

Output

Action Output

#	Time	Action	Message
✓ 26	17:31:23	CREATE TRIGGER PreventInsufficientWithdrawal BEFO...	0 row(s) affected
✓ 27	17:32:21	CREATE PROCEDURE TransferMoney(IN SenderAcc...	0 row(s) affected
✓ 28	17:33:03	CREATE PROCEDURE GetCustomerLoans(IN p_Cust...	0 row(s) affected
✓ 29	17:33:47	CREATE PROCEDURE HighBalanceAccounts(IN Mini...	0 row(s) affected

STEP 25: PROCEDURE WITH IN, OUT PARAMETERS

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Par
- Administration

Information : No object selected

```

333 END //
334
335 DELIMITER ;
336
337 DELIMITER //
338
339 CREATE PROCEDURE GetBalance(
340     IN p_Account_No INT,
341     OUT p_Balance DECIMAL(12,2)
342 )
343 BEGIN
344
345     SELECT Balance
346     INTO p_Balance
347     FROM Account
348     WHERE Account_No = p_Account_No;
349
350 END //
351
352 DELIMITER ;
353
354

```

Output : Action Output

#	Time	Action	Message
✓ 27	17:32:21	CREATE PROCEDURE TransferMoney(IN SenderAcc...	0 row(s) affected
✓ 28	17:33:03	CREATE PROCEDURE GetCustomerLoans(IN p_Cust...	0 row(s) affected
✓ 29	17:33:47	CREATE PROCEDURE HighBalanceAccounts(IN Mini...	0 row(s) affected
✓ 30	17:34:32	CREATE PROCEDURE GetBalance(IN p_Account_N...	0 row(s) affected

STEP 26: TRIGGER MANAGEMENT COMMANDS

MySQL Workbench interface showing a query window and the Results grid.

Query Window:

```
347 FROM Account
348 WHERE Account_No = p_Account_No;
349
350 END //
351
352 DELIMITER ;
353 SHOW TRIGGERS;
```

Results Grid:

Trigger	Event	Table	Statement
CheckBalance	UPDATE	account	BEGIN IF NEW.Balance < 0 THEN
CheckTransactionAmount	INSERT	bank_transaction	BEGIN IF NEW.Amount <= 0 THE
PreventInsufficientWithdrawal	INSERT	bank_transaction	BEGIN DECLARE CurrentBalance C
TransactionAudit	INSERT	bank_transaction	BEGIN INSERT INTO Transaction_
UpdateBalanceAfterTransaction	INSERT	bank_transaction	BEGIN IF NEW.Transaction_Type
sys_config_insert_set_user	INSERT	sys_config	BEGIN IF @sys.ignore_sys_config
sys_config_update_set_user	UPDATE	sys_config	BEGIN IF @sys.ignore_sys_config

Action Output:

#	Time	Action	Message
✓ 28	17:33:03	CREATE PROCEDURE GetCustomerLoans(IN p_Cust...	0 row(s) affected
✓ 29	17:33:47	CREATE PROCEDURE HighBalanceAccounts(IN Mini...	0 row(s) affected
✓ 30	17:34:32	CREATE PROCEDURE GetBalance(IN p_Account_N...	0 row(s) affected
✓ 31	17:35:20	SHOW TRIGGERS	7 row(s) returned

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Practise Exa SQL

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Schema
- Administration
- Information

No object selected

```
348 WHERE Account_No = p_Account_No;
349
350 END //
351
352 DELIMITER ;
353 SHOW TRIGGERS;
354 SHOW CREATE TRIGGER CheckBalance;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	Trigger	sql_mode	SQL Original Statement
▶	CheckBalance	ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE...	CREATE DEFINER='root'@'localhost'...

Result 6 x Read Only Cont

Output

Action Output

#	Time	Action	Message
✓ 29	17:33:47	CREATE PROCEDURE HighBalanceAccounts(IN Mini...	0 row(s) affected
✓ 30	17:34:32	CREATE PROCEDURE GetBalance(IN p_Account_N...	0 row(s) affected
✓ 31	17:35:20	SHOW TRIGGERS	7 row(s) returned
✓ 32	17:36:16	SHOW CREATE TRIGGER CheckBalance	1 row(s) returned

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: DCL Commands* Weeks2(TCL)* Joint and Operations* My Example* Praticse Exa

MANAGEMENT

- Server Status
- Client Connection
- Users and Privileges
- Status and System
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

```
347 FROM Account
348 WHERE Account_No = p_Account_No;
349
350 END //
351
352 DELIMITER ;
353 • SHOW TRIGGERS;
354 • SHOW CREATE TRIGGER CheckBalance;
355 • DROP TRIGGER CheckBalance;
356
357
358
359
360
361
362
363
364
365
366
367
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 31	17:35:20	SHOW TRIGGERS	7 row(s) returned
✓ 32	17:36:16	SHOW CREATE TRIGGER CheckBalance	1 row(s) returned