

PRACTICAL EXAMPLES(WEEK-2)

Name: P.Bindhu Madhavi

Roll Number: 2520030077

Step 1: Create Database

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Open SQL

```
1 • CREATE DATABASE IF NOT EXISTS joins_db;
2 • USE joins_db;
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected

Step 2: Create Orders Table

The screenshot shows the MySQL Workbench interface. The left sidebar contains a 'MANAGEMENT' section with options like Server Status, Client Connections, Users and Privileges, Status and System, Data Export, and Data Import/Restore. Below this is an 'INSTANCE' section with Startup/Shutdown, Server Logs, and Options File. The 'PERFORMANCE' section includes Dashboard and Performance Report. The 'Information' section at the bottom left shows 'No object selected'. The main editor window displays the following SQL code:

```
1 CREATE DATABASE IF NOT EXISTS orders_db;
2 USE orders_db;
3 CREATE TABLE orders (
4     ord_no INT PRIMARY KEY,
5     purch_amt DECIMAL(10,2),
6     ord_date DATE,
7     customer_id INT,
8     salesman_id INT
9 );
```

The right sidebar shows a 'Context Help' section with the text 'Auto disable manual current toggle'. The bottom output window shows the execution results:

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, p...	0 row(s) affected

Step 3: Insert Data Into Orders

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)*** x SQLA

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration Administration Information

No object selected

```

9 );
10 2520030077-Bindhu Madhavi
11 INSERT INTO orders VALUES
12 (70001,150.50,'2012-10-05',3005,5002),
13 (70009,270.65,'2012-09-10',3001,5005),
14 (70002,65.26,'2012-10-05',3002,5001),
15 (70004,110.50,'2012-08-17',3009,5003),
16 (70007,948.50,'2012-09-10',3005,5002),
17 (70005,2400.60,'2012-07-27',3007,5001),
18 (70008,5760.00,'2012-09-10',3002,5001),
19 (70010,1983.43,'2012-10-10',3004,5006),
20 (70003,2480.40,'2012-10-10',3009,5003),
21 (70012,250.45,'2012-06-27',3008,5002),
22 (70011,75.29,'2012-08-17',3003,5007),
23 (70013,3045.60,'2012-04-25',3002,5001);
24

```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, p...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3...	12 row(s) affected Records: 12 Duplicates:

Step 4: Where Clause

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* Praticse Example(Week2)*

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

21 (70012,250.45,'2012-06-27',3008,5002),
22 (70011,75.29,'2012-08-17',3003,5007),
23 (70013,3045.60,'2012-04-25',3002,5001);
24 2520030077-Bindhu Madhavi
25 SELECT *
26 FROM orders
27 WHERE purch_amt > 2000;

```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
*	NULL	NULL	NULL	NULL	NULL

orders 1 x

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Duplicates:
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned

Step 5: Where Clause

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)*** SQLAdditions:

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration Information

No object selected

```

25 SELECT *
26 FROM orders
27 WHERE purch_amt > 2000;
28 2520030077-Bindhu Madhavi
29 SELECT *
30 FROM orders
31 WHERE ord_date='2012-09-10';

```

Limit to 1000 rows

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005
*	NULL	NULL	NULL	NULL	NULL

Filter Rows: Edit: Export/Import: Result Grid Form Editor

orders 2 × Apply Revert Context Help

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Duplicates: 0 Warnings
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned
✓ 6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' LI...	3 row(s) returned

Automa disabled. manuall current c toggle

Step 6: Where Clause

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)***

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

28 2520030077-Bindhu Madhavi
29 SELECT *
30 FROM orders
31 WHERE ord_date='2012-09-10';
32 SELECT *
33 FROM orders
34 WHERE salesman_id=5001;

```

Limit to 1000 rows

Result Grid

ord_no	purch_amt	ord_date	customer_id	salesman_id
70002	65.26	2012-10-05	3002	5001
70005	2400.60	2012-07-27	3007	5001
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001
NULL	NULL	NULL	NULL	NULL

orders 3 x

Output

Action Output

#	Time	Action	Message
1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
2	11:39:45	USE orders_db	0 row(s) affected
3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Du
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' LI...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIMIT ...	4 row(s) returned

Step 7: Order By

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)***

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information: No object selected

```

32 SELECT *
33 FROM orders
34 WHERE salesman_id=5001;
35 2520030077-Bindhu Madhavi
36 SELECT *
37 FROM orders
38 ORDER BY purch_amt DESC;

```

Limit to 1000 rows

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70010	1983.43	2012-10-10	3004	5006
	70007	948.50	2012-09-10	3005	5002
	70009	270.65	2012-09-10	3001	5005
	70012	250.45	2012-06-27	3008	5002

orders 4 x

Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
✓ 2	11:39:45	USE orders_db	0 row(s) affected
✓ 3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
✓ 4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Duplicat
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned
✓ 6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' LI...	3 row(s) returned
✓ 7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIMIT ...	4 row(s) returned
✓ 8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LIM...	12 row(s) returned

Step 8: Order By

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)***

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

35 2520030077-Bindhu Madhavi
36 SELECT *
37 FROM orders
38 ORDER BY purch_amt DESC;
39 SELECT *
40 FROM orders
41 ORDER BY ord_date;

```

Result Grid

ord_no	purch_amt	ord_date	customer_id	salesman_id
70013	3045.60	2012-04-25	3002	5001
70012	250.45	2012-06-27	3008	5002
70005	2400.60	2012-07-27	3007	5001
70004	110.50	2012-08-17	3009	5003
70011	75.29	2012-08-17	3003	5007
70007	948.50	2012-09-10	3005	5002
70008	5760.00	2012-09-10	3002	5001
70009	270.65	2012-09-10	3001	5005

orders 5

Apply Revert

Output

Action Output

#	Time	Action	Message
1	11:39:45	CREATE DATABASE IF NOT EXISTS orders_db	1 row(s) affected
2	11:39:45	USE orders_db	0 row(s) affected
3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',...	12 row(s) affected Records: 12 Duplicat
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT ...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' LI...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIMIT...	4 row(s) returned
8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LIM...	12 row(s) returned
9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned

Object Info

Step 9: Sum()

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* **Praticse Example(Week2)***

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

38 ORDER BY purch_amt DESC;
39 SELECT *
40 FROM orders
41 ORDER BY ord_date;
42 2520030077-Bindhu Madhavi
43 SELECT SUM(purch_amt) AS total_revenue
44 FROM orders;

```

Result Grid

total_revenue
17541.18

Result 6 x Read Only

Output

Action Output

#	Time	Action	Message
2	11:39:45	USE orders_db	0 row(s) affected
3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-0...	12 row(s) affected Records: 12 Duplicate
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIM...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' ...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIM...	4 row(s) returned
8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LI...	12 row(s) returned
9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1...	12 row(s) returned
10	11:46:35	SELECT SUM(purch_amt) AS total_revenue FROM order...	1 row(s) returned

Object Info

Step 10: Avg()

MySQL Workbench interface showing a query execution session.

Navigator:

- MANAGEMENT**
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore
- INSTANCE**
 - Startup / Shutdown
 - Server Logs
 - Options File
- PERFORMANCE**
 - Dashboard
 - Performance Report
- Administration
- Information

No object selected

Query Editor:

```

40 FROM orders
41 ORDER BY ord_date;
42 2520030077-Bindhu Madhavi
43 SELECT SUM(purch_amt) AS total_revenue
44 FROM orders;
45 SELECT AVG(purch_amt) AS average_order
46 FROM orders;
  
```

Result Grid:

average_order
1461.765000

Output:

#	Time	Action	Message
3	11:40:28	CREATE TABLE orders (ord_no INT PRIMARY KEY, ...	0 row(s) affected
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-0...	12 row(s) affected Records: 12 Duplicate
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIM...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' ...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIM...	4 row(s) returned
8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LI...	12 row(s) returned
9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1...	12 row(s) returned
10	11:46:35	SELECT SUM(purch_amt) AS total_revenue FROM order...	1 row(s) returned
11	11:47:24	SELECT AVG(purch_amt) AS average_order FROM order...	1 row(s) returned

Step 11: Max()

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* Practise Example(Week2)* x SQLAddit

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

41 ORDER BY ord_date;
42 2520030077-Bindhu Madhavi
43 SELECT SUM(purch_amt) AS total_revenue
44 FROM orders;
45 SELECT AVG(purch_amt) AS average_order
46 FROM orders;
47 SELECT MAX(purch_amt) AS highest_order

```

Result Grid

highest_order
5760.00

Result 8 x Read Only Context H

Output

Action Output

#	Time	Action	Message
4	11:41:24	INSERT INTO orders VALUES (70001,150.50,'2012-10-0...	12 row(s) affected Records: 12 Duplicates: 0 Wami
5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIM...	4 row(s) returned
6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' ...	3 row(s) returned
7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIM...	4 row(s) returned
8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LI...	12 row(s) returned
9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1...	12 row(s) returned
10	11:46:35	SELECT SUM(purch_amt) AS total_revenue FROM order...	1 row(s) returned
11	11:47:24	SELECT AVG(purch_amt) AS average_order FROM order...	1 row(s) returned
12	11:48:08	SELECT MAX(purch_amt) AS highest_order FROM orders...	1 row(s) returned

Object Info

Step 12: Min()

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Weeks2(TCL)* Joint and Operations* My Example* Praticse Example(Week2)* x

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

43 • SELECT SUM(purch_amt) AS total_revenue
44 FROM orders;
45 • SELECT AVG(purch_amt) AS average_order
46 FROM orders;
47 • SELECT MAX(purch_amt) AS highest_order
48 FROM orders;
49 • SELECT MIN(purch_amt) AS lowest_order

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

lowest_order
65.26

Result 9 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 5	11:42:17	SELECT * FROM orders WHERE purch_amt > 2000 LIM...	4 row(s) returned
✓ 6	11:43:11	SELECT * FROM orders WHERE ord_date='2012-09-10' ...	3 row(s) returned
✓ 7	11:43:46	SELECT * FROM orders WHERE salesman_id=5001 LIM...	4 row(s) returned
✓ 8	11:44:41	SELECT * FROM orders ORDER BY purch_amt DESC LI...	12 row(s) returned
✓ 9	11:45:40	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1...	12 row(s) returned
✓ 10	11:46:35	SELECT SUM(purch_amt) AS total_revenue FROM order...	1 row(s) returned
✓ 11	11:47:24	SELECT AVG(purch_amt) AS average_order FROM order...	1 row(s) returned
✓ 12	11:48:08	SELECT MAX(purch_amt) AS highest_order FROM orders...	1 row(s) returned
✓ 13	11:48:52	SELECT MIN(purch_amt) AS lowest_order FROM orders ...	1 row(s) returned

Step 13: Count()

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Ope

Limit to 1000 rows

```

45 • SELECT MAX(purch_amt) AS highest_order
46 FROM orders;
47 • SELECT MIN(purch_amt) AS lowest_order
48 FROM orders;
49 ✖ 2520030077-Bindhu Madhavi
50 SELECT COUNT(*) AS total_orders
51 FROM orders;

```

Result Grid

	total_orders
▶	12

Export: Wrap Cell Content:

Result Grid

Form Editor

Field Types

Query Stats

Result 10 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 11	15:12:30	SELECT AVG(purch_amt) AS average_order FROM order...	1 row(s) returned
✓ 12	15:12:46	SELECT MAX(purch_amt) AS highest_order FROM orders...	1 row(s) returned
✓ 13	15:13:00	SELECT MIN(purch_amt) AS lowest_order FROM orders ...	1 row(s) returned
✓ 14	15:13:13	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0...	1 row(s) returned

Step 14: Group By

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

49 2520030077-Bindhu Madhavi
50 SELECT COUNT(*) AS total_orders
51 FROM orders;
52 SELECT salesman_id,
53        SUM(purch_amt) AS total_sales
54 FROM orders
55 GROUP BY salesman_id;

```

Result Grid

salesman_id	total_sales
5002	1349.45
5001	11271.46
5003	2590.90
5005	270.65
5006	1983.43
5007	75.29

Result 11 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 12	15:12:46	SELECT MAX(purch_amt) AS highest_order FROM orders...	1 row(s) returned
✓ 13	15:13:00	SELECT MIN(purch_amt) AS lowest_order FROM orders ...	1 row(s) returned
✓ 14	15:13:13	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0...	1 row(s) returned
✓ 15	15:14:44	SELECT salesman_id, SUM(purch_amt) AS total_sale...	6 row(s) returned

Object Info

Step 15: Group By

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Open

Limit to 1000 rows

```

55 GROUP BY salesman_id;
56 2520030077-Bindhu Madhavi
57 SELECT customer_id,
58     SUM(purch_amt) AS total_purchase
59 FROM orders
60 GROUP BY customer_id;
61

```

Result Grid

	customer_id	total_purchase
▶	3005	1099.00
	3002	8870.86
	3009	2590.90
	3007	2400.60
	3001	270.65
	3004	1983.43
	3003	75.29
	3008	250.45

Result 12 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 13	15:13:00	SELECT MIN(purch_amt) AS lowest_order FROM orders ...	1 row(s) returned
✓ 14	15:13:13	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0...	1 row(s) returned
✓ 15	15:14:44	SELECT salesman_id, SUM(purch_amt) AS total_sale...	6 row(s) returned
✓ 16	15:15:38	SELECT customer_id, SUM(purch_amt) AS total_pur...	8 row(s) returned

Step 16: Group By + Max()

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

55 GROUP BY salesman_id;
56 2520030077-Bindhu Madhavi
57 SELECT customer_id,
58 SUM(purch_amt) AS total_purchase
59 FROM orders
60 GROUP BY customer_id;
61 SELECT customer_id,

```

Limit to 1000 rows

Result Grid

customer_id	highest_purchase
3005	948.50
3002	5760.00
3009	2480.40
3007	2400.60
3001	270.65
3004	1983.43
3003	75.29
3008	250.45

Result 13 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 14	15:13:13	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0...	1 row(s) returned
✓ 15	15:14:44	SELECT salesman_id, SUM(purch_amt) AS total_sale...	6 row(s) returned
✓ 16	15:15:38	SELECT customer_id, SUM(purch_amt) AS total_pur...	8 row(s) returned
✓ 17	15:16:14	SELECT customer_id, MAX(purch_amt) AS highest_p...	8 row(s) returned

Step 17: Group By + Having

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdo
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

64 GROUP BY customer_id;
65 2520030077-Bindhu Madhavi
66 SELECT salesman_id,
67     SUM(purch_amt) AS total_sales
68 FROM orders
69 GROUP BY salesman_id
70 HAVING SUM(purch_amt) > 3000;

```

Result Grid

salesman_id	total_sales
5001	11271.46

Result 14 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 15	15:14:44	SELECT salesman_id, SUM(purch_amt) AS total_sale...	6 row(s) returned
✓ 16	15:15:38	SELECT customer_id, SUM(purch_amt) AS total_pur...	8 row(s) returned
✓ 17	15:16:14	SELECT customer_id, MAX(purch_amt) AS highest_p...	8 row(s) returned
✓ 18	15:17:16	SELECT salesman_id, SUM(purch_amt) AS total_sale...	1 row(s) returned

Step 18: Group By + Having

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Open

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration Information

No object selected

```

70  HAVING SUM(purch_amt) > 3000;
71  2520030077-Bindhu Madhavi
72  SELECT customer_id,
73         COUNT(*) AS total_orders
74  FROM orders
75  GROUP BY customer_id
76  HAVING COUNT(*) > 1;

```

Result Grid

	customer_id	total_orders
▶	3005	2
	3002	3
	3009	2

Result 15 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 16	15:15:38	SELECT customer_id, SUM(purch_amt) AS total_pur...	8 row(s) returned
✓ 17	15:16:14	SELECT customer_id, MAX(purch_amt) AS highest_p...	8 row(s) returned
✓ 18	15:17:16	SELECT salesman_id, SUM(purch_amt) AS total_sale...	1 row(s) returned
✓ 19	15:18:23	SELECT customer_id, COUNT(*) AS total_orders FR...	3 row(s) returned

Step 19: Group By + Having + Order By

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connectio
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

```

72 • SELECT customer_id,
73       COUNT(*) AS total_orders
74 FROM orders
75 GROUP BY customer_id
76 HAVING COUNT(*) > 1;
77 2520030077-Bindhu Madhavi
78 SELECT customer_id,

```

Limit to 1000 rows

Result Grid

	customer_id	total_purchase
▶	3002	8870.86
	3009	2590.90
	3007	2400.60
	3004	1983.43
	3005	1099.00

Export: Wrap Cell Content

Result 16 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 17	15:16:14	SELECT customer_id, MAX(purch_amt) AS highest_p...	8 row(s) returned
✓ 18	15:17:16	SELECT salesman_id, SUM(purch_amt) AS total_sale...	1 row(s) returned
✓ 19	15:18:23	SELECT customer_id, COUNT(*) AS total_orders FR...	3 row(s) returned
✓ 20	15:19:23	SELECT customer_id, SUM(purch_amt) AS total_pur...	5 row(s) returned

Step 20: Between + Having

MySQL Workbench

Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and (

MANAGEMENT

- Server Status
- Client Connectic
- Users and Privile
- Status and Syste
- Data Export
- Data Import/Res

INSTANCE

- Startup / Shutdc
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Rep

Administration

Information

No object selected

```

83 ORDER BY total_purchase DESC;
84 2520030077-Bindhu Madhavi
85 SELECT customer_id,
86        MAX(purch_amt) AS max_purchase
87 FROM orders
88 GROUP BY customer_id
89 HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;

```

Result Grid

	customer_id	max_purchase
▶	3002	5760.00
	3009	2480.40
	3007	2400.60

Result 17 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 18	15:17:16	SELECT salesman_id, SUM(purch_amt) AS total_sale...	1 row(s) returned
✓ 19	15:18:23	SELECT customer_id, COUNT(*) AS total_orders FR...	3 row(s) returned
✓ 20	15:19:23	SELECT customer_id, SUM(purch_amt) AS total_pur...	5 row(s) returned
✓ 21	15:20:24	SELECT customer_id, MAX(purch_amt) AS max_purc...	3 row(s) returned

Step 21: Count() + Having

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Open

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

```

89  HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
90  2520030077-Bindhu Madhavi
91  SELECT salesman_id,
92         COUNT(*) AS total_orders
93  FROM orders
94  GROUP BY salesman_id
95  HAVING COUNT(*) >= 2;

```

Result Grid

	salesman_id	total_orders
▶	5002	3
	5001	4
	5003	2

Result 18 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 19	15:18:23	SELECT customer_id, COUNT(*) AS total_orders FR...	3 row(s) returned
✓ 20	15:19:23	SELECT customer_id, SUM(purch_amt) AS total_pur...	5 row(s) returned
✓ 21	15:20:24	SELECT customer_id, MAX(purch_amt) AS max_purc...	3 row(s) returned
✓ 22	15:21:12	SELECT salesman_id, COUNT(*) AS total_orders FR...	3 row(s) returned

Step 22: Max() + Group By + Having

Bindhu Madhavi Local instance... x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 Week2 Week2 (DDL)* DCL Commands* Weeks2(TCL)* Joint and Oper

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

```
2520030077-Bindhu Madhavi
SELECT ord_date,
       MAX(purch_amt) AS highest_purchase
FROM orders
GROUP BY ord_date
HAVING MAX(purch_amt) > 2000;
```

Result Grid

	ord_date	highest_purchase
▶	2012-10-10	2480.40
	2012-07-27	2400.60
	2012-09-10	5760.00
	2012-04-25	3045.60

Result 19 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 20	15:19:23	SELECT customer_id, SUM(purch_amt) AS total_pur...	5 row(s) returned
✓ 21	15:20:24	SELECT customer_id, MAX(purch_amt) AS max_purc...	3 row(s) returned
✓ 22	15:21:12	SELECT salesman_id, COUNT(*) AS total_orders FR...	3 row(s) returned
✓ 23	15:22:01	SELECT ord_date, MAX(purch_amt) AS highest_purc...	4 row(s) returned