

student-management(CO5)


Name: P. Bindhu Madhavi


Roll Number: 2520030077

Section: 7

The screenshot shows the MySQL Workbench interface. The left sidebar contains a 'MANAGEMENT' section with options like Server Status, Client Connection, Users and Privileges, Status and System, Data Export, and Data Import/Restore. Below this is an 'INSTANCE' section with Startup / Shutdown, Server Logs, and Options File. The 'PERFORMANCE' section includes Dashboard and Performance Rep. The 'Administration' button is also visible. The main editor window shows a SQL query with two lines: 'CREATE DATABASE IF NOT EXISTS studentdb;' and 'USE studentdb;'. The output pane at the bottom shows the execution results. It contains a table with columns '#', 'Time', 'Action', and 'Message'. The first three rows show warnings for the 'CREATE DATABASE' statement, and the fourth row shows a successful message for the 'USE' statement.

#	Time	Action	Message
2	13:28:12	CREATE DATABASE IF NOT EXISTS studentdb	1 row(s) affected, 1 warning(s): 1007 Can't create dat
3	13:28:17	CREATE DATABASE IF NOT EXISTS studentdb	1 row(s) affected, 1 warning(s): 1007 Can't create dat
4	13:28:45	CREATE DATABASE IF NOT EXISTS studentdb	1 row(s) affected, 1 warning(s): 1007 Can't create dat
5	13:28:45	USE studentdb	0 row(s) affected





PENNETI Bindhu Madhavi's Workspace

Search

Invite Upgrade

GET Get data GET Get data GET http://lo GET Untitled R POST Post dat GET http://lo POST http://l GET http://lo

HTTP http://localhost:8080/api/students/1

GET http://localhost:8080/api/students/1

Docs Params Authorization Headers 8 Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 [
2   {
3     "id": 1,
4     "name": "Bindhu",
5     "department": "CSE",
6     "email": "bindhu@gmail.com"
7   }
8 ]
```

Body Cookies Headers 5 Test Results 200 OK

PENNETI Bindhu Madhavi's Workspace

Search

GET Get data

GET Get data

GET http://localh

GET Untitled Reque

POST Post data

PUT

http://localhost:8080/api/students/1

Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL JS

1 {

2 "name": "Bindhu Madhavi",

3 "department": "CSE",

4 "email": "bindhumadhavi@gmail.com"

5 }

Body

Cookies

Headers 5

Test Results

{ } JSON

Preview

Visualize

1 {


2 "name": "Bindhu Madhavi",

3 "department": "CSE",

4 "email": "bindhumadhavi@gmail.com",

5 "id": 1

6 }



Bindhu Madhavi Local instanc... x

File Edit View Query Database Server Tools Scripting Help

Navigator e 15* Acid Propertie example* Week-4* SQL File 17* student_management(CO5)* x

MANAGEMENT

- Server Status
- Client Connection
- Users and Privileges
- Status and System
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

1 • CREATE DATABASE IF NOT EXISTS studentdb;

2 • USE studentdb;

3 • SHOW TABLES;

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

Tables_in_studentdb
student

Result 1 x Read Only



MANAGEMENT

- Server Status
- Client Connection
- Users and Privileges
- Status and System
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Report

Administration

Information

No object selected

```
1 • CREATE DATABASE IF NOT EXISTS studentdb;
2 • USE studentdb;
3 • SHOW TABLES;
4 • SELECT * FROM student;
```

Result Grid				
	id	department	email	name
*	NULL	NULL	NULL	NULL

student 2 x Apply Cont...

Output

Action Output				
#	Time	Action	Message	
4	13:28:45	CREATE DATABASE IF NOT EXISTS studentdb	1 row(s) affected, 1 warning(s): 1007 Can't creat	
5	13:28:45	USE studentdb	0 row(s) affected	
6	13:49:43	SHOW TABLES	1 row(s) returned	
7	13:50:13	SELECT * FROM student LIMIT 0, 1000	0 row(s) returned	