


Week-2 (DDL/DCL/TCL)

Name: P. Bindhu Madhavi

Roll Number: 2520030077

DDL Commands

STEP 1: Create Database



STEP 2: Create Table

STEP 3: Alter Table Add Column

The screenshot shows the MySQL Workbench interface. The left sidebar contains the 'Navigator' pane with sections for MANAGEMENT (Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore), INSTANCE (Startup / Shutdown, Server Logs, Options File), and PERFORMANCE (Dashboard, Performance Reports). The 'Administration' tab is selected. The main editor window shows a SQL script in the 'Week2 (DDL)*' tab. The script contains the following SQL statements:

```
1 CREATE DATABASE IF NOT EXISTS bank_db;
2 USE bank_db;
3 CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message	Duration / Fetch
1	20:37:55	CREATE DATABASE IF NOT EXI...	1 row(s) affected, 1 warning(s): 100...	0.000 sec
2	20:37:55	USE bank_db	0 row(s) affected	0.000 sec
3	20:43:04	CREATE TABLE bank_transaction...	0 row(s) affected	0.094 sec

The screenshot shows the MySQL Workbench interface with the same SQL script as the previous screenshot, but with additional statements for altering the table. The script now includes:

```
11 ALTER TABLE bank_transactions
12 ADD account_no VARCHAR(20);
13 ALTER TABLE bank_transactions
14 MODIFY customer_name VARCHAR(100);
```

The 'Output' pane at the bottom shows the execution results for all five statements:

#	Time	Action	Message	Duration / Fetch
1	20:37:55	CREATE DATABASE IF NOT EXISTS...	1 row(s) affected, 1 warning(s): 1007 C...	0.000 sec
2	20:37:55	USE bank_db	0 row(s) affected	0.000 sec
3	20:43:04	CREATE TABLE bank_transactions (...	0 row(s) affected	0.094 sec
4	20:45:36	ALTER TABLE bank_transactions AD...	0 row(s) affected Records: 0 Duplicat...	0.063 sec
5	20:57:05	ALTER TABLE bank_transactions MO...	0 row(s) affected Records: 0 Duplicat...	0.141 sec

STEP 4: Rename Table

MySQL Workbench

Bindhu Madhavi Local instanc...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges**
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Week2 (DDL)*

```

2 • USE bank_db;
3 • CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11 • ALTER TABLE bank_transactions
12     ADD account_no VARCHAR(20);
13 • ALTER TABLE bank_transactions
14     MODIFY customer_name VARCHAR(100);
15 • RENAME TABLE bank_transactions TO custom
16 • RENAME TABLE customer_transactions TO be
17

```

SQLAdditions

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	20:37:55	CREATE DATABASE IF NOT EXISTS...	1 row(s) affected, 1 warning(s): 1007 C...	0.000 sec
2	20:37:55	USE bank_db	0 row(s) affected	0.000 sec
3	20:43:04	CREATE TABLE bank_transactions (...	0 row(s) affected	0.094 sec
4	20:45:36	ALTER TABLE bank_transactions AD...	0 row(s) affected Records: 0 Duplicat...	0.063 sec
5	20:57:05	ALTER TABLE bank_transactions MO...	0 row(s) affected Records: 0 Duplicat...	0.141 sec
6	21:01:04	RENAME TABLE bank_transactions ...	0 row(s) affected	0.047 sec
7	21:01:04	RENAME TABLE customer_transactio...	0 row(s) affected	0.156 sec

STEP 5: Create Backup Table

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)*

```

2 • USE bank_db;
3 • CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11 • ALTER TABLE bank_transactions
12     ADD account_no VARCHAR(20);
13 • ALTER TABLE bank_transactions
14     MODIFY customer_name VARCHAR(100);
15 • RENAME TABLE bank_transactions TO custom
16 • RENAME TABLE customer_transactions TO be
17 • CREATE TABLE bank_backup AS
18     SELECT * FROM bank_transactions;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets


Output

Action Output


#	Time	Action	Message	Duration / Fetch
1	20:37:55	CREATE DATABASE IF NOT EXISTS...	1 row(s) affected, 1 warning(s): 1007C...	0.000 sec
2	20:37:55	USE bank_db	0 row(s) affected	0.000 sec
3	20:43:04	CREATE TABLE bank_transactions (...	0 row(s) affected	0.094 sec
4	20:45:36	ALTER TABLE bank_transactions AD...	0 row(s) affected Records: 0 Duplicat...	0.063 sec
5	20:57:05	ALTER TABLE bank_transactions MO...	0 row(s) affected Records: 0 Duplicat...	0.141 sec
6	21:01:04	RENAME TABLE bank_transactions ...	0 row(s) affected	0.047 sec
7	21:01:04	RENAME TABLE customer_transactio...	0 row(s) affected	0.156 sec
8	21:03:46	CREATE TABLE bank_backup AS S...	0 row(s) affected Records: 0 Duplicat...	0.063 sec

Object Info Session

STEP 6: Update Account Numbers



STEP 7: Insert



STEP 8: Update

MySQL Workbench

Bindhu Madhavi Local Instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)*

```

32 • UPDATE bank_transactions SET account_no=
33 • UPDATE bank_transactions SET account_no=
34 • UPDATE bank_transactions SET account_no=
35 • UPDATE bank_transactions SET account_no=
36 • UPDATE bank_transactions SET account_no=
37 • UPDATE bank_transactions SET account_no=
38 • UPDATE bank_transactions SET account_no=
39 • UPDATE bank_transactions SET account_no=
40 • UPDATE bank_transactions SET account_no=
41 • UPDATE bank_transactions SET account_no=
42 • INSERT INTO bank_transactions
43 VALUES
44 (111,'Venu','Vizag','Deposit',7000,'2024-09-21')
45 • UPDATE bank_transactions
46 SET amount=5000
47 WHERE txn_id=105;

```

Automatic context help disabled. Use the tooltip manually to get help for the current caret position. Toggle automatic help on or off in the Tools > Options > SQL Editor tab.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 sec
15	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 sec
16	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 sec
17	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 sec
18	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.015 sec
19	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 sec
20	21:12:20	INSERT INTO bank_transactions V...	1 row(s) affected	0.016 sec
21	21:14:26	UPDATE bank_transactions SET a...	1 row(s) affected Rows matched: 1 ...	0.000 sec

Object Info Session

STEP 9: Delete

MySQL Workbench

Bindhu Madhavi Local Instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)*

```

34 • UPDATE bank_transactions SET account_no=
35 • UPDATE bank_transactions SET account_no=
36 • UPDATE bank_transactions SET account_no=
37 • UPDATE bank_transactions SET account_no=
38 • UPDATE bank_transactions SET account_no=
39 • UPDATE bank_transactions SET account_no=
40 • UPDATE bank_transactions SET account_no=
41 • UPDATE bank_transactions SET account_no=
42 • INSERT INTO bank_transactions
43 VALUES
44 (111,'Venu','Vizag','Deposit',7000,'2024-09-21')
45 • UPDATE bank_transactions
46 SET amount=5000
47 WHERE txn_id=105;
48 • DELETE FROM bank_transactions
49 WHERE txn_id=111;

```

Automatic context help disabled. Use the tooltip manually to get help for the current caret position. Toggle automatic help on or off in the Tools > Options > SQL Editor tab.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 s
16	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 s
17	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 s
18	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.015 s
19	21:09:29	UPDATE bank_transactions SET ac...	1 row(s) affected Rows matched: 1 ...	0.000 s
20	21:12:20	INSERT INTO bank_transactions V...	1 row(s) affected	0.016 s
21	21:14:26	UPDATE bank_transactions SET a...	1 row(s) affected Rows matched: 1 ...	0.000 s
22	21:15:59	DELETE FROM bank_transactions ...	1 row(s) affected	0.015 s

Object Info Session

STEP 10: Select

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Query 1 Week2 Week2 (DDL)

```

50 WHERE txn_id=111;
51 SELECT * FROM bank_transactions;
52 SELECT * FROM bank_transactions
53 WHERE transaction_type='Deposit';
54 SELECT * FROM bank_transactions
55 ORDER BY amount DESC;
56

```

Automatic context help disabled. Use the tool manually get help for current caret position toggle automatic help

Result Grid

txn_id	customer_name	branch_name	trans
106	Ramesh	Vizag	Depo
103	P.Bindhu Madhavi	Vijayawada	Depo
110	Madhu	Vijayawada	Depo
108	Rahul	Hyderabad	Depo
104	P.Bindhu Madhavi	Vizag	Depo
101	P.Bindhu Madhavi	Hyderabad	Depo
105	Priya	Hyderabad	Withd
109	Sneha	Vizag	Withd


Output

Action Output


#	Time	Action	Message	Duration / Fetch
18	21:25:17	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.016 sec
19	21:25:17	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
20	21:26:21	INSERT INTO bank_transactio...	1 row(s) affected	0.000 sec
21	21:26:24	INSERT INTO bank_transactio...	Error Code: 1062 Duplicate entr...	0.000 sec
22	21:32:23	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
23	21:32:53	DELETE FROM bank_transacti...	1 row(s) affected	0.000 sec
24	21:33:40	SELECT * FROM bank_transact...	10 row(s) returned	0.000 sec / 0.000 s
25	21:33:40	SELECT * FROM bank_transact...	6 row(s) returned	0.000 sec / 0.000 s
26	21:33:40	SELECT * FROM bank_transact...	10 row(s) returned	0.000 sec / 0.000 s

DCL COMMANDS

STEP 1: Create User - Auditor1 & Branch Manager



STEP 2: Grant SELECT Permission



STEP 3: Check Current User

MySQL Workbench

Bindhu Madhavi Local Instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Week2 Week2 (DDL)* DCL Commands*

```

1 CREATE USER IF NOT EXISTS 'Auditor1'@'localhost'
2 IDENTIFIED BY 'audit123';
3
4 CREATE USER IF NOT EXISTS 'BranchManager'@'localhost'
5 IDENTIFIED BY 'manager123';
6 GRANT SELECT
7 ON bookflow_db.bank_transactions

```

Result Grid

Filter Rows:

Result 1

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration
23	21:32:53	DELETE FROM bank_transactions	1 row(s) affected	0.000 sec
24	21:33:40	SELECT * FROM bank_transactions	10 row(s) returned	0.000 sec
25	21:33:40	SELECT * FROM bank_transactions	6 row(s) returned	0.000 sec
26	21:33:40	SELECT * FROM bank_transactions	10 row(s) returned	0.000 sec
27	21:40:04	CREATE USER IF NOT EXISTS	0 row(s) affected	0.093 sec
28	21:40:04	CREATE USER IF NOT EXISTS	0 row(s) affected	0.016 sec
29	21:41:45	GRANT SELECT ON bookflow_db.bank_transactions	0 row(s) affected	0.015 sec
30	21:41:45	GRANT ALL PRIVILEGES ON bookflow_db.bank_transactions	0 row(s) affected	0.000 sec
31	21:49:14	SELECT CURRENT_USER()	1 row(s) returned	0.000 sec

Object Info Session

Automatic content disabled. Use the manual to get the current caret position to toggle automatic.

STEP 4: Revoke SELECT Permission & Revoke ALL PRIVILEGES

MySQL Workbench

Bindhu Madhavi Local Instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Week2 (DDL)* DCL Commands* Weeks2(TCL)*

```

10 ON bookflow_db.bank_transactions
11 TO 'BranchManager'@'localhost';
12 SELECT CURRENT_USER();
13 REVOKE SELECT
14 ON bookflow_db.bank_transactions
15 FROM 'Auditor1'@'localhost';
16

```

Result Grid

Filter Rows:

Result 1

Read Only Context Help Snippets

Output


Action Output

#	Time	Action	Message	Duration
23	21:32:53	DELETE FROM bank_transactions	1 row(s) affected	0.000 sec
24	21:33:40	SELECT * FROM bank_transactions	10 row(s) returned	0.000 sec
25	21:33:40	SELECT * FROM bank_transactions	6 row(s) returned	0.000 sec
26	21:33:40	SELECT * FROM bank_transactions	10 row(s) returned	0.000 sec
27	21:40:04	CREATE USER IF NOT EXISTS	0 row(s) affected	0.093 sec
28	21:40:04	CREATE USER IF NOT EXISTS	0 row(s) affected	0.016 sec
29	21:41:45	GRANT SELECT ON bookflow_db.bank_transactions	0 row(s) affected	0.015 sec
30	21:41:45	GRANT ALL PRIVILEGES ON bookflow_db.bank_transactions	0 row(s) affected	0.000 sec
31	21:49:14	SELECT CURRENT_USER()	1 row(s) returned	0.000 sec

Object Info Session


Automatic content disabled. Use the manual to get the current caret position to toggle automatic.

STEP 5: Refresh Privileges




TCL COMMANDS


STEP 1: Select the Database



STEP 2: Disable Auto Commit && Update Record



STEP 3: Commit the Transaction & Create a Save Point



STEP 4: Update Another Record

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Weeks2(TCL)*

```

1 • USE bookflow_db;
2 • SET AUTOCOMMIT = 0;
3 • UPDATE bank_transactions
4   SET amount = 6000
5   WHERE txn_id = 101;
6
7 • COMMIT;
8 • SAVEPOINT Before_Update;
9 • UPDATE bank_transactions
10  SET amount = 99999
11  WHERE txn_id = 102;

```

Automatic context disabled. Use the to manually get help current caret position toggle automatic

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
32	21:59:39	REVOKE ALL PRIVILEGES ON...	0 row(s) affected	0.000 sec
33	21:59:52	FLUSH PRIVILEGES	0 row(s) affected	0.015 sec
34	21:59:57	FLUSH PRIVILEGES	0 row(s) affected	0.000 sec
35	22:02:31	USE bookflow_db	0 row(s) affected	0.000 sec
36	22:04:17	SET AUTOCOMMIT = 0	0 row(s) affected	0.000 sec
37	22:04:35	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
38	22:04:35	COMMIT	0 row(s) affected	0.000 sec
39	22:06:18	SAVEPOINT Before_Update	0 row(s) affected	0.000 sec
40	22:07:41	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec

Object Info Session

STEP 5: Rollback To Save Point

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Weeks2(TCL)*

```

1 • USE bookflow_db;
2 • SET AUTOCOMMIT = 0;
3 • UPDATE bank_transactions
4   SET amount = 6000
5   WHERE txn_id = 101;
6
7 • COMMIT;
8 • SAVEPOINT Before_Update;
9 • UPDATE bank_transactions
10  SET amount = 99999
11  WHERE txn_id = 102;
12 • ROLLBACK TO Before_Update;

```

Automatic context disabled. Use the to manually get help current caret position toggle automatic

Context Help Snippets


Output

Action Output

#	Time	Action	Message	Duration / Fetch
33	21:59:52	FLUSH PRIVILEGES	0 row(s) affected	0.015 sec
34	21:59:57	FLUSH PRIVILEGES	0 row(s) affected	0.000 sec
35	22:02:31	USE bookflow_db	0 row(s) affected	0.000 sec
36	22:04:17	SET AUTOCOMMIT = 0	0 row(s) affected	0.000 sec
37	22:04:35	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
38	22:04:35	COMMIT	0 row(s) affected	0.000 sec
39	22:06:18	SAVEPOINT Before_Update	0 row(s) affected	0.000 sec
40	22:07:41	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
41	22:09:15	ROLLBACK TO Before_Update	0 row(s) affected	0.000 sec

Object Info Session

STEP 6: Full TCL Example



MySQL Workbench interface showing a TCL script execution. The script is titled "Weeks2(TCL)" and contains the following SQL statements:

```
11 WHERE txn_id = 102;  
12 ROLLBACK TO Before_Update;  
13 UPDATE bank_transactions  
14 SET amount = 7000  
15 WHERE txn_id = 101;  
16  
17 SAVEPOINT SP1;  
18  
19 UPDATE bank_transactions  
20 SET amount = 9000  
21 WHERE txn_id = 102;  
22  
23 ROLLBACK TO SP1;  
24  
25 COMMIT;  
26
```

The output table shows the execution of these statements:

#	Time	Action	Message	Duration / Fetch
38	22:04:35	COMMIT	0 row(s) affected	0.000 sec
39	22:06:18	SAVEPOINT Before_Update	0 row(s) affected	0.000 sec
40	22:07:41	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
41	22:09:15	ROLLBACK TO Before_Update	0 row(s) affected	0.000 sec
42	22:11:04	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.016 sec
43	22:11:04	SAVEPOINT SP1	0 row(s) affected	0.000 sec
44	22:11:04	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
45	22:11:04	ROLLBACK TO SP1	0 row(s) affected	0.000 sec
46	22:11:04	COMMIT	0 row(s) affected	0.000 sec

STEP 7: Output

MySQL Workbench

Bindhu Madhavi Local instance...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports

Administration Schemas

Information

No object selected

Weeks2(TCL)*

```
21 WHERE txn_id = 102;
22
23 ROLLBACK TO SP1;
24
25 COMMIT;
26 SELECT * FROM bank_transactions
27 WHERE txn_id IN (101,102);
```

SQLAdditions

Automatic context disabled. Use the toolbar to manually get help for the current caret position or toggle automatic

Result Grid

txn_id	customer_name	branch_name	trans
101	P.Bindhu Madhavi	Hyderabad	Depos
102	P.Bindhu Madhavi	Hyderabad	Withd

transactions 1 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
39	22:06:18	SAVEPOINT Before_Update	0 row(s) affected	0.000 sec
40	22:07:41	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
41	22:09:15	ROLLBACK TO Before_Update	0 row(s) affected	0.000 sec
42	22:11:04	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.016 sec
43	22:11:04	SAVEPOINT SP1	0 row(s) affected	0.000 sec
44	22:11:04	UPDATE bank_transactions SE...	1 row(s) affected Rows matched...	0.000 sec
45	22:11:04	ROLLBACK TO SP1	0 row(s) affected	0.000 sec
46	22:11:04	COMMIT	0 row(s) affected	0.000 sec
47	22:12:17	SELECT * FROM bank_transact	2 row(s) returned	0.000 sec / 0.00